

GARDEN 2023

Lawn and Soil Care
Tree and Shrub Care
Watering and Drainage

EINHELL IS TEST WINNER! BY STIFTUNG WARENTEST



THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- **Einhell Product Warranty**
Warranty extension for all Einhell products to 3 years.
- **PurePOWER Brushless Warranty**
Warranty extension for all PurePOWER Brushless products to 10 years.*
- **30 Day Money-Back Guarantee**
For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty**
Warranty extension for Power X-Change batteries to 3 years.



THIS IS HOW:

Find out more at einhell.de, register in your customer account and apply for the warranty. Further information is available at www.einhell.de/en/services/warranties/

einhell.de
>>>

* This warranty covers only defects in the engine that are due to a material or manufacturing defect!



POWER X-CHANGE

Power X-Change Cordless Excellence that convinces.	7	Cordless Chainsaws	41
Robot Lawn Mowers	10	Cordless Chain Sharpener	43
Petrol Lawn Mower (Power X-Change Electric Start)	15	Cordless Leaf Blowers	44
Cordless Lawn Mowers	16	Cordless Universal Blower	46
Cordless Push Reel Mower	23	Cordless Leaf Vacuums	47
Cordless Universal Spreader	23	Cordless Grass and Shrub Shears	49
Cordless Scarifiers/Aerators	24	Cordless Pruning Saw	50
Cordless Scarifiers	25	Cordless Pruning Shars	50
Cordless Earth Auger	26	Cordless Pressure Sprayers	51
Cordless Snow Thrower	27	Cordless Fan	52
Cordless Tillers	28	Battery Belt	53
Cordless Scythes	28	Cordless Hot Air Generator with Rechargeable Battery	53
Cordless Lawn Trimmers	29	Cordless Automatic Garden Pump	54
Cordless Lawn Edge Trimmer	32	Cordless Garden Pump	55
Cordless Grout Cleaner	32	Cordless Clear Water Pumps	56
Cordless Surface Brush	33	Cordless Dirty Water Pumps	58
Cordless Hedge Trimmers	35	System Cases E-Case	60
Cordless Olive and Fruit Harvester	37	Power X-Change Accessories	63
Cordless Multifunctional Tools	38	The Battery Guide – Running Time Tables // Battery Charging Time Tables	67
Cordless Pole-Mounted Pruners	39	The Power X-Change Partners	73
Cordless Telescopic Hedge Trimmers	40		



GARDEN CARE

Lawn and Soil Care	74	Tree and Shrub Care	93
Robot Lawn Mower	76	Electric Hedge Trimmers	95
Electric Lawn Mowers	77	Petrol Hedge Trimmer	96
Petrol Lawn Mowers	78	Cordless Grass and Shrub Shears	97
Manual Lawn Mowers	82	Electric Pole-Mounted Pruner	98
Electric Scarifiers/Aerators	84	Electric Telescopic Hedge Trimmers	98
Petrol Scarifier	85	Electric Multifunctional Tool	99
Garden Roller	86	Electric Chainsaws	101
Electric Grout Cleaner	86	Petrol Chainsaws	102
Multi-Purpose Spreader	86	Electric Chain Sharpeners	103
Electric Lawn Trimmers	87	Woodworking / Petrol Tools Accessories	103
Petrol Lawn Trimmer	88	Electric Leaf Vacuums	104
Petrol Multifunctional Tool	88	Garden Shredders	105
Petrol Scythes	89	Electric Roller Shredders	105
Petrol Tillers	91		
Electric Tillers	92		



WATER TECHNOLOGY

Watering / Drainage / Domestic Water Supply	106	Surface Pumps 'Plus'	120
'Aqua Sensor' Clear Water Pump	110	Garden Pumps 'Plus'	122
'Aqua Sensor' Dirty Water Pumps	111	Garden Pumps	125
2-in-1 Multi-Purpose Pumps	112	Automatic Home and Garden Pumps SMART	126
Submersible Pumps Dirty/Clear Water 'ECO'	114	Automatic Home and Garden Pumps 'Plus'	127
Dirty Water Pumps	114	Automatic Home and Garden Pumps	127
Clear Water Pumps	116	Water Works 'Plus'	128
Rain Barrel Pump	117	Water Works	130
Submersible Pressure Pumps	118	Petrol Water Pumps	131
Deep Well Pumps	119	Surface Pumps Accessories	133

Accessories / Spare Parts	134
Sales Support	144

Service	148
----------------	------------

EINHELL IS GOLD PARTNER OF FC BAYERN!

WE ARE PARTNERS. EINHELL AND FC BAYERN MÜNCHEN.

In our search for a partner for whom performance and endurance are just as important as they are for us, who values power and flexibility and consistently pursues their goals, we have found what we were looking for: As of August 2021, **Einhell as Gold Partner has been appointed as an Home & Garden Expert of FC Bayern.** Whether on the pitch or around the Allianz Arena: Be there when we implement exciting projects with our Power X-Change battery system so that the players can make everything possible on the pitch.

A PARTNERSHIP. ON THE SAME LEVEL.

Inspire people by giving your all every day. Working as a team with performance and perseverance to meet every challenge. And thereby convince with their own technology and competence. Einhell and FC Bayern not only share a love of their home in the heart of Bavaria, but especially also common values and the same mindset. As the team behind the FC Bayern team, we are now the club's Official Home and Garden Expert, the experts and enablers for smooth match and training operations.

Powerful enabler meets German record champion. The mission? Enabling the Next Level!



"We need people by our side who love what they do. Who have mastered their technique. Who take us forward. We need a partner with whom we can make any mission possible. And there can only be one."

Oliver Kahn, CEO, FC Bayern München AG

EINHELL MAKES IT POSSIBLE. TWO NEW ARRIVALS FOR FC BAYERN MÜNCHEN.

Andreas Kroiss, Chairman of the Management Board of Einhell Germany AG, points out that the partnership with Bayern Munich football club involves work at various levels. "With the two Power X-Change products in our FC Bayern Munich Special Edition we have made the hearts of many DIYers and amateur gardeners among Bayern Munich fans to beat that little bit faster."

In the FC Bayern Munich Fan Shop you will find a 36 V cordless lawn mower in FC Bayern Munich design. It is powered by a brushless electric motor and features a 6-level central cutting height adjustment facility, a folding long handle height-adjustable to 3 levels, and a grass catch basket with fill level indicator.

Also available in the FC Bayern Munich Special Edition is the powerful cordless impact drill/driver TP-CD 18/50 Li-i Brushless, which thanks to its brushless motor convinces likewise by delivering more power and running longer. Both the impact drill/driver and the lawn mower are supplied with two battery packs. All batteries/chargers and products of the Power X-Change range are compatible with one another.

For more information about our FC Bayern Munich Special Edition products go to www.einhell.de



Einhell
Official Home & Garden Expert





Einhell

CORDLESS EXCELLENCE.

POWER **X-CHANGE**

TWO PARTNERS. ONE MISSION.
MAXIMUM PERFORMANCE.



EINHELL IS A PROUD PARTNER OF
MERCEDES-AMG PETRONAS F1 TEAM.

Official Tool Expert



AMG
PETRONAS
FORMULA ONE TEAM



"We are incredibly proud to regularly get the best marks in competition with our strongest rivals, underlining our cordless expertise with rechargeable batteries."

Andreas Kroiss, CEO of Einhell Germany AG



CORDLESS EXCELLENCE THAT CONVINCES. **ONLY FROM EINHELL.**

It became clear to us early on that our customers wanted the freedom of cordless operation. We decided accordingly to concentrate fully on the sector of cordless technology and on the expansion of our Power X-Change system of rechargeable batteries. In numerous product tests carried out by prestigious trade journals and independent experts we have been rewarded with "top marks" and the position of


"best in the test", confirming the outstanding quality of our products and underlining Einhell's bundled competence. It is our aim to inspire our customers with Einhell cordless power and to provide them with freedom, fun and enjoyment on all their jobs around the house and garden. This will make Power X-Change a synonym for cordless freedom.



CORDLESS FREEDOM. FOR TOOL AND GARDEN.

At last – no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.



LATEST TECHNOLOGY. PROVEN QUALITY.

For the highest level of safety and performance.

Power X-Change batteries are the core component of our platform. That's why we use only the best components such as highperformance new-generation cells and our intelligent processorcontrolled battery electronics. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability.



POWERFUL MACHINES. LONG-LASTING BATTERIES.

No matter how large your project – Power X-Change won't let you down.

Less power? No way! As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.



1 BATTERY. 1000 POSSIBILITIES. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

Just as versatile as you: Battery power for every situation.

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 250 devices. To enable us to offer you cordless freedom in even more areas of life, we have opened our platform to strong partners. Thanks to the versatile Power X-Change system diverse items from partner companies are "Powered by Power X-Change" – for more information go to page 73.



ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY



TWIN-PACK® TECHNOLOGY. 18 V + 18 V = 36 V.

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology.


If the voltage (V) gets doubled, the power (W) gets doubled, too. Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.



POWER X-CHANGE PLUS. THE PLUS IN POWER.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. With Power X-Change PLUS Technology you get more power per cell, so that you can work with plenty of power even on challenging applications as well.



If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.



PUREPOWER – INNOVATIVE DRIVE TECHNOLOGY FOR THE HIGHEST DEMANDS.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motor:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE





Einhell

CORDLESS EXCELLENCE.

POWER X-CHANGE

1 BATTERY.

FOR MORE THAN 250 TOOLS.



POWER X-CHANGE ROBOT LAWN MOWERS

POWER X-CHANGE LITHIUM-ION BATTERY

The rechargeable battery can be used in all the devices from the Power X-Change family

INTEGRATED CAMERA

The camera detects mowing area and visual boundaries such as stones, tar or bark mulch



Power X-Change Robot Lawn Mower
FREELEXO CAM 500

ULTRASONIC SENSORS

The sensors detect obstacles and physical boundaries such as hedges, walls or trees

1 Unpacking



2 Installation of the charging station and the guide cable*



* This is not a perimeter wire but simply a 5 m² loop around the charging station which the robot lawn mower uses for docking purposes.

3 Calibration and initialization



Place FREELEXO in the charging station, calibrate and start the initialization run.

4 Start



POWER X-CHANGE ROBOT LAWN MOWERS



PURE CORDLESS FREEDOM

no perimeter wire required.



INTUITIVE KEYPAD

Easy to operate thanks to the mowing time programmer for lawn care every day or every two days.



SEPARATE AREAS OF THE GARDEN

Mowing mode for areas of lawn separate from the main garden



RAIN SENSOR

for lawn-friendly operation

	FREELEXO CAM 500 EXPERT NEW
PXC battery voltage / capacity	18 V / 3.0 Ah
For lawn areas of up to approx.*	500 m ²
Cutting width	18 cm
Cutting height adjustment	infinitely / 20 - 60 mm / central
Suitable for slopes up to	25%
PXC system battery	•
App	-
Intuitive keypad	•
Mowing without perimeter wire	•
Integrated camera and obstacle sensors	•
Magnetic band for virtual borders	• (5 m, included in delivery)
Programmable operating times	•
Mowing program for border areas	•
Eco mode	•
Impact, lift and tilt sensors	•
Brushless motor	•
Supplied with charging unit	• (12 m guide cable included)
Number of batteries / number of chargers	1 / 0
Supplied with perimeter wire	Not necessary
Article number	34.139.91

* The stated area coverage is based on the assumption of ideal conditions



FREELEXO CAM

CORDLESS ROBOT LAWN MOWER WITHOUT PERIMETER WIRE – DETECTS OBSTACLES AND BOUNDARIES



PHYSICAL BOUNDARIES

e. g. walls, hedges, trees



VISUAL BOUNDARIES

e. g. bark mulch, tar, stones


MADE POSSIBLE BY A VIRTUAL FENCE – THANKS TO MAGNETIC TAPE ACCESSORY

Lay the supplied magnetic tape in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic tape and turn away at its limits. In this way you can create off-limit areas at short notice.



A TEMPORARY OFF-LIMITS AREA

When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.




A FLOWER MEADOW IN THE GARDEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



A NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.



LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognize by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.

FREELEXO CAM ACCESSORIES

		Article number	EAN	Items supplied	Suitable for
	Robot Lawn Mower Garage	34.140.24	4 006825 654417	1 pc (folding, l x b x h: 77.0 x 59.0 x 39.5 cm)	all Einhell robot lawn mowers
	Spare Blades	34.140.20	4 006825 648775	12 pcs	
	Cleaning Set	34.140.25	4 006825 657951	Gloves, brushes, scouring pad, microfiber cloth, spatula, screwdriver	
	Magnetic Band Set	34.140.28	4 006825 670929	Magnetic tape (length: 20 m), 20 fastening hooks	FREELEXO CAM

POWER X-CHANGE ROBOT LAWN MOWERS



	FREELEXO 300 LCD BT+ Solo EXPERT NEW	FREELEXO 500 LCD BT+ EXPERT	FREELEXO 600 BT EXPERT
PXC battery voltage / capacity	18 V / –	18 V / 2.5 Ah	18 V / 2.5 Ah
For lawn areas of up to approx.*	300 m ²	500 m ²	600 m ²
Cutting width	18 cm	18 cm	18 cm
Cutting height adjustment	infinitely / 20 - 60 mm / central	infinitely / 20 - 60 mm / central	infinitely / 20 - 60 mm / central
Suitable for slopes up to	35 %	35 %	35 %
PXC system battery	•	•	•
App	Bluetooth	Bluetooth	Bluetooth
LCD display	•	•	–
Programmable operating time for each specific day	•	•	•
Mowing time calculation based on current weather data	–	–	–
Multi area mowing	•	•	•
Spot Mowing	•	•	–
Mowing program for border areas	•	•	–
Eco mode	•	•	–
Impact, lift and tilt sensors	•	•	•
Brushless motor	•	•	•
Supplied with charging unit	•	•	•
Number of batteries / number of chargers	0 / 0	1 / 0	1 / 0
Supplied with perimeter wire	100 m	130 m	140 m
Supplied with fastening hooks	140 pcs	190 pcs	200 pcs
Supplied with accessories	3 connecting clamps, 3 blades	3 connecting clamps, 3 blades	3 connecting clamps, 3 blades
Article number	34.139.84	34.139.82	34.139.46

* The stated area coverage is based on the assumption of ideal conditions



CHARGING UNIT INCLUDED

A charging unit is included with every robot lawn mower, whether Kit or Solo.



Illustration may differ from the original



QUALITY CONFIRMED

A range of test institutes confirm the high quality of our Power X-Change robot lawn mowers through very good test results



POWER X-CHANGE ROBOT LAWN MOWERS



Power X-Change Robot Lawn Mower
FREELEXO SMART 750



SMART MODE

In Smart Mode the robot lawn mower automatically draws up a work schedule that is optimally coordinated with the weather, the size of the garden and the customer's preferences



NETWORKABLE WITH EINHELL SMART TOOLS

Einhell Smart Tools work together automatically in Smart Mode



CAN BE CONTROLLED FROM EVERYWHERE

Thanks to mobile internet connectivity, a smart-phone now lets you care for your lawn from wherever you might be



YOU DON'T NEED WIFI OR BLUE-TOOTH

Unlimited range thanks to communication via the mobile phone network



WEATHER FORECASTS TAKEN INTO ACCOUNT

In Smart Mode the robot lawn mower takes weather forecasts into account when adjusting to local weather conditions in order to achieve the best possible results



Another SMART Tool from the Einhell range:
**Automatic Home and Garden Pump
GE-AW 1144 SMART** (see page 126)



POWER X-CHANGE ROBOT LAWN MOWERS



	FREELEXO SMART 750 PROFESSIONAL NEW
PXC battery voltage / capacity	18 V / 3.0 Ah
For lawn areas of up to approx.*	750 m²
Cutting width	18 cm
Cutting height adjustment	infinitely / 20 - 60 mm / central
Suitable for slopes up to	35 %
PXC system battery	•
App	GSM / Smart
LCD display	•
Programmable operating time for each specific day	•
Mowing time calculation based on current weather data	•
Multi area mowing	•
Spot Mowing	•
Mowing program for border areas	•
Eco mode	•
Networkable with all Einhell SMART devices	•
Impact, lift and tilt sensors	•
Brushless motor	•
Supplied with charging unit	•
Number of batteries / number of chargers	1 / 0
Supplied with perimeter wire	175 m
Supplied with fastening hooks	245 pcs
Supplied with accessories	3 connecting clamps, 3 blades
Article number	34.138.11

* The stated area coverage is based on the assumption of ideal conditions



POWER X-CHANGE ROBOT LAWN MOWERS



	FREELEXO 900 LCD BT EXPERT	FREELEXO 1200 LCD BT EXPERT
PXC battery voltage / capacity	18 V / 3.0 Ah	18 V / 5.2 Ah
For lawn areas of up to approx.*	900 m ²	1200 m ²
Cutting width	18 cm	18 cm
Cutting height adjustment	infinitely / 20 - 60 mm / central	infinitely / 20 - 60 mm / central
Suitable for slopes up to	35 %	35 %
PXC system battery	•	•
App	Bluetooth	Bluetooth
LCD display	•	•
Programmable operating time for each specific day	•	•
Mowing time calculation based on current weather data	-	-
Multi area mowing	•	•
Spot Mowing	-	-
Mowing program for border areas	-	-
Eco mode	-	-
Impact, lift and tilt sensors	•	•
Brushless motor	•	•
Supplied with charging unit	•	•
Number of batteries / number of chargers	1 / 0	1 / 0
Supplied with perimeter wire	190 m	210 m
Supplied with fastening hooks	270 pcs	300 pcs
Supplied with accessories	3 connecting clamps, 3 blades	3 connecting clamps, 3 blades
Article number	34.139.55	43.263.68

* The stated area coverage is based on the assumption of ideal conditions



FREELEXO CAM ACCESSORIES

		Article number	EAN	Items supplied	Suitable for
	Robot Lawn Mower Garage	34.140.24	4 006825 654417	1 pc (folding, l x b x h: 77.0 x 59.0 x 39.5 cm)	all Einhell robot lawn mowers
	Perimeter Wire	34.140.21	4 006825 648782	1 pc (50 m)	
	Spare Blades	34.140.20	4 006825 648775	12 pcs	
	Fastening Hooks	34.140.23	4 006825 648805	100 pcs	
	Connection Clamps	34.140.22	4 006825 648799	4 pcs	
	Repair Kit	34.140.26	4 006825 657968	5 m perimeter wire, 15 fastening hooks, 8 connecting clamps	
	Cleaning Set	34.140.25	4 006825 657951	Gloves, brushes, scouring pad, microfiber cloth, spatula, screwdriver	

PETROL LAWN MOWERS (POWER X-CHANGE ELECTRIC START)



	GC-PM 51/3 S HW-E Li CLASSIC	GC-PM 46 SM HW-E Li CLASSIC
Engine / displacement	4-stroke engine / 170 cm ³	4-stroke engine / 146 cm ³
Power / working speed	2.7 kW / 2900 min ⁻¹	2.0 kW / 2900 min ⁻¹
PXC battery voltage / capacity	1x 18 V / 2.0 Ah	1x 18 V / 2.0 Ah
Charging time	2.5 h	2.5 h
Cutting width	51 cm	46 cm
Cutting height adjustment	6 levels / 30 - 80 mm / central	9 levels / 25 - 80 mm / central
Grass box capacity	70 l	65 l
Wheel diameter front / rear	204 mm / 280 mm	204 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1400 m ²
Product weight	34.8 kg	32.1 kg
Highwheels	•	•
Self-propelling	•	•
Electric start function with PXC battery (18 V)	•	•
Mulching function	•	•
Height-adjustable long handle with soft grip	•	•
Grass box with level indicator	•	•
Lawn comb	-	•
Number of batteries / number of chargers	1 / 1	1 / 1
Article number	34.048.70	34.075.60



POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products



CORDLESS LAWN MOWERS

RASARRO

ALUMINIUM GUIDE RAIL
Particularly sturdy and lightweight

INTEGRATED CARRY-HANDLE
Easy transport

CENTRAL CUTTING HEIGHT ADJUSTMENT
Comfortable and easy adjustment of the cutting height in 6 levels

Cordless Lawn Mower
RASARRO 36/42

LAWN COMB
Integrated lawn comb enables mowing close to the edge

ERGONOMIC HANDLE WITH SOFT GRIP AREAS
Fatigue-free operation thanks to the ergonomic handle

TELESCOPIC GUIDE RAIL
The individually telescopic (= height-adjustable) long handle enables easy adjustment to the user's size

FOLDABLE GUIDE RAIL
After use, the folding mechanism enables practical storage in minimum space

50 L CATCH BAG WITH LEVEL INDICATOR
Optimum catching and filling characteristics

MORE POWER AND LONGER OPERATING TIMES

The brushless motor guarantees both maximum power and longer operating times per battery charge on top of all the other advantages

CORDLESS LAWN MOWERS

RASARRO

36 V
POWER
2 x 18 V

PUREPOWER
BRUSHLESS



PUREPOWER
BRUSHLESS

RASARRO

Die RASARROs are characterised by the following main features:

- 1. Aluminium guide rail**
The long handle made of aluminium is both extremely sturdy and light in weight. It ensures accurate guidance, a long working life and absolutely easy handling.
- 2. Ergonomically shaped handle area**
The ergonomically shaped handlebar with softgrip is highly effective in preventing fatigue during lengthy work sessions

	RASARRO 36/42	NEW
	PROFESSIONAL	
PXC battery voltage / capacity	2x 18 V / 5.2 Ah	
Charging time	100 min	
For lawn areas of up to approx.*	725 m²	
Cutting width	42 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	17.2 kg	
Mulching function	•	
Integrated carry handle	•	
Brushless motor	•	
Height-adjustable handlebar	• (telescopic)	
Folding handlebar	•	
Grass box with level indicator	•	
Wide wheels exert less stress on the lawn	•	
Number of batteries / number of chargers	2 / 1 (Twincharger)	
Article number	34.132.72	

* The stated area coverage is based on the assumption of ideal conditions



CORDLESS LAWN MOWERS

RASARRO

36 V
POWER
2 x 18 V

PUREPOWER
BRUSHLESS



	RASARRO 36/40 PROFESSIONAL	NEW	RASARRO 36/38 PROFESSIONAL
PXC battery voltage / capacity	2x 18 V / 4.0 Ah		2x 18 V / 4.0 Ah
Charging time	75 min		75 min
For lawn areas of up to approx.*	500 m ²		450 m ²
Cutting width	40 cm		38 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central		6 levels / 25 - 75 mm / central
Grass box capacity	50 l		45 l
Wheel diameter front / rear	150 mm / 220 mm		150 mm / 220 mm
Housing material	Plastic		Plastic
Product weight	17.4 kg		15.5 kg
Mulching function	-		•
Integrated carry handle	•		•
Brushless motor	•		•
Height-adjustable handlebar	•		• (telescopic)
Folding handlebar	•		•
Grass box with level indicator	•		•
Wide wheels exert less stress on the lawn	•		•
Number of batteries / number of chargers	2 / 1 (Twincharger)		2 / 1 (Twincharger)
Article number	34.132.78		34.131.80

* The stated area coverage is based on the assumption of ideal conditions



CORDLESS LAWN MOWERS

RASARRO

36 V
POWER
2 x 18 V



	RASARRO 36/36 EXPERT	NEW	RASARRO 36/34 EXPERT	NEW
PXC battery voltage / capacity	2x 18 V / 3.0 Ah		2x 18 V / 3.0 Ah	
Charging time	60 min		60 min	
For lawn areas of up to approx.*	400 m ²		300 m ²	
Cutting width	36 cm		34 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central		5 levels / 25 - 65 mm / central	
Grass box capacity	45 l		30 l	
Wheel diameter front / rear	150 mm / 220 mm		150 mm / 180 mm	
Housing material	Plastic		Plastic	
Product weight	13.0 kg		13.9 kg	
Mulching function	-		-	
Integrated carry handle	•		•	
Brushless motor	-		-	
Height-adjustable handlebar	•		•	
Folding handlebar	•		•	
Grass box with level indicator	•		•	
Wide wheels exert less stress on the lawn	•		•	
Number of batteries / number of chargers	2 / 2		2 / 2	
Article number	34.132.82		34.132.22	

* The stated area coverage is based on the assumption of ideal conditions



CORDLESS LAWN MOWERS

**36 V
POWER
2 x 18 V**

**DOUBLE
TWINPACK
TECHNOLOGY**



GP-CM 36/47 S HW Li Brushless PROFESSIONAL	
PXC battery voltage / capacity	4x 18 V / 4.0 Ah
Charging time	75 min
For lawn areas of up to approx.*	700 m²
Cutting width	47 cm
Cutting height adjustment	6 levels / 30 - 65 mm / central
Grass box capacity	75 l
Wheel diameter front / rear	200 mm / 280 mm
Housing material	Steel
Product weight	31.0 kg
Variable wheeldrive	•
Mulching function	•
Integrated carry handle	•
Brushless motor	•
Height-adjustable handlebar	•
Folding handlebar	•
Grass box with level indicator	•
Wide wheels exert less stress on the lawn	•
Number of batteries / number of chargers	4 / 2 (Twincharger)
Cleaning tool	•
Article number	34.132.00

* The stated area coverage is based on the assumption of ideal conditions



CORDLESS LAWN MOWERS

**36 V
POWER
2 x 18 V**

**DOUBLE
TWINPACK
TECHNOLOGY**



GE-CM 36/48 Li M Brushless - Solo EXPERT	
PXC battery voltage / capacity	2x 18 V / -
Charging time	-
For lawn areas of up to approx.*	-
Cutting width	48 cm
Cutting height adjustment	6 levels / 30 - 75 mm / axial
Grass box capacity	-
Wheel diameter front / rear	180 mm / 180 mm
Housing material	Steel
Product weight	16.9 kg
Mulching function	•
Integrated carry handle	-
Brushless motor	•
Height-adjustable handlebar	•
Folding handlebar	•
Grass box with level indicator	-
Wide wheels exert less stress on the lawn	•
Number of batteries / number of chargers	0 / 0
Article number	34.130.54

* The stated area coverage is based on the assumption of ideal conditions



**DOUBLE
TWINPACK
TECHNOLOGY**

DOUBLE TWINPACK TECHNOLOGY

Double Twin-Pack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted in the GP-CM 36/47 S HW Li lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

Example (GP-CM 36/47 S HW Li):
Twinpack
2x 18 V = 350 m²
Double Twinpack
2x 18 V + 2x 18 V =
350 m² + 350 m² = 700 m²

CORDLESS LAWN MOWERS

36 V
POWER
2 x 18 V

PUREPOWER
BRUSHLESS



	GE-CM 36/43 Li M Brushless EXPERT	GE-CM 36/43 Li M Brushless - Solo EXPERT
PXC battery voltage / capacity	2x 18 V / 4.0 Ah	2x 18 V / -
Charging time	75 min	-
For lawn areas of up to approx.*	600 m ²	-
Cutting width	43 cm	43 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central	6 levels / 25 - 75 mm / central
Grass box capacity	63 l	63 l
Wheel diameter front / rear	160 mm / 250 mm	160 mm / 250 mm
Housing material	Plastic	Plastic
Product weight	16.3 kg	13.2 kg
Mulching function	•	•
Integrated carry handle	•	•
Brushless motor	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Wide wheels exert less stress on the lawn	•	•
Number of batteries / number of chargers	2 / 2	0 / 0
Article number	34.132.40	34.132.46

* The stated area coverage is based on the assumption of ideal conditions



4 006825 645866



4 006825 648720

CORDLESS LAWN MOWERS

36 V
POWER
2 x 18 V

PUREPOWER
BRUSHLESS



	GP-CM 36/41 Li Brushless - Solo PROFESSIONAL	GE-CM 36/37 Li - Solo EXPERT
PXC battery voltage / capacity	2x 18 V / -	2x 18 V / -
Charging time	-	-
For lawn areas of up to approx.*	-	-
Cutting width	41 cm	37 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central	6 levels / 25 - 75 mm / central
Grass box capacity	50 l	45 l
Wheel diameter front / rear	150 mm / 220 mm	150 mm / 220 mm
Housing material	Plastic	Plastic
Product weight	15.2 kg	13.5 kg
Mulching function	-	-
Integrated carry handle	•	•
Brushless motor	•	-
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Wide wheels exert less stress on the lawn	•	•
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.132.75	34.131.72

* The stated area coverage is based on the assumption of ideal conditions



4 006825 652093



4 006825 635898

CORDLESS LAWN MOWERS

36 V
POWER
2 x 18 V



	GE-CM 36/36 Li Brushless	GE-CM 36/34-1 Li - Solo
	EXPERT	EXPERT
PXC battery voltage / capacity	2x 18 V / 4.0 Ah	2x 18 V / –
Charging time	75 min	–
For lawn areas of up to approx.*	400 m²	–
Cutting width	36 cm	33.5 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central	5 levels / 25 - 65 mm / central
Grass box capacity	40 l	30 l
Wheel diameter front / rear	145 mm / 220 mm	150 mm / 180 mm
Housing material	Plastic	Plastic
Product weight	13.4 kg	11.9 kg
Mulching function	–	–
Integrated carry handle	•	•
Brushless motor	•	–
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Wide wheels exert less stress on the lawn	•	•
Number of batteries / number of chargers	2 / 2	0 / 0
Article number	34.132.30	34.132.26

* The stated area coverage is based on the assumption of ideal conditions



BEST IN TEST ONCE AGAIN.
BY STIFTUNG WARENTEST.



CORDLESS LAWN MOWERS

36 V
POWER
2 x 18 V



	GE-CM 36/33 Li EXPERT
PXC battery voltage / capacity	2x 18 V / 2.5 Ah
Charging time	50 min
For lawn areas of up to approx.*	250 m²
Cutting width	33 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	30 l
Wheel diameter front / rear	150 mm / 180 mm
Housing material	Plastic
Product weight	11.6 kg
Mulching function	-
Integrated carry handle	•
Brushless motor	-
Height-adjustable handlebar	•
Folding handlebar	•
Grass box with level indicator	•
Wide wheels exert less stress on the lawn	•
Number of batteries / number of chargers	2 / 2
Article number	34.132.10

* The stated area coverage is based on the assumption of ideal conditions



4 006825 645002

CORDLESS LAWN MOWERS



PUREPOWER
BRUSHLESS



	GE-CM 18/33 Li Brushless EXPERT	GE-CM 18/33 Li Brushless - Solo EXPERT
PXC battery voltage / capacity	18 V / 4.0 Ah	18 V / -
Charging time	75 min	-
For lawn areas of up to approx.*	200 m²	-
Cutting width	33 cm	33 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central	5 levels / 25 - 65 mm / central
Grass box capacity	30 l	30 l
Wheel diameter front / rear	150 mm / 180 mm	150 mm / 180 mm
Housing material	Plastic	Plastic
Product weight	10.9 kg	10.1 kg
Mulching function	-	-
Integrated carry handle	•	•
Brushless motor	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Wide wheels exert less stress on the lawn	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Article number	34.132.60	34.132.66

* The stated area coverage is based on the assumption of ideal conditions



4 006825 646856



4 006825 647686

CORDLESS LAWN MOWERS



	GE-CM 18/32 Li Brushless - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Charging time	–
For lawn areas of up to approx.*	–
Cutting width	32 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial
Grass box capacity	25 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
Product weight	8.5 kg
Mulching function	–
Integrated carry handle	•
Brushless motor	•
Height-adjustable handlebar	–
Folding handlebar	•
Grass box with level indicator	–
Wide wheels exert less stress on the lawn	•
Number of batteries / number of chargers	0 / 0
Article number	34.132.56

* The stated area coverage is based on the assumption of ideal conditions



CORDLESS LAWN MOWERS



	GE-CM 18/30 Li Brushless	GE-CM 18/30 Li Brushless - Solo
	EXPERT	EXPERT
PXC battery voltage / capacity	18 V / 3.0 Ah	18 V / –
Charging time	60 min	–
For lawn areas of up to approx.*	150 m²	–
Cutting width	30 cm	30 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial	3 levels / 30 - 70 mm / axial
Grass box capacity	25 l	25 l
Wheel diameter front / rear	140 mm / 140 mm	140 mm / 140 mm
Housing material	Plastic	Plastic
Product weight	9.3 kg	8.9 kg
Mulching function	–	–
Integrated carry handle	•	•
Brushless motor	•	•
Height-adjustable handlebar	–	–
Folding handlebar	•	•
Grass box with level indicator	–	–
Wide wheels exert less stress on the lawn	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Article number	34.131.55	34.131.57

* The stated area coverage is based on the assumption of ideal conditions



CORDLESS PUSH REEL MOWER



	GE-HM 18/38 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Cutting width	38 cm
Cutting height adjustment	4 levels / 14 - 38 mm
Grass box capacity	45 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Product weight	10.5 kg
Mulching function	•
Integrated carry handle	–
Brushless motor	–
Height-adjustable handlebar	•
Folding handlebar	•
Wide wheels exert less stress on the lawn	•
Number of batteries / number of chargers	0 / 0
Article number	34.142.00



CORDLESS UNIVERSAL SPREADER



	GE-US 18 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Capacity	3.3 l
Spread width	max. 5 m
Suitable for	Fertiliser, grass seed and salt
Product weight	1.2 kg
Electronic speed control (6-stage)	•
Flow rate adjustment (8-stage)	•
Individually adjustable spread width	•
Soft grip	•
Suitable for winter grit	•
Number of batteries / number of chargers	0 / 0
Article number	34.154.10



CORDLESS SCARIFIERS/AERATORS

MORE POWER AND LONGER OPERATING TIMES

The brushless motor guarantees both maximum power and longer operating times per battery charge on top of all the other advantages

EASY MAINTENANCE HOUSING

The robust housing made of impact-resistant material is very user-friendly thanks to its round-edge design

CENTRAL WORKING DEPTH ADJUSTMENT

Central adjustment of the working depth to 3 different settings enables precise operation that avoids causing damage to roots



HEIGHT-ADJUSTABLE AND FOLDABLE LONG HANDLE

The long handle is height-adjustable and features a parking position setting for space-saving storage. Folding inwards and outwards is fast and easy thanks to the quick-lock levers

Cordless Scarifier/Aerator
GE-SA 36/35 Li

INTEGRATED CARRY-HANDLE

For easy transportation there is an integrated carry-handle

TOOLLESS ROLLER CHANGE

The scarifier roller and aerator roller can be quickly changed without the need for any tools

CORDLESS SCARIFIERS/AERATORS



	GE-SC 36/35 Li Brushless - Solo EXPERT	NEW	GE-SA 36/35 Li Brushless - Solo EXPERT	NEW
PXC battery voltage / capacity	2x 18 V / –		2x 18 V / –	
For lawn areas of up to approx.*	550 m ²		550 m ²	
Working width	35 cm		35 cm	
Working depth adjustment	3 levels (central) + transport position		3 levels (central) + transport position	
Number of blades	16 pcs		16 pcs	
Wheel diameter front / rear	160 mm / 160 mm		160 mm / 160 mm	
Housing material	Easy maintenance plastic housing		Easy maintenance plastic housing	
Product weight	9.9 kg		11.3 kg	
Number of aerator claws	–		24 pcs	
Wide wheels exert less stress on the lawn	•		•	
Brushless motor	•		•	
Height-adjustable long handle	• + parking position		• + parking position	
Folding long handle	•		•	
Scarifier roller / aerator roller	• / optional		• / •	
Integrated carry handle	•		•	
Quick fasteners	•		•	
Toolless roller change	•		•	
Catch bag	optional		•	
Number of batteries / number of chargers	0 / 0		0 / 0	
Article number	34.206.80		34.206.85	

* The stated area coverage is based on the assumption of ideal conditions



4 006825 661439



4 006825 662375

CORDLESS SCARIFIERS

36 V
POWER
2 x 18 V

LONG LIFE
STAINLESS STEEL



	GC-SC 36/31 Li - Solo CLASSIC	GC-SC 18/28 Li Brushless - Solo CLASSIC
PXC battery voltage / capacity	2x 18 V / -	18 V / -
For lawn areas of up to approx.*	350 m ²	200 m ²
Working width	31 cm	28 cm
Working depth adjustment	3 levels (central) + parking position	3 levels (central) + parking position
Number of blades	8 double-knives	12 pcs
Wheel diameter front / rear	180 mm / 100 mm	150 mm / 100 mm
Housing material	Plastic	Plastic
Product weight	8.0 kg	6.6 kg
Number of aerator claws	-	-
Wide wheels exert less stress on the lawn	•	•
Brushless motor	-	•
Height-adjustable long handle	•	•
Folding long handle	•	•
Scarifier roller / aerator roller	• / optional	• / optional
Integrated carry handle	•	•
Quick fasteners	-	-
Catch bag	optional	optional
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.206.60	34.206.04

* The stated area coverage is based on the assumption of ideal conditions



4 006825 636956



4 006825 655223



CORDLESS EARTH AUGER



	GP-EA 18/150 Li Brushless - Solo PROFESSIONAL
PXC battery voltage / capacity	18 V / –
Drilling diameter	150 mm
Drill bit length	800 mm
Speed	125 min ⁻¹
Product weight	6.0 kg
Brushless motor	•
Drill bit change without tools	•
Metal frame	•
Clockwise / counter-clockwise operation	•
Soft grip	•
Number of batteries / number of chargers	0 / 0
Article number	34.370.00



CORDLESS EARTH AUGER ACCESSORIES



	Earth Auger 120 mm	Mortar Mixer	Extension
Suitable for	GP-EA 18/150 Li Brushless	GP-EA 18/150 Li Brushless	GP-EA 18/150 Li Brushless
Article number	34.370.10	34.370.11	34.370.12



CORDLESS SNOW THROWER

PUREPOWER
BRUSHLESS



36 V
POWER
2 x 18 V

LOW WEIGHT
EASY HANDLING

	GE-ST 36/40 Li E Brushless - Solo
	EXPERT
PXC battery voltage / capacity	2x 18 V / -
Working width	40 cm
Max. snow height	20 cm
Throwing distance max.	6 m
Housing material	Plastic
Product weight	6.5 kg
Brushless motor	•
Snow ejection direction adjustable	•
Electronic speed control	•
Battery cover	•
Additional handle	•
Integrated carry handle	•
Soft grip	•
Self-standing	•
Two-hand safety switch	•
Number of batteries / number of chargers	0 / 0
Article number	34.170.11



4 006825 659979



CORDLESS TILLERS



	GE-CR 30 Li - Solo EXPERT	GE-CR 18/20 Li E - Solo EXPERT
PXC battery voltage / capacity	2x 18 V / -	18 V / -
Working width	30 cm	20 cm
Working depth	200 mm	200 mm
Number of blades	4 pcs	4 pcs
Cultivator blade diameter	200 mm	155 mm
Housing material	Plastic	Plastic
Product weight	11.0 kg	3.9 kg
Height-adjustable wheels for easy transportation	•	-
Ergonomic handlebar	•	•
Folding handlebar	•	Split shaft
Electronic speed control	-	•
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.312.00	34.312.10



CORDLESS SCYTHES



	AGILLO 36/255 EXPERT	AGILLO 18/200 EXPERT
PXC battery voltage / capacity	2x 18 V / -	18 V / -
Cutting width (blade)	25.5 cm	20 cm
Cutting width (thread)	30 cm	30 cm
Thread diameter	2.0 mm	2.0 mm
Thread length	8 m	8 m
Product weight	6.1 kg	6.5 kg
Brushless motor	•	-
Spindle lock	•	•
Adjustable handle	•	•
Split shaft	•	•
Bike handle	•	•
Electronic speed control	•	•
Automatic jog line feed	•	•
Wall bracket	•	•
Number of batteries / number of chargers	0 / 0	0 / 0
Blades	•	•
Thread spool	•	•
Comfort harness	•	•
Article number	34.113.20	34.113.10



CORDLESS LAWN TRIMMERS

WALL BRACKET

Easy and secure storage

ELECTRONIC SPEED CONTROL

Controlled and precise operation

SECOND HANDLE

The universally adjustable second handle (bike handle) enables the scythe to be guided safely and comfortably

SPLIT SHAFT

User-friendly plug-together system for stowing away quickly and compactly and for easy transport

SOFT GRIP

Ergonomic and fatigue-proof operation

Cordless Lawn Trimmer
GE-CT 36/30 Li E

CORDLESS LAWN TRIMMERS



	GE-CT 36/30 Li E - Solo EXPERT
PXC battery voltage / capacity	2x 18 V / -
Cutting width	30 cm
Thread diameter	2.0 mm
Thread length	8 m
Product weight	3.1 kg
Infinitely adjustable long handle	•
Flower guard	•
Automatic jog line feed	•
Split shaft	•
Electronic speed control	•
Soft grip	•
Wall bracket	•
Number of batteries / number of chargers	0 / 0
Thread spool	•
Carrying strap	•
Article number	34.113.00



4 006825 629187

LINE SPOOL

The single-line spool with bump feed produces a clean cut edge over a width of up to 30 centimeters

FRONT-MOTOR

Perfect power transmission and weight balance

FLOWER GUARD

Always ensures the necessary safe distance from flowers and ornamental plants

CORDLESS LAWN TRIMMERS



	GE-CT 18/30 Li - Solo EXPERT	GE-CT 18/28 Li TC - Solo EXPERT	GE-CT 18/28 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / –	18 V / –	18 V / –
Cutting width	30 cm	28 cm	28 cm
Thread diameter	1.6 mm	1.6 mm	1.6 mm
Thread length	5 m	5 m	5 m
Product weight	2.1 kg	4.9 kg	2.3 kg
Adjustable handle	•	•	•
Telescopic long handle	•	•	•
Motor head rotateable	90°	180°	180°
Motor head can be tilted	3 settings	3 settings	3 settings
Flower guard	•	•	•
Storage compartment for spare blades	–	–	–
Soft grip	•	•	•
Trimmer Cart	–	•	–
Automatic feeding line spool	–	•	•
Number of batteries / number of chargers	0 / 0	0 / 0	0 / 0
Article number	34.112.50	34.112.12	34.112.42



CORDLESS LAWN TRIMMERS



	GE-CT 18 Li EXPERT	GE-CT 18 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / 2.0 Ah	18 V / -
Charging time	40 min	-
Max. running time	55 min	-
Cutting width	24 cm	24 cm
Product weight	2.2 kg	1.8 kg
Infinitely adjustable long handle	•	•
Telescopic long handle, infinitely adjustable	•	•
Motor head rotateable +/- 90°	•	•
Motor head can be tilted	5 settings	5 settings
Flower guard	•	•
Storage compartment for spare blades	•	•
Soft grip	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Plastic blades included	• (20 pcs)	• (20 pcs)
Article number	34.111.97	34.111.72



CORDLESS LAWN TRIMMERS



	GC-CT 18/24 Li CLASSIC	GC-CT 18/24 Li - Solo CLASSIC	GC-CT 18/24 Li P CLASSIC	GC-CT 18/24 Li P - Solo CLASSIC
PXC battery voltage / capacity	18 V / 2.0 Ah	18 V / -	18 V / 1.5 Ah	18 V / -
Charging time	40 min	-	120 min	-
Max. running time	55 min	-	40 min	-
Cutting width	24 cm	24 cm	24 cm	24 cm
Product weight	1.8 kg	1.3 kg	1.6 kg	1.2 kg
Infinitely adjustable long handle	•	•	-	-
Telescopic long handle, infinitely adjustable	•	•	-	-
Motor head rotateable +/- 90°	-	-	-	-
Motor head can be tilted	-	-	-	-
Flower guard	•	•	-	-
Storage compartment for spare blades	-	-	-	-
Soft grip	-	-	-	-
Number of batteries / number of chargers	1 / 1	0 / 0	1 / 1	0 / 0
Plastic blades included	• (20 pcs)	• (20 pcs)	• (20 pcs)	• (20 pcs)
Article number	34.111.25	34.111.23	34.111.02	34.111.04



CORDLESS LAWN EDGE TRIMMER



	GE-LE 18/190 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Charging time	-
Max. running time	-
Min. cutting depth	36.5 mm
Max. cutting depth	45 mm
Blade length	190 mm
Product weight	3.0 kg
Infinitely adjustable long handle	•
Split shaft	•
Cutting depth adjustment	•
Rollers	•
Soft grip	•
Number of batteries / number of chargers	0 / 0
Article number	34.243.00



CORDLESS GROUT CLEANER



	GC-CC 18 Li CLASSIC	GC-CC 18 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / 2.0 Ah	18 V / -
Charging time	40 min	-
Max. running time	45 min	-
Diameter of brush	100 mm	100 mm
Product weight	2.4 kg	2.0 kg
Infinitely adjustable long handle	•	•
Telescopic long handle, infinitely adjustable	•	•
Guide wheel	•	•
Soft grip	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Steel brush (15 mm wide)	•	•
Steel brush (10 mm wide)	- (available as an accessory)	- (available as an accessory)
Nylon brush (10 mm wide)	•	•
Nylon brush (6 mm wide)	- (available as an accessory)	- (available as an accessory)
Article number	34.240.51	34.240.50



CORDLESS SURFACE BRUSH

4-IN-1 FUNCTION

Cleaning/freshening up of stone, wood, artificial turf and corners and edges

INCL. WATER CONTROL VALVE

Economical use of water by manually regulation possibility directly on the machine



INTEGRATED GARDEN HOSE CONNECTION

Easy, complete and thorough wet cleaning in just one step

INTEGRATED SIDE BRUSH

The special side brush is suitable for perimeter work right up the edge



Cordless Surface Brush
PICOBELLA

ELECTRONIC SPEED CONTROL

Allows individual adjustment to every surface

ADDITIONAL HANDLE

with a practical integrated garden hose routing

TELESCOPIC ALUMINIUM TUBE

The telescopic aluminium tube can be adjusted to individual requirements for back-friendly operation

BRUSH CHANGE WITHOUT TOOLS

Brushes can be changed easy and quickly at the press of a button

FORWARDS/REVERSE BRUSH OPERATING

For better cleaning results, smooth brush guidance and perfect splash protection



Surface Brush SOFT



Surface Brush MEDIUM
(incl. side brush)




Surface Brush ULTRA



Surface Brush ULTRA
(incl. side brush)



CORDLESS SURFACE BRUSH



	PICOBELLA EXPERT
PXC battery voltage / capacity	18 V / -
Max. working width	215 mm
Diameter of brush	115 mm
Idle speed	800 - 1400 min ⁻¹
Product weight	4.1 kg
Garden hose connection inclusive water control valve	•
Forward/reverse running	•
Electronic speed control	•
Brush change without tools	•
Telescopic long handle, infinitely adjustable	•
Height adjustable additional handle	•
Number of batteries / number of chargers	0 / 0
Incl. surface brush	MEDIUM (smooth stone, e.g. tiles and concrete)
Nylon brush incl.	•
Incl. side brush	•
Article number	34.242.00



PICOBELLA ACCESSORIES



	Surface Brush SOFT	Surface Brush MEDIUM (incl. side brush)	Surface Brush ULTRA	Surface Brush ULTRA (incl. side brush)
Material	Nylon	Nylon	Steel	Steel
Diameter of brush	115 mm	115 mm	115 mm	115 mm
Working width	195 mm	215 mm	195 mm	215 mm
Suitable for	Wood, artificial turf	Stone	Stone (robust)	Stone (robust)
Article number	34.241.21	34.241.20	34.241.22	34.241.26



PERFECT BRUSHES FOR EVERY SURFACE.




Surface Brush SOFT

- Wood / WPC / BPC
- Artificial turf



Surface Brush MEDIUM (incl. side brush)

- Smooth stone
e.g. tiles/concrete
- Incl. side brush for cleaning right to the wall and into edges



Surface Brush ULTRA

- Rough stone
e.g. granite/porphyry
- Robust stone



Surface Brush ULTRA (incl. side brush)

- Rough stone
e.g. granite/porphyry
- Robust stone
- Incl. side brush for cleaning right to the wall and into edges

CORDLESS HEDGE TRIMMERS

SWIVELING REAR HANDLE

The rear handle can be swiveled: optimum handling – for vertical and horizontal cuts without fatigue

ERGONOMIC FRONT HANDLE

The slimline front handle with several micro switches makes it comfortable to work with

METAL GEARING

Rugged metal gearing for efficient power transmission and long product life

IMPACT GUARD

The impact guard protects the blades and the work area against damage

CORDLESS HEDGE TRIMMERS

36 V
POWER
2 x 18 V

LONG LASTING SHARPNESS
LASERCUT & DIAMOND GROUND



	GE-CH 36/65 Li - Solo EXPERT	GE-CH 36/61 Li - Solo EXPERT
PXC battery voltage / capacity	2x 18 V / -	2x 18 V / -
Charging time	-	-
Max. running time	-	-
Bar length	720 mm	670 mm
Cutting length	650 mm	610 mm
Spacing between teeth	30 mm	26 mm
Product weight	4.0 kg	2.8 kg
Turnable rear handle	•	-
Ergonomic front handle thanks to micro switches	•	•
Cutting collector	•	•
Laser-cut and diamond-ground blades	•	•
Metal gear box	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Number of batteries / number of chargers	0 / 0	0 / 0
Protective cover with wall mount	•	•
Article number	34.109.60	34.109.65



4 006825 639018



4 006825 662382

CORDLESS HEDGE TRIMMERS



	GE-CH 18/60 Li - Solo EXPERT	ARCURRA 18/55 EXPERT
PXC battery voltage / capacity	18 V / -	18 V / -
Charging time	-	-
Max. running time	-	-
Bar length	670 mm	620 mm
Cutting length	600 mm	550 mm
Spacing between teeth	22 mm	18 mm
Product weight	2.9 kg	2.8 kg
Turnable rear handle	•	-
Ergonomic front handle thanks to micro switches	•	•
Cutting collector	•	•
Laser-cut and diamond-ground blades	•	•
Metal gear box	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Number of batteries / number of chargers	0 / 0	0 / 0
Protective cover with wall mount	•	•
Article number	34.109.30	34.109.20



4 006825 635942



4 006825 635935

CORDLESS HEDGE TRIMMERS



	GC-CH 1855/1 Li CLASSIC	GC-CH 1855/1 Li - Solo CLASSIC	GC-CH 18/50 Li - Solo CLASSIC NEW
PXC battery voltage / capacity	18 V / 2.5 Ah	18 V / -	18 V / -
Charging time	50 min	-	-
Max. running time	100 min	-	-
Bar length	620 mm	620 mm	550 mm
Cutting length	550 mm	550 mm	500 mm
Spacing between teeth	18 mm	18 mm	17 mm
Product weight	2.6 kg	2.4 kg	2.2 kg
Turnable rear handle	•	•	•
Ergonomic front handle thanks to micro switches	-	-	-
Cutting collector	•	•	-
Laser-cut and diamond-ground blades	•	•	•
Metal gear box	•	•	•
Soft grip	•	•	•
Aluminium cover over cutters	•	•	•
Number of batteries / number of chargers	1 / 1	0 / 0	0 / 0
Protective cover with wall mount	•	•	•
Article number	34.105.06	34.105.02	34.109.45



4 006825 661910



4 006825 615937



4 006825 664522

CORDLESS HEDGE TRIMMERS

LONG LASTING SHARPNESS

LASERCUT & DIAMOND GROUND



	GC-CH 1846 Li CLASSIC	GC-CH 1846 Li - Solo CLASSIC	GC-CH 18/40 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / 2.0 Ah	18 V / -	18 V / -
Charging time	40 min	-	-
Max. running time	80 min	-	-
Bar length	520 mm	520 mm	475 mm
Cutting length	460 mm	460 mm	400 mm
Spacing between teeth	15 mm	15 mm	13 mm
Product weight	2.3 kg	2.0 kg	2.0 kg
Turnable rear handle	-	-	-
Ergonomic front handle thanks to micro switches	-	-	-
Cutting collector	-	-	-
Laser-cut and diamond-ground blades	•	•	•
Metal gear box	•	•	•
Soft grip	•	•	•
Aluminium cover over cutters	•	•	•
Number of batteries / number of chargers	1 / 1	0 / 0	0 / 0
Protective cover with wall mount	•	•	•
Article number	34.106.83	34.106.42	34.109.40



4 006825 615432



4 006825 588293



4 006825 661125

CORDLESS OLIVE AND FRUIT HARVESTER

AUTUMN 2023



	GE-FS 18/53 Li - Solo EXPERT	NEW
PXC battery voltage / capacity	18 V / -	
Charging time	-	
Max. running time	-	
Max. working width	53 cm	
Min. working width	28 cm	
Pin length	31 cm	
Product weight	4.2 kg	
Continuously adjustable telescopic aluminium handle	•	
Additional handle	•	
Additional holding area	•	
Changeable carbon pins	•	
Number of batteries / number of chargers	0 / 0	
Article number	34.114.00	



4 006825 670738

CORDLESS MULTIFUNCTIONAL TOOLS

4-IN-1

• MOWING
• TRIMMING
• PRUNING
• CUTTING

36 V

POWER
2 x 18 V

PUREPOWER
BRUSHLESS



	GE-LM 36/4in1 Li Brushless - Solo
	EXPERT
PXC battery voltage / capacity	2x 18 V / -
Bar length (chainsaw)	200 mm
Chain cutting speed	10 m/s
Blade length of hedge trimmer	450 mm
Spacing between teeth (hedge trimmer)	24 mm
Cutting width (blade)	255 mm
Cutting width (thread)	330 mm
Max. working height of elevated tools	3.5 m (pruner) / 3.5 m (hedge trimmer)
Product weight	9.0 kg (incl. all attachments)
Brushless motor	•
Telescopic aluminium handle with extension	•
Laser-cut and diamond-ground blades	•
Cutting unit (Hedge Trimmer) tiltable	•
OREGON quality bar and chain	•
Automatic chain lubrication	•
Automatic jog line feed	•
Adjustable second handle	•
Carrying belt with quick release	•
Number of batteries / number of chargers	0 / 0
Protective cover with wall mount	•
Article number	34.109.01



CORDLESS MULTIFUNCTIONAL TOOLS

FITTED WITH
OREGON
CHAIN AND BAR

**LONG LASTING
SHARPNESS**
**LASERCUT &
DIAMOND GROUND**

90°
ATTACHMENT
PIVOTABLE - PATENTED



90°
ATTACHMENT
PIVOTABLE - PATENTED



	GE-HC 18 Li T
	EXPERT
PXC battery voltage / capacity	18 V / 3.0 Ah
Charging time	60 min
Max. running time	40 min
Bar length (chainsaw)	200 mm
Chain cutting speed	3.76 m/s
Max. cutting length hedge trimmer	450 mm
Spacing between teeth (hedge trimmer)	16 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	6.3 kg (incl. all attachments)
Continuously adjustable telescopic aluminium handle	•
Main handle + motor head tiltable by several settings	•
OREGON quality bar and chain	•
Toolless chain tensioning and changing	•
Pivotable attachment for effortless horizontal cuts	•
Automatic chain lubrication	•
Laser-cut and diamond-ground blades	•
Adjustable second handle	•
Number of batteries / number of chargers	1 / 1
Article number	34.108.05



	GE-HC 18 Li T - Solo
	EXPERT
PXC battery voltage / capacity	18 V / -
Charging time	-
Max. running time	-
Bar length (chainsaw)	200 mm
Chain cutting speed	3.76 m/s
Max. cutting length hedge trimmer	450 mm
Spacing between teeth (hedge trimmer)	16 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	5.2 kg (incl. all attachments)
Continuously adjustable telescopic aluminium handle	•
Main handle + motor head tiltable by several settings	•
OREGON quality bar and chain	•
Toolless chain tensioning and changing	•
Pivotable attachment for effortless horizontal cuts	•
Automatic chain lubrication	•
Laser-cut and diamond-ground blades	•
Adjustable second handle	•
Number of batteries / number of chargers	0 / 0
Article number	34.108.00



CORDLESS POLE-MOUNTED PRUNERS

FITTED WITH
OREGON
CHAIN AND BAR



	GE-LC 18 Li T - Solo EXPERT	GC-LC 18/20 Li T - Solo CLASSIC
PXC battery voltage / capacity	18 V / –	18 V / –
Bar length	200 mm	200 mm
Cutting length	170 mm	195 mm
Cutting speed	3.76 m/s	5.5 m/s
Max. working height	4.0 m	4.0 m
Product weight	4.0 kg	3.4 kg
Continuously adjustable telescopic aluminium handle	•	–
Telescopic aluminium handle with extension	–	•
Main handle + motor head tiltable by several settings	•	–
OREGON quality bar and chain	•	•
Chain tensioning and changing	without tools	with tools
Pivotable attachment for effortless horizontal cuts	•	–
Automatic chain lubrication	•	•
Claw stop	•	•
Metal gear box	•	•
Adjustable second handle	•	–
Additional holding area	–	•
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.108.10	34.105.81



4 006825 604337



4 006825 652123

CORDLESS POLE-MOUNTED PRUNERS ACCESSORIES



	Hedge Trimmer ACCESSORY
Can be used for	GE-LC 18 Li T
Product weight	1.4 kg
Article number	34.108.18



4 006825 624649

CORDLESS TELESCOPIC HEDGE TRIMMERS



	GE-HH 18/45 Li T - Solo EXPERT	GC-HH 18/45 Li T - Solo CLASSIC
PXC battery voltage / capacity	18 V / -	18 V / -
Bar length	450 mm	450 mm
Cutting length	400 mm	410 mm
Spacing between teeth	16 mm	18 mm
Max. working height	3.5 m	3.5 m
Product weight	4.3 kg	3.2 kg
Continuously adjustable telescopic aluminium handle	•	-
Telescopic aluminium handle with extension	-	•
Motor head tiltable by multiple settings	•	•
Main handle tiltable by multiple settings	•	-
Laser-cut and diamond-ground blades	•	•
Metal gear box	•	•
Adjustable second handle	•	-
Swivelling main handle	-	•
Additional holding area	-	•
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.108.66	34.105.85



4 006825 630602



4 006825 652130

CORDLESS TELESCOPIC HEDGE TRIMMERS ACCESSORIES



	Pole Pruner ACCESSORY
Can be used for	GE-HH 18/45 Li T
Product weight	1.2 kg
Article number	34.108.35



4 006825 624656

CORDLESS CHAINSAWS

TOP HANDLE

Positioning the main handle above the chainsaw results in an ideally balanced and compact saw that is perfectly suited for tree maintenance and branch removal

ERGONOMIC HANDLE

with soft grip

Top-handled
Cordless Chainsaw
FORTEXXA 18/20 TH*

TOOLLESS CHAIN TENSIONING AND CHANGING

User-friendly: Chain tensioning / changing and chainsaw adjustment without the need for additional tools

TOP-HANDLED CORDLESS CHAINSAW



METAL STOP CLAW

The rugged metal stop claw keeps the saw stable for added safety and working comfort

KICKBACK PROTECTION WITH INSTANT CHAIN BRAKE

Kickback protection with instant reaction mechanical chain brake and large hand guard for safe operation

AUTOMATIC CHAIN LUBRICATION

For frictionless operation and a long service life

TIP GUARD

to reduce the risk of kickback. Cutting a branch from underneath is also made easier

OREGON HIGH-QUALITY CHAIN AND BAR

OREGON chains and bars enable effortless sawing and perfect cutting results

MORE POWER AND LONGER OPERATING TIMES

The brushless motor guarantees both maximum power and longer operating times per battery charge on top of all the other advantages



* WARNING: This chainsaw may only be used by trained tree care workers. Misactions in compliance with safety instructions may cause serious injuries.

	FORTEXXA 18/20 TH PROFESSIONAL
PXC battery voltage / capacity	18 V / -
Bar length	200 mm
Cutting length	140 mm
Cutting speed	7 m/s
Oil tank capacity	75 ml
Product weight	2.5 kg
Brushless motor	•
OREGON quality bar and chain	•
Toolless chain tensioning and changing	•
Automatic chain lubrication	•
Sturdy stop claws made of metal	•
Kickback protection with mechanical instant chain brake	•
Chain catch bolt	•
Soft grip	•
Large oil filler opening	•
Tip guard	•
Number of batteries / number of chargers	0 / 0
Protective cover	•
Article number	46.000.20



4 006825 663099

CORDLESS CHAINSAWS

36 V
POWER
2 x 18 V

FITTED WITH
OREGON
CHAIN AND BAR

PUREPOWER
BRUSHLESS



	GP-LC 36/35 Li Brushless - Solo
	PROFESSIONAL
PXC battery voltage / capacity	2x 18 V / -
Bar length	350 mm
Cutting length	330 mm
Cutting speed	15 m/s
Oil tank capacity	115 ml
Product weight	4.0 kg
Brushless motor	•
OREGON quality bar and chain	•
Toolless chain tensioning and changing	•
Automatic chain lubrication	•
Sturdy stop claws made of metal	•
Kickback protection with mechanical instant chain brake	•
Chain catch bolt	•
Soft grip	•
Large oil filler opening	•
Number of batteries / number of chargers	0 / 0
Protective cover	•
Article number	45.017.80



CORDLESS CHAINSAWS

FITTED WITH
OREGON
CHAIN AND BAR

PUREPOWER
BRUSHLESS



	FORTEXXA 18/30	GE-LC 18/25-1 Li	GE-LC 18/25 Li - Solo
	EXPERT	EXPERT	EXPERT
PXC battery voltage / capacity	18 V / -	18 V / 3.0 Ah	18 V / -
Charging time	-	60 min	-
Max. running time	-	100 cuts / 70 x 70 mm timber	-
Bar length	300 mm	250 mm	250 mm
Cutting length	270 mm	230 mm	230 mm
Cutting speed	8.9 / 6 m/s	4.5 m/s	4.5 m/s
Oil tank capacity	160 ml	200 ml	200 ml
Product weight	4.0 kg	3.0 kg	2.9 kg
Brushless motor	•	-	-
OREGON quality bar and chain	•	•	•
Toolless chain tensioning and changing	•	•	•
Automatic chain lubrication	•	•	•
Adjustable chain speed (High/Eco)	•	-	-
Sturdy stop claws made of metal	•	•	•
Kickback protection with mechanical instant chain brake	•	•	•
Chain catch bolt	•	•	•
Soft grip	•	•	•
Large oil filler opening	•	•	•
Number of batteries / number of chargers	0 / 0	1 / 1	0 / 0
Protective cover	•	•	•
Article number	46.000.10	45.017.60	45.017.61



CORDLESS CHAIN SHARPENER



	GE-CS 18 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / -
Grinding wheel diameter (inside)	23 mm
Grinding wheel diameter (outside)	108 mm
Grinding wheel thickness	3.2 mm
Product weight	1.7 kg
Depth stop	•
Scale for precise setting of the grinding angle	•
LED light	•
Clamping device	•
Number of batteries / number of chargers	0 / 0
Article number	44.999.40



CORDLESS LEAF BLOWERS

MORE POWER AND LONGER OPERATING TIMES

The brushless motor guarantees both maximum power and longer operating times per battery charge on top of all the other advantages



ADJUSTABLE, REMOVABLE TUBE

Thanks to the toolless change of length, the item can be adjusted perfectly to every body height and be stored spacesaving

ROBUST METAL RING

The tube end is protected from damage by a robust metal ring to extend its lifetime

TURBO SWITCH

It ensures a maximum blowing volume to enable, e.g. damp leaves to be effortlessly shifted as well

Cordless Leaf Blower
GP-LB 36/210 Li E Brushless

ELECTRONIC SPEED CONTROL

The right rotational speed for every application

INCL. SHOULDER STRAP

The integrated shoulder strap with shoulder pad makes it particularly comfortable to work with and takes the strain off the user

CORDLESS LEAF BLOWERS



36 V
POWER
2 x 18 V



GP-LB 36/210 Li E Brushless - Solo

PROFESSIONAL

PXC battery voltage / capacity	2x 18 V / -
Charging time	-
Max. running time	-
Max. blow velocity	210 km/h
Max. blowing air flow	816 m³/h
Idle speed	10000 - 22300 min⁻¹
Product weight	2.4 kg
Brushless motor	•
Turbo function	•
Electronic speed control	•
Carrying strap	•
Soft grip	•
Number of batteries / number of chargers	0 / 0
Article number	34.336.20



4 006825 638967

CORDLESS LEAF BLOWERS



PUREPOWER
BRUSHLESS



PUREPOWER
BRUSHLESS



	GP-LB 18/200 Li GK Brushless - Solo PROFESSIONAL	GP-LB 18/200 Li E Brushless - Solo PROFESSIONAL
PXC battery voltage / capacity	18 V / –	18 V / –
Charging time	–	–
Max. running time	–	–
Max. blow velocity	200 km/h	200 km/h
Max. blowing air flow	670 m³/h	670 m³/h
Idle speed	13000 - 18000 min⁻¹	13000 - 18000 min⁻¹
Product weight	2.2 kg	2.2 kg
Brushless motor	•	•
Turbo function	•	•
Electronic speed control	•	•
Carrying strap	–	–
Soft grip	•	•
Gutter cleaning set	•	– (available as an accessory)
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.335.50	34.335.55



4 006825 658965



4 006825 660616



CORDLESS LEAF BLOWERS



PXC battery voltage / capacity	18 V / 2.0 Ah
Charging time	40 min
Max. running time	14 - 240 min
Max. blow velocity	210 km/h
Max. blowing air flow	105 m³/h
Idle speed	1400 - 12000 min⁻¹
Product weight	1.7 kg
2-parts tube	-
Brushless motor	-
Electronic speed control	•
Carrying strap	-
Soft grip	•
Number of batteries / number of chargers	1 / 1
Article number	34.335.33

GC-CL 18 Li E
CLASSIC
18 V / 2.0 Ah
40 min
14 - 240 min
210 km/h
105 m³/h
1400 - 12000 min⁻¹
1.7 kg
-
-
•
-
•
1 / 1
34.335.33

GC-CL 18 Li E - Solo
CLASSIC
18 V / -
-
-
210 km/h
105 m³/h
1400 - 12000 min⁻¹
1.3 kg
-
-
•
-
•
0 / 0
34.335.32



CORDLESS UNIVERSAL BLOWER



PXC battery voltage / capacity	18 V / -
Charging time	-
Max. running time	-
Max. blow velocity	250 km/h
Max. blowing air flow	120 m³/h
Idle speed	6500 - 15000 min⁻¹
Product weight	1.1 kg
2-parts tube	•
Brushless motor	-
Electronic speed control	• (LED)
Carrying strap	-
Soft grip	•
Number of batteries / number of chargers	0 / 0
Article number	34.335.42

GE-UB 18/250 Li E - Solo
EXPERT
18 V / -
-
-
250 km/h
120 m³/h
6500 - 15000 min⁻¹
1.1 kg
•
-
• (LED)
-
•
0 / 0
34.335.42



CORDLESS LEAF VACUUMS

SHREDDING WHEEL WITH CLEANING OPENING

Effortless access to the impeller wheel in order to remove any residues

TOOLLESS CHANGE-OVER

Quick changing over between vacuum and blowing function easily without any tools

WALL HOLDER

Integrated wall mount for space-saving storage

HIGH-QUALITY DEBRIS BAG

Big debris bag with window for level inspection

ELECTRONIC SPEED CONTROL WITH TURBO SWITCH

Set the blow and suction velocity to match every purpose. Turbo switch with maximum power for damp leaves. The practical LED display indicates the level selected

QUICK FASTENING SYSTEM

Clever click-in fastening of the debris bag makes for easy emptying

Cordless Leaf Vacuum
VENTURRO 36/240

CORDLESS LEAF VACUUMS

36 V
POWER
2 x 18 V



GUIDING WHEELS (HEIGHT-ADJUSTABLE)

Large, robust wheels provide optimum weight relief and stability even on rugged terrain

INCL. CARRYING STRAP

The integrated carrying strap makes it particularly comfortable to work with and takes the strain off the user

MORE POWER AND LONGER OPERATING TIMES

The brushless motor guarantees both maximum power and longer operating times per battery charge on top of all the other advantages



	VENTURRO 36/240 PROFESSIONAL	NEW
PXC battery voltage / capacity	2x 18 V / -	
Max. blow velocity	240 km/h	
Max. suction power	740 m³/h	
Idle speed	8000 - 15000 min⁻¹	
Shredding function	10:1	
Debris bag volume	45 l	
Product weight	3.6 kg	
Toolless change-over between suction and blasting function	•	
Brushless motor	•	
Turbo function	•	
Electronic speed control	•	
Additional handle	•	
Cleaning opening with safety switch	•	
Guiding wheels	• (height adjustable)	
Debris bag with window	•	
Carrying strap	•	
Soft grip	•	
Number of batteries / number of chargers	0 / 0	
Article number	34.336.40	



4 006825 665451

CORDLESS LEAF VACUUMS

36 V
POWER
2 x 18 V



	GE-CL 36 Li E Brushless - Solo	GE-CL 36/230 Li E - Solo
	EXPERT	EXPERT
PXC battery voltage / capacity	2x 18 V / –	2x 18 V / –
Max. blow velocity	210 km/h	230 km/h
Max. suction power	720 m³/h	700 m³/h
Idle speed	8000 - 13000 min⁻¹	8000 - 14000 min⁻¹
Shredding function	10:1	10:1
Debris bag volume	45 l	45 l
Product weight	3.4 kg	3.1 kg (blow) / 4.4 kg (vacuum)
Toolless change-over between suction and blasting function	•	•
Brushless motor	•	–
Turbo function	–	•
Electronic speed control	•	•
Additional handle	• (adjustable)	• (adjustable)
Cleaning opening with safety switch	–	–
Guiding wheels	•	• (height adjustable)
Debris bag with window	•	•
Carrying strap	•	•
Soft grip	•	•
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.336.00	34.336.30



4 006825 613391



4 006825 646511

CORDLESS LEAF VACUUMS



	VENTURRO 18/210	NEW
	EXPERT	
PXC battery voltage / capacity	18 V / –	
Max. blow velocity	210 km/h	
Max. suction power	500 m³/h	
Idle speed	8000 - 14000 min⁻¹	
Shredding function	10:1	
Debris bag volume	45 l	
Product weight	3.0 kg	
Toolless change-over between suction and blasting function	•	
Brushless motor	•	
Turbo function	–	
Electronic speed control	•	
Additional handle	•	
Cleaning opening with safety switch	–	
Guiding wheels	•	
Debris bag with window	•	
Carrying strap	•	
Soft grip	•	
Number of batteries / number of chargers	0 / 0	
Article number	34.336.25	



4 006825 663631

CORDLESS GRASS AND SHRUB SHEARS

LONG LASTING SHARPNESS

LASERCUT & DIAMOND GROUND



	GE-CG 18/100 Li T - Solo EXPERT	GE-CG 18/100 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / –	18 V / –
Cutting width with grass shear blade	100 mm	100 mm
Cutting length with shrub cutting blade	200 mm	200 mm
Spacing between teeth of shrub cutting blade	8 mm	8 mm
Product weight	1.9 kg	0.7 kg
Blade change without tools	•	•
Laser-cut blades	•	•
Metal gear box	–	–
Covered gearbox	•	•
Soft grip	•	•
Telescopic handle	•	–
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.103.10	34.103.13



CORDLESS GRASS AND SHRUB SHEARS

LONG LASTING SHARPNESS

LASERCUT & DIAMOND GROUND



	GC-CG 18 Li - Solo CLASSIC	GC-CG 18/1 Li - Solo CLASSIC
PXC battery voltage / capacity	18 V / –	18 V / –
Cutting width with grass shear blade	100 mm	100 mm
Cutting length with shrub cutting blade	200 mm	–
Spacing between teeth of shrub cutting blade	8 mm	–
Product weight	0.7 kg	0.7 kg
Blade change without tools	•	•
Laser-cut blades	•	•
Metal gear box	•	•
Covered gearbox	–	–
Soft grip	•	•
Telescopic handle	–	–
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.103.70	34.103.82



CORDLESS PRUNING SAW



	GE-GS 18/150 Li - Solo	NEW
	EXPERT	
PXC battery voltage / capacity	18 V / -	
Saw blade length	150 mm	
Cutting capacity with branch handle	80 mm	
Cutting capacity without branch handle	100 mm	
Product weight	1.3 kg	
Blade change without tools	•	
Removable branch handle	•	
Vibration-decoupled battery holder	•	
Long-life metal gearing	•	
Soft grip	•	
Belt clip	•	
KWB High-quality saw blade	2x	
Number of batteries / number of chargers	0 / 0	
Article number	34.082.90	



CORDLESS PRUNING SHEARS



	GE-LS 18 Li - Solo	
	EXPERT	
PXC battery voltage / capacity	18 V / -	
Max. branch diameter	28 mm	
Product weight	0.8 kg	
Bypass blades	•	
Belt clip	•	
ON/OFF sliding switch	•	
Sturdy plastic cover	•	
Ergonomic handle with soft grip	•	
Number of batteries / number of chargers	0 / 0	
Article number	34.083.00	



CORDLESS PRESSURE SPRAYERS



	GE-WS 18/150 Li - Solo EXPERT	GE-WS 18/75 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / –	18 V / –
Filling capacity of the tank	15 l	7.5 l
Max. spraying pressure	4.5 bar	2.5 bar
Pressure hose length	1400 mm	1400 mm
Max. liquid temperature	40°C	40°C
Product weight	4.4 kg	2.4 kg
Automatic pump, no manual pressure build-up required	•	•
Transparent tank with scale for checking the level	•	•
Individually adjustable brass nozzle	•	•
Telescopic lance made of stainless steel	–	•
Battery cover – provides protection against water ingress	•	•
Spray lance with lockable operating button	•	•
Large clips on the tank – easy opening and closing	–	•
Padded carrying strap	•	•
Large filler opening	•	–
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.252.30	34.252.20



4 006825 651362



4 006825 646368

CORDLESS PRESSURE SPRAYERS

AUTUMN
2023



	GE-WS 18/35 Li - Solo EXPERT	GE-WS 18/10 Li - Solo EXPERT NEW
PXC battery voltage / capacity	18 V / –	18 V / –
Filling capacity of the tank	3.5 l	1.0 l
Max. spraying pressure	2.5 bar	2.5 bar
Pressure hose length	1400 mm	–
Max. liquid temperature	40°C	50°C
Product weight	2.2 kg	0.9 kg
Automatic pump, no manual pressure build-up required	•	•
Transparent tank with scale for checking the level	•	•
Individually adjustable brass nozzle	•	•
Telescopic lance made of stainless steel	•	–
Battery cover – provides protection against water ingress	•	–
Spray lance with lockable operating button	•	–
Large clips on the tank – easy opening and closing	•	•
Padded carrying strap	•	–
Large filler opening	–	–
Number of batteries / number of chargers	0 / 0	0 / 0
Article number	34.252.10	34.252.40



4 006825 645774



4 006825 669909

CORDLESS PRESSURE SPRAYERS ACCESSORIES



	Pressure Sprayer Accessory Kit ACCESSORY
Telescopic spray lance	1 - 2 m
Product weight	0.25 kg
Telescopic lance made of stainless steel	•
Plastic spray bell	•
Article number	34.252.05



4 006825 664003



	Tank 7.5 litres ACCESSORY
Filling capacity of the tank	7.5 l
Product weight	0.8 kg
Transparent tank with scale for checking the level	•
Large metal clip on the tank for opening and closing easily	•
Article number	34.252.06



4 006825 664065

CORDLESS FAN



	GE-CF 18/2200 Li EXPERT NEW
PXC battery voltage / capacity	18 V / -
Idle speed	1200 / 1700 / 2200 rpm
Wind speed	15000 m/h
Fan diameter	180 mm
Product weight	1.2 kg
360° adjustment	•
Carry handle	•
Several fastening options	•
Number of batteries / number of chargers	0/0
Article number	34.080.35



4 006825 665253

BATTERY BELT

MULTI-FUNCTIONAL:
FOR 36 V
AND FOR 18 V
DEVICES



	GE-PB 36/18 Li
	EXPERT
PXC battery voltage / capacity	Suitable for 18 V appliances and 36 V (2x 18 V) appliances
Number of battery pockets	2 pcs
Cable length	150 cm
Length of hip belt	150 cm
Product weight	1.7 kg
Padded carrying strap	•
Large buckle for easy opening and closing	•
Cable hook	•
Second battery pocket removable	•
Number of batteries / number of chargers	0 / 0
Article number	34.083.10



4 006825 659580

GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY



	GE-HG 18/370 Niro Li - Solo
	HEATING
PXC battery voltage / capacity	18 V / -
Heating output	37 kW
Hot air flow	1000 m³/h
Max. gas consumption	2693 g/h
Max. operating pressure	1.5 bar
Gas bottle	5 kg - 11 kg propane-butane
Gas type	Propane, butane or propane-butane-mixtures
Product weight	4.7 kg
Housing made of stainless steel	•
Heating jacket made of galvanized steel sheet	•
Piezo ignition	•
On/Off switch for fan	•
Backfire guard + piezo-electric flame guard	•
Solenoid valve + gas valve button	•
Only for use in	Germany + Austria
Number of batteries / number of chargers	0 / 0
Accessories	Pressure regulator 1500 mbar + gas hose
Article number	23.308.05



4 006825 641851

CORDLESS AUTOMATIC GARDEN PUMP

SUCTION INDICATOR

Easy reading of current suction height/suction pressure or possible suction problems

WATER FILLING AND DIRT INDICATOR

A transparent housing tells you at a glance whether and how much water has already been filled in the pump, and whether the coarse filter is dirty

POWER LEVEL SWITCH

ECO and BOOST mode: Adjustment of power to the actual application

BATTERY CAPACITY INDICATOR LED

You can see the battery capacity reading directly on the tool at a glance without having to open the battery cover

Cordless Automatic Garden Pump

AQUINNA 36/38 F LED AUTOMATIC

HIGH-QUALITY THREADS

Long-life threads and pump

FROST PROTECTION

Water drain screw for draining residual water easily and for frost protection

AUTOMATIC MODE

Automatic switch-on and switch-off when water is required/ stopped. that ensures a longer service life through efficient battery use

CORDLESS AUTOMATIC GARDEN PUMP



DRY RUNNING PROTECTION

As soon as no more water is available from the intake side the pump switches off automatically and so protects against damage

	AQUINNA 36/38 F LED AUTOMATIC	NEW
	EXPERT	
PXC battery voltage / capacity	2x 18 V / -	
Max. delivery capacity / height	3800 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.8 kg	
Water filler screw	•	
Water drain screw	-	
Power level switch: ECO and BOOST mode	•	
Battery capacity indicator LED	•	
Pre-filter	•	
Non-return valve	•	
Water filling / dirt indicator	• / •	
Suction indicator	•	
Automatic mode	•	
Dry running protection	•	
Number of batteries / number of chargers	0 / 0	
Accessories	-	
Article number	41.804.20	



4 006825 668391

CORDLESS GARDEN PUMPS



	AQUINNA 36/38 F LED EXPERT	NEW	AQUINNA 36/30 EXPERT	
PXC battery voltage / capacity	2x 18 V / –		2x 18 V / –	
Max. delivery capacity / height	3800 l/h / 37 m		3000 l/h / 26 m	
Max. suction height	6 m		8 m	
Suction connection	33.3 mm (1") ET		42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT		33.3 mm (1") IT	
Product weight	4.3 kg		3.3 kg	
Water filler screw	•		•	
Water drain screw	•		•	
Power level switch: ECO and BOOST mode	•		•	
Battery capacity indicator LED	•		–	
Pre-filter	•		–	
Non-return valve	•		–	
Water filling / dirt indicator	• / •		– / –	
Suction indicator	–		–	
Automatic mode	–		–	
Dry running protection	–		–	
Number of batteries / number of chargers	0 / 0		0 / 0	
Accessories	–		Adapter 33.3 mm (1") ET	
Article number	41.804.10		41.804.00	



4 006825 668384



4 006825 638981

CORDLESS GARDEN PUMPS



	AQUINNA 18/30 F LED EXPERT	NEW	AQUINNA 18/28 EXPERT	NEW
PXC battery voltage / capacity	18 V (+ 18 V) / –		18 V / –	
Max. delivery capacity / height	3000 l/h / 28 m		2800 l/h / 25 m	
Max. suction height	6 m		6 m	
Suction connection	33.3 mm (1") ET		33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT		33.3 mm (1") IT	
Product weight	3.9 kg		2.4 kg	
Water filler screw	•		•	
Water drain screw	•		•	
Power level switch: ECO and BOOST mode	•		•	
Battery capacity indicator LED	•		–	
Pre-filter	•		–	
Non-return valve	•		–	
Water filling / dirt indicator	• / •		– / –	
Suction indicator	–		–	
Automatic mode	–		–	
Dry running protection	–		–	
Number of batteries / number of chargers	0 / 0		0 / 0	
Article number	41.804.30		41.804.40	



4 006825 668513



4 006825 668711

CORDLESS CLEAR WATER PUMPS



CONNECTION PIPE

Infinitely telescopic with practical holder and movable hose connection for individual positioning of the garden hose

LONG CABLE CONNECTION

Long cable connection for greater immersion depth

POWERFUL MOTOR

This generates a high delivery pressure of over 2 bar, enabling easy operation of the lawn sprinkler and garden spray gun

STABLE HOUSING

High-quality pump housing made of impact-resistant plastic



2-IN-1 PUMP

The long cable connection means the GE-PP 18 RB Li can be used as a **submersible pressure pump**, e.g. in a cistern, and with the adjustable connection pipe as a **rain barrel pump**

BATTERY OPERATION

Garden watering without a socket – powerful yet independent

BATTERY BOX

Flexible battery box with integrated cable storage holder and miscellaneous fastening options



Cordless
Clear Water Pump
GE-PP 18 RB Li

CORDLESS CLEAR WATER PUMPS



GE-PP 18 RB Li - Solo	
	EXPERT
PXC battery voltage / capacity	18 V / -
Max. delivery capacity / height	3000 l/h / 20 m
Max. immersion depth	4 m
Hose connection	33.3 mm (1") ET
Power cord	5 m
Product weight excl. / incl. accessories	2.5 / 2.8 kg
Mobile battery box	•
Integrated cable rewind	•
Integrated wall mount	•
Suspension device made from stainless steel	•
Telescopic extension tube	•
Flexible gooseneck	•
Number of batteries / number of chargers	0 / 0
Article number	41.704.29



4 006825 651270

CORDLESS CLEAR WATER PUMPS



	GE-SP 18 LL Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Max. delivery capacity / height	4500 l/h / 8 m
Max. immersion depth	4 m
Hose connection	33.3 mm (1") ET
Power cord	5 m
Product weight excl. / incl. accessories	2.2 / 2.3 kg
Mobile battery box	•
Dry running protection	•
Integrated cable rewind	•
Integrated wall mount	•
Suspension device made from stainless steel	•
Telescopic extension tube	–
Flexible gooseneck	–
Low level suction down to 1 mm	•
Number of batteries / number of chargers	0 / 0
Article number	41.815.60



CORDLESS CLEAR WATER PUMPS



	GE-SP 18 Li - Solo
	EXPERT
PXC battery voltage / capacity	18 V / –
Max. delivery capacity / height	5000 l/h / 8 m
Max. immersion depth	4 m
Suction down to	15 mm
Hose connection	33.3 mm (1") ET
Power cord	5 m
Product weight excl. / incl. accessories	2.6 / 2.7 kg
Mobile battery box	•
Dry running protection	•
Integrated cable rewind	•
Integrated wall mount	•
Suspension device made from stainless steel	•
Telescopic extension tube	–
Flexible gooseneck	–
Number of batteries / number of chargers	0 / 0
Article number	41.815.00



CORDLESS DIRTY WATER PUMPS

BATTERY OPERATION

Pumping water without a socket – powerful yet independent

STABLE HOUSING

High-quality pump housing made of impact-resistant plastic

POWERFUL MOTOR

ensures a flow rate of up to 7500 l/h

PARTICLES OF DIRT UP TO 25 MM

POWER LEVEL SWITCH

ECO and BOOST mode

Cordless
Dirty Water Pump
GE-DP 18/25 Li

MOBILE BATTERY BOX with integrated cable rewind

LONG

CABLE CONNECTION

Long cable connection for greater immersion depth

CORDLESS DIRTY WATER PUMPS



	GE-DP 18/25 Li - Solo	NEW
	EXPERT	
PXC battery voltage / capacity	18 V / –	
Max. delivery capacity / height	7500 l/h / 5 m	
Max. immersion depth	4 m	
Suction down to	35 mm	
Max. size of foreign particle	25 mm	
Hose connection	33.3 mm (1") ET	
Power cord	5 m	
Product weight excl. / incl. accessories	3.3 / 3.4 Kg	
Mobile battery box	•	
Dry running protection	•	
Integrated cable rewind	•	
Integrated wall mount	•	
Suspension device made from stainless steel	•	
Low level suction down to 1 mm	–	
Power level switch: ECO and BOOST mode	•	
Suction level control	–	
Number of batteries / number of chargers	0 / 0	
Universal hose adapter	•	
Article number	41.815.80	



4 006825 665642

CORDLESS DIRTY WATER PUMPS



	GE-DP 18/25 LL Li - Solo	NEW
	EXPERT	
PXC battery voltage / capacity	18 V / –	
Max. delivery capacity / height	7000 l/h / 5 m	
Max. immersion depth	4 m	
Suction down to	1 mm	
Max. size of foreign particle	25 mm	
Hose connection	42 mm (1½") ET	
Power cord	5 m	
Product weight excl. / incl. accessories	3.4 / 3.5 kg	
Mobile battery box	•	
Dry running protection	•	
Integrated cable rewind	•	
Integrated wall mount	•	
Suspension device made from stainless steel	•	
Low level suction down to 1 mm	•	
Power level switch: ECO and BOOST mode	•	
Suction level control	•	
Number of batteries / number of chargers	0 / 0	
Universal hose adapter	•	
Article number	41.815.90	



4 006825 668780



SYSTEM CASES E-CASE



GRID FOAM



FOAM INLAY



SET OF PLASTIC COMPARTMENTS

COMPATIBILITY

All E-Case sizes are mutually compatible and interconnectable

E-CASE-SYSTEM

FOLD-IN HANDLES

Carrying the case is comfortable thanks to two fold-in and ergonomic handles – one on the top and one on the side

SPLASH-PROOF DESIGN

E-Cases are designed to keep out not only splash water but also dirt and dust in order to protect tools and accessories

HIGH-QUALITY MATERIAL

The E-Case is made of polypropylene. That ensures heat resistance, stiffness and impact resistance

TELESCOPIC, EXTRA-WIDE HANDLE

ensures an easy transport



SPACER CLIPS

to protect your hand of getting pinched

STURDY FASTENERS


for closing the case securely

LOCKING SYSTEM

The locking system ensures the connection of stacked cases, this allows easy transport and storage

LARGE, RUBBERISED WHEELS

The large (Ø 15 cm) rubberised wheels enable comfortable rolling on any surface



STURDY, STACKABLE AND CONNECTABLE



SYSTEM CASES E-CASE



	E-Case S-F	E-Case M NEW
Items supplied	1x system case + 2x foam inserts for devices	1x E-Case M + 1x hand tool insert
Max. delivery capacity / height	415 x 280 x 95 mm	415 x 280 x 250 mm
External dimensions	444 x 330 x 131 mm	444 x 330 x 295 mm
Load capacity	25 kg	90 kg
Product weight	1.7 kg	2.9 kg
Stackable + locking system	•	•
Splash-proof	•	•
Lockable	•	•
Telescopic handle + wheels	-	-
Foam inserts	1x inlay for lid, 1x inlay for base	-
Plastic compartments	-	-
Hand tool insert	-	•
Article number	45.400.11	45.400.21



4 006825 653991



4 006825 667721

SYSTEM CASES E-CASE



	E-Case L	E-Case Tower
Items supplied	1x E-Case L + 1x hand tool insert + 2x spacer clips	1x E-Case S + 2x foam inlays, 1x E-Case S + 1x set of plastic compartments, 1x E-Case L + 1x hand tool insert + 2x spacer clips
Internal dimensions	415 x 273 x 320 mm	415 x 280 x 95 mm (E-Case S), 415 x 273 x 320 mm (E-Case L)
External dimensions (incl. telescopic handle)	444 x 406 x 355 mm	444 x 368 x 700 mm
Load capacity	120 kg	120 kg
Product weight	6.3 kg	10.1 kg
Stackable + locking system	•	•
Splash-proof	•	•
Lockable	•	•
Telescopic handle + wheels	•	•
Foam inserts	-	1x inlay for lid, 1x inlay for base
Plastic compartments	-	2x long, 3x mid-length, 4x short dividers
Hand tool insert	•	•
Article number	45.400.14	45.400.15



4 006825 660562



4 006825 660609

E-CASES ACCESSORIES



	Set of Plastic Compartments	Grid Foam
Suitable for	E-Case S-F	E-Case S-F
Items supplied	2x long, 3x medium, 4x short dividers	1x adjustable grid foam inlay
Article number	45.400.12	45.400.13



4 006825 654004



4 006825 656749



25 kg

Maximum loading of a single case when carried by the handle on the side



90 kg

Maximum loading of several cases when carried by the handle on the top



120 kg

Max. total load E-Case L + stacked cases



1000 kg

Maximum permissible loading of the case at the bottom of the stack





IT'S YOUR CHOICE. WHAT DOES MULTI-AH MEAN?

Thanks to MULTI-Ah technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them aximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners)

5 Ah ► **300%**
+ more lifetime¹⁾

8 Ah ► **60%**
+ more runtime²⁾

¹⁾ In comparison to every standard lithium-ion battery

²⁾ In comparison to the 5 Ah battery


ACCESSORIES – BATTERIES



	5-8 Ah Multi-Ah Power X-Change Plus Battery NEW	4-6 Ah Multi-Ah Power X-Change Plus Battery
Items supplied	1 battery	1 battery
PXC battery voltage / capacity	18 V / 8.0 Ah or 5.0 Ah (depending on the application)	18 V / 6.0 Ah or 4.0 Ah (depending on the application)
Battery power	max. 1350 W	max. 1350 W
Product weight	1.04 kg	1.02 kg
Article number	45.116.00	45.115.02



ACCESSORIES – BATTERIES



	5.2 Ah Power X-Change Plus Battery	4.0 Ah Power X-Change Plus Battery	3.0 Ah Power X-Change Plus Battery
Items supplied	1 battery	1 battery	1 battery
PXC battery voltage / capacity	18 V / 5.2 Ah	18 V / 4.0 Ah	18 V / 3.0 Ah
Battery power	max. 1260 W	max. 900 W	max. 900 W
Product weight	0.89 kg	0.58 kg	0.57 kg
Article number	45.114.37	45.115.53	45.115.01




4.0 Ah BATTERY – 4.0 Ah PLUS BATTERY. WHERE'S THE DIFFERENCE?

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors – at 100 % power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



* in comparison to the conventional 4 Ah battery



Scan the barcode to receive information about the supported projects

CLIMATE PROTECTION PROJECTS AT CLIMATEPARTNER.

To compensate the CO₂ emissions of our Power X-Change batteries we are supporting climate protection projects in the areas of sustainable power generation and marine conservation. The compensation covers CO₂ emissions of the battery types 3.0 Ah Plus, 4.0 Ah Plus, 4-6 Ah Multi-Ah Plus and 5-8 Ah Multi-Ah Plus from production to sales.

The climate protection projects selected via ClimatePartner are certified in accordance with international standards such as Verified Carbon Standard (VCS) or Gold Standard (GS) and are regularly checked by independent third-parties. This assures and confirms the climate protection impact of the projects (CO₂ reduction) on a regular basis.

For detailed information use the QR code.

ACCESSORIES – BATTERIES



	4.0 Ah Power X-Change Battery	2.5 Ah Power X-Change Battery	2.0 Ah Power X-Change Battery
Items supplied	1 battery	1 battery	1 battery
PXC battery voltage / capacity	18 V / 4.0 Ah	18 V / 2.5 Ah	18 V / 2.0 Ah
Battery power	max. 900 W	max. 720 W	max. 450 W
Product weight	0.65 kg	0.46 kg	0.40 kg
Article number	45.113.96	45.115.16	45.113.95



ACCESSORIES – BATTERIES



	2x 5.2 Ah Power X-Change Twin Pack	2x 4.0 Ah Power X-Change Twin Pack	2x 2.5 Ah Power X-Change Twin Pack
Items supplied	2 batteries	2 batteries	2 batteries
PXC battery voltage / capacity	2x 18 V / 5.2 Ah	2x 18 V / 4.0 Ah	2x 18 V / 2.5 Ah
Battery power	max. 2x 1260 W	max. 2x 900 W	max. 2x 720 W
Product weight	1.78 kg	1.32 kg	0.92 kg
Article number	45.115.26	45.114.89	45.115.24



PXC ACCESSORIES



	Battery Mounting Gadget	Battery Protector
Items supplied	2 battery mounting gadgets, 4 screws, 4 dowels	1 battery cover
Suitable for (batteries)	all 18 V Power X-Change batteries	all 18 V Power X-Change batteries
Can be used for (devices)	–	BRILLIANTO, HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li
Special feature	The batteries latch in place and are secure in every position	Protects the battery against dust and moisture
Article number	45.141.55	41.401.51



ACCESSORIES – CHARGERS



	2x2 Power X-Quattro Charger 4 A	Power X-Twincharger 3 A
Items supplied	1 charger	1 charger
Can be used for	18 V Power X-Change batteries	18 V Power X-Change batteries
Charging current	4 A	3 A
Multiple-port charger	• 4 charging slots allow 2 batteries to be charged at the same time	• 2 charging slots allow 2 batteries to be charged at the same time
Boost mode	–	–
Integrated wall mount	–	•
Mains voltage	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Article number	45.121.02	45.120.69



4 006825 649536



4 006825 629729

ACCESSORIES – CHARGERS



	Power X-Boostcharger 8 A NEW	Power X-Boost Charger 6 A	Power X-Fastcharger 4 A
Items supplied	1 charger	1 charger	1 charger
Can be used for	18 V Power X-Change batteries	18 V Power X-Change batteries	18 V Power X-Change batteries
Charging current	3 - 8 A	3 - 6 A	4 A
Multiple-port charger	–	–	–
Boost mode	•	•	–
Integrated wall mount	•	•	•
Mains voltage	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Article number	45.121.55	45.120.64	45.121.03



4 006825 670554



4 006825 629019



4 006825 650228

**OUT-AND-ABOUT AND NO POWER SOCKET AVAILABLE?
NO PROBLEM THANKS TO EINHELL!**



	Power X-Car Charger 3 A
Items supplied	1 charger
Can be used for	18 V Power X-Change batteries
Charging current	3 A
Multiple-port charger	–
Boost mode	–
Protection electronics for the car battery	•
Integrated wall mount	•
Operating voltage	12 V DC
Article number	45.121.13



4 006825 655377

POWER X-CAR CHARGER
PROTECTION ELECTRONICS FOR THE CAR BATTERY



1. The car battery is weak:
Charging stops and both indicator lights blink in alternation – the car battery is protected from further discharge.
In this state the car can still be started.

2. The car battery is empty:
The indicator lights go out – the car battery is protected from exhaustive discharge.



Find battery charging times on page 72

ACCESSORIES – STARTER KITS



	2x 4.0 Ah PXC Twincharger Starter Kit	2x 3.0 Ah PXC Twincharger Starter Kit
Items supplied	2 batteries + 1 Twincharger	2 batteries + 1 Twincharger
PXC battery voltage / capacity	2x 18 V / 2x 4.0 Ah	2x 18 V / 2x 3.0 Ah
Battery power	max. 2x 900 W	max. 2x 900 W
Charging current	3 A	3 A
Mains voltage	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Multiple-port charger	• 2 charging slots allow 2 batteries to be charged at the same time	• 2 charging slots allow 2 batteries to be charged at the same time
Boost mode	-	-
Integrated wall mount	•	•
Article number	45.121.12	45.120.83



ACCESSORIES – STARTER KITS



	4-6 Ah PXC Boostcharger Starter Kit NEW
Items supplied	1 battery + 1 Power X-Boostcharger 6 A
PXC battery voltage / capacity	18 V / 6.0 Ah or 4.0 Ah (depending on the application)
Battery power	max. 1350 W
Charging current	6 A
Mains voltage	220 - 240 V ~ 50-60 Hz
Multiple-port charger	-
Boost mode	•
Integrated wall mount	•
Article number	45.121.43



Ready To Go means:
The battery is ready for use.
It can remain in the charger
for full, low-stress charging
up to 100 %.

ACCESSORIES – STARTER KITS



	5.2 Ah PXC Fastcharger Starter Kit	4.0 Ah Power X-Change Starter Kit	2.5 Ah Power X-Change Starter Kit
Items supplied	1 battery + 1 Power X-Fastcharger 4 A	1 battery + 1 Power X-Charger 3 A	1 battery + 1 Power X-Charger 3 A
PXC battery voltage / capacity	18 V / 5.2 Ah	18 V / 4.0 Ah	18 V / 2.5 Ah
Battery power	max. 1260 W	max. 900 W	max. 720 W
Charging current	4 A	3 A	3 A
Mains voltage	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz	220 - 240 V ~ 50-60 Hz
Multiple-port charger	-	-	-
Boost mode	-	-	-
Integrated wall mount	•	•	•
Article number	45.121.14	45.120.42	45.120.97



THE BATTERY GUIDE – IT'S WHAT YOU NEED THAT MATTERS.

									
			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah	18 V 8.0 Ah
Petrol Lawn Mower (Power X-Change Electric Start)	GC-PM 51/3 S HW-E Li		174 Starts	218 Starts	261 Starts	347 Starts	452 Starts	522 Starts	695 Starts
	GC-PM 46 SM HW-E Li		193 Starts	242 Starts	290 Starts	386 Starts	502 Starts	580 Starts	772 Starts
Cordless Lawn Mowers	RASARRO 36/42		300 m ²	350 m ²	450 m ²	550 m ²	725 m ²	875 m ²	1100 m ²
	RASARRO 36/40		280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²
	RASARRO 36/38		300 m ²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m ²
	RASARRO 36/36		250 m ²	290 m ²	400 m ²	450 m ²	650 m ²	800 m ²	900 m ²
	RASARRO 36/34		200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²
	GP-CM 36/47 S HW Li		175 m ² 350 m ²	215 m ² 430 m ²	250 m ² 500 m ²	350 m ² 700 m ²	500 m ² 1000 m ²	600 m ² 1200 m ²	700 m ² 1400 m ²
	GE-CM 36/48 Li M		250 m ² 500 m ²	260 m ² 520 m ²	300 m ² 600 m ²	500 m ² 1000 m ²	600 m ² 1200 m ²	700 m ² 1400 m ²	1000 m ² 2000 m ²
	GE-CM 36/43 Li M		300 m ²	350 m ²	450 m ²	600 m ²	750 m ²	900 m ²	1200 m ²
	GP-CM 36/41 Li		280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²
	GE-CM 36/37 Li		250 m ²	290 m ²	400 m ²	450 m ²	650 m ²	800 m ²	900 m ²
	GE-CM 36/36 Li		240 m ²	270 m ²	350 m ²	400 m ²	600 m ²	700 m ²	960 m ²
	GE-CM 36/34-1 Li		200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²
	GE-CM 36/33 Li		200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²
	GE-CM 18/33 Li		100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²
	GE-CM 18/32 Li		300 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²
	GE-CM 18/30 Li		70 m ²	100 m ²	150 m ²	210 m ²	270 m ²	300 m ²	420 m ²
Cordless Push Reel Mower	GE-HM 18/38 Li		150 m ²	190 m ²	250 m ²	300 m ²	400 m ²	450 m ²	600 m ²
Cordless Universal Spreader	GE-US 18 Li		3 h	4 h	6 h	7 h	9 h	10 h	14 h
Cordless Scarifiers/Aerators	GE-SC 36/35 Li		150 m ²	190 m ²	225 m ²	300 m ²	400 m ²	450 m ²	550 m ²
	GE-SA 36/35 Li		150 m ²	190 m ²	225 m ²	300 m ²	400 m ²	450 m ²	550 m ²
	GC-SC 36/31 Li		100 m ²	130 m ²	200 m ²	250 m ²	300 m ²	350 m ²	500 m ²
	GC-SC 18/28 Li		80 m ²	100 m ²	120 m ²	160 m ²	210 m ²	240 m ²	350 m ²
Cordless Earth Auger	GP-EA 18/150 Li Brushless		15 St.	20 St.	30 St.	40 St.	50 St.	60 St.	80 St.
Cordless Snow Thrower	GE-ST 36/40 Li E		20 min	25 min	30 min	40 min	50 min	60 min	80 min
Cordless Tillers	GE-CR 30 Li		20 min	21 min	25 min	35 min	50 min	60 min	70 min
	GE-CR 18/20 Li E		25-35 min	30-40 min	40-50 min	50-70 min	70-90 min	80-100 min	100-140 min

									
			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah	18 V 8.0 Ah
Cordless Scythes	AGILLO 36/255		30 min 25 min	35 min 28 min	45 min 35 min	65 min 45 min	80 min 60 min	90 min 70 min	130 min 90 min
	AGILLO 18/200		20 min 12 min	25 min 15 min	35 min 20 min	50 min 30 min	65 min 45 min	75 min 55 min	100 min 60 min
Cordless Lawn Trimmers	GE-CT 36/30 Li E		30 min	38 min	45 min	60 min	75 min	90 min	120 min
	GE-CT 18/30 Li		30 min	38 min	45 min	60 min	75 min	90 min	120 min
	GE-CT 18/28 Li TC		45 min	55 min	70 min	85 min	95 min	115 min	120 min
	GE-CT 18/28 Li		45 min	55 min	70 min	85 min	95 min	115 min	120 min
	GE-CT 18 Li		55 min	65 min	80 min	125 min	160 min	180 min	250 min
	GC-CT 18/24 Li		55 min	65 min	80 min	125 min	160 min	180 min	250 min
	GC-CT 18/24 Li P		55 min	65 min	80 min	125 min	160 min	180 min	250 min
Cordless Lawn Edge Trimmer	GE-LE 18/190 Li		25 min	33 min	45 min	55 min	65 min	75 min	110 min
Cordless Grout Cleaner	GC-CC 18 Li		45 min	50 min	60 min	90 min	120 min	135 min	180 min
Cordless Surface Brush	PICOBELLA		10-30 min	12-34 min	17-46 min	20-55 min	25-70 min	29-90 min	40-110 min
Cordless Hedge Trimmers	GE-CH 36/65 Li		75 min	93 min	120 min	150 min	180 min	225 min	300 min
	GE-CH 36/61 Li		72 min	80 min	105 min	144 min	168 min	210 min	288 min
	GE-CH 18/60 Li		45 min	53 min	70 min	90 min	110 min	135 min	180 min
	ARCURRA 18/55		45 min	53 min	70 min	90 min	110 min	135 min	180 min
	GC-CH 1855/1 Li		80 min	100 min	120 min	160 min	210 min	240 min	320 min
	GC-CH 18/50 Li		53 min	67 min	80 min	106 min	139 min	160 min	212 min
	GC-CH 1846 Li		80 min	100 min	120 min	160 min	210 min	240 min	320 min
	GC-CH 18/40 Li		53 min	67 min	80 min	106 min	139 min	160 min	212 min
Cordless Olive and Fruit Harvester	GE-FS 18/53 Li		25 min	32 min	38 min	50 min	65 min	76 min	100 min
Cordless Multifunctional Tools	GE-LM 36/4in1		34 min	41 min	54 min	68 min	86 min	108 min	136 min
			27 min	33 min	44 min	54 min	66 min	88 min	108 min
			28 min	33 min	40 min	56 min	66 min	80 min	112 min
			80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs
	GE-HC 18 Li T		40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
Cordless Pole-Mounted Pruners	GE-LC 18 Li T		30 min	35 min	40 min	60 min	75 min	80 min	120 min
	GC-LC 18/20 Li T		40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
			50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	135 pcs	200 pcs

THE BATTERY GUIDE – IT'S WHAT YOU NEED THAT MATTERS.

									
			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah	18 V 8.0 Ah
Cordless Telescopic Hedge Trimmers	GE-HH 18/45 Li T		30 min	35 min	40 min	60 min	75 min	80 min	120 min
	GC-HH 18/45 Li T		28 min	33 min	40 min	56 min	66 min	80 min	112 min
Cordless Chainsaws	FORTEXXA 18/20 TH		80 pcs	100 pcs	120 pcs	160 pcs	208 pcs	240 pcs	320 pcs
	GP-LC 36/35 Li		160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs
	FORTEXXA 18/30	 Eco High	78 pcs 70 pcs	98 pcs 88 pcs	117 pcs 105 pcs	156 pcs 140 pcs	203 pcs 182 pcs	234 pcs 210 pcs	280 pcs 312 pcs
	GE-LC 18/25 Li		70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs
Cordless Chain Sharpener	GE-CS 18 Li		240 min	300 min	390 min	480 min	660 min	780 min	960 min
Cordless Leaf Blowers	GP-LB 36/210 Li E		10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
	GP-LB 18/200 Li GK		5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
	GP-LB 18/200 Li E		5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
	GC-CL 18 Li E		14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min	52-960 min
Cordless Universal Blower	GE-UB 18/250 Li E		10-65 min	12-80 min	14-96 min	20-130 min	24-166 min	28-192 min	40-260 min
Cordless Leaf Vacuums	VENTURRO 36/240	 Saugen Blasen	9-23 min 9-25 min	10-27 min 10-28 min	14-35 min 14-37 min	17-46 min 18-49 min	21-56 min 21-58 min	27-70 min 28-74 min	34-92 min 36-98 min
	GE-CL 36 Li E	 Saugen Blasen	10-30 min 13-35 min	13-35 min 16-40 min	17-45 min 21-60 min	22-65 min 27-75 min	27-90 min 32-105 min	30-100 min 39-120 min	44-130 min 54-150 min
	GE-CL 36/230 Li E	 Saugen Blasen	12-28 min 13-29 min	14-34 min 16-35 min	20-45 min 24-50 min	24-55 min 27-58 min	30-75 min 37-79 min	35-85 min 43-91 min	48-110 min 54-116 min
	VENTURRO 18/210	 Saugen Blasen	0-14 min 4-15 min	5-18 min 5-19 min	7-20 min 7-22 min	9-30 min 9-32 min	11-42 min 13-40 min	15-45 min 14-48 min	18-60 min 18-64 min
Cordless Grass and Shrub Shears	GE-CG 18/100 Li T		240 min	300 min	360 min	480 min	650 min	720 min	960 min
	GE-CG 18/100 Li		240 min	300 min	360 min	480 min	650 min	720 min	960 min
	GC-CG 18 Li		240 min	300 min	360 min	480 min	650 min	720 min	960 min
	GC-CG 18/1 Li		240 min	300 min	360 min	480 min	650 min	720 min	960 min
Cordless Pruning Saw	GE-GS 18/150 Li		90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs
Cordless Pruning Shears	GE-LS 18 Li		1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs
Cordless Pressure Sprayers	GE-WS 18/150 Li		2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h
	GE-WS 18/75 Li		6 h	7.5 h	10 h	12 h	16 h	20 h	24 h
	GE-WS 18/35 Li		6 h	7.5 h	10 h	12 h	16 h	20 h	24 h
	GE-WS 18/10 Li		16 h	20 h	24 h	32 h	42 h	48 h	64 h
Cordless Fan	GE-CF 18/2200 Li	 min. speed max. speed	7.0 h 2.6 h	8.8 h 3.3 h	10.6 h 4.0 h	14.0 h 5.6 h	18.3 h 7.0 h	21.2 h 8.0 h	28.0 h 11.2 h
Cordless Hot Air Generator with Rechargeable Battery	GE-HG 18/370 Niro Li		140 min	160 min	180 min	280 min	330 min	380 min	560 min

									
			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah	18 V 8.0 Ah
Cordless Automatic Garden Pump	AQUINNA 36/38 F LED AUTOMATIC	 BOOST ECO	16 min 32 min	20 min 40 min	24 min 48 min	32 min 64 min	42 min 84 min	48 min 96 min	64 min 128 min
Cordless Garden Pumps	AQUINNA 36/38 F LED	 BOOST ECO	16 min 32 min	20 min 40 min	24 min 48 min	32 min 64 min	42 min 84 min	48 min 96 min	64 min 128 min
	AQUINNA 36/30	 BOOST ECO	15 min 35 min	23 min 47 min	30 min 55 min	35 min 70 min	45 min 85 min	50 min 100 min	70 min 140 min
	AQUINNA 18/30 F LED	 BOOST ECO	15 min 19 min	17 min 23 min	20 min 28 min	30 min 38 min	36 min 48 min	40 min 56 min	60 min 76 min
	AQUINNA 18/28	 BOOST ECO	14 min 18 min	17 min 22 min	20 min 27 min	28 min 36 min	36 min 47 min	40 min 54 min	56 min 72 min
Cordless Clear Water Pumps	GE-PP 18 RB Li		15 min	20 min	25 min	30 min	35 min	45 min	60 min
	GE-SP 18 LL Li		30 min	35 min	40 min	60 min	70 min	80 min	120 min
	GE-SP 18 Li		30 min	35 min	40 min	60 min	70 min	80 min	120 min
Cordless Dirty Water Pumps	GE-DP 18/25 Li	 BOOST ECO	15 min 21 min	19 min 26 min	23 min 32 min	30 min 42 min	40 min 55 min	46 min 64 min	60 min 84 min
	GE-DP 18/25 LL Li	 BOOST ECO	15 min 21 min	19 min 26 min	23 min 32 min	30 min 42 min	40 min 55 min	46 min 64 min	60 min 84 min

70 pcs

BASIC PERFORMANCE – Upgrade recommended

Figures shown in lighter fields (for example see above) indicate that we recommend using a battery with greater power/capacity for full power and the appropriate operating time of the machine.

Key to Symbols:



Max. number of starts per battery charge



Max. workable area per battery charge



Max. workable area per battery charge with 2 or 4 batteries (either 2 or 4 batteries can be inserted in the GE-CM 36/47!)



Max. operating time per battery charge in idle mode



Max. number of drill holes (depth 40 cm, mixed floor) per battery charge



Max. operating time per battery charge in idle mode (with blade)



Max. operating time per battery charge in idle mode (with line spool)



Max. operating time per battery charge in idle mode (with hedge trimmer)



Max. number of cuts through 70 x 70 mm square timber per battery charge



Max. number of cuts per battery charge through roundwood ø 60 mm



Max. number of cuts per battery charge through dry birch branches ø 15 mm

Suction / blowing:
Operating time if the blowing or suction function is used

BOOST / ECO: Operating time in Boost or Eco mode

All stated values are maximum values. They were determined under standardised test conditions and may differ from the values achievable in everyday operation.

BATTERY CHARGING TIMES

									
Power X-Charger 3 A									Shorter charging time
Power X-Twincharger 3 A (parallel charging of 2 batteries)	30 min	40 min	50 min	60 min	75 min	100 min	120 min	160 min	
Power X-Car Charger 3 A									
Power X-Fastcharger 4 A									
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)	24 min	30 min	37 min	45 min	60 min	80 min	90 min	120 min	
Power X-Boostcharger 6 A *	24 min	30 min	27 min	32 min	40 min	50 min	60 min	80 min	
Power X-Boostcharger 8 A **	24 min	30 min	27 min	32 min	40 min	40 min	45 min	60 min	

* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

** Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.



THE POWER X-CHANGE PARTNERS. STRONG COLLABORATIONS WITH STRONG PRODUCTS.

"Cordless freedom for everyone." This is the vision of the Einhell brand. It is widely known already that the cordless screwdrivers, circular saws, lawn mowers and all other members of the Power X-Change team can be operated using one and the same battery. To give our customers access to many more Power X-Change applications beyond the workshop and garden we have opened our cordless platform to cooperation partners from other areas. Diverse platform partners are already using our Power X-Change batteries in their own products – and the number is constantly rising!

MISSION GAMING FUN WITH CORDLESS POWER

Ride-On Audi R8 Spyder from Jamara

- Dimensions (l x w x h): 106 x 62 x 34 cm
- Top speed: approx. 5 km/h
- Max. wei: 25 kg

Article only available without batteries / chargers
Art. No. 60.000.13

Other colors are available at www.jamara-shop.com

- Two-wheel drive with two powerful drive motors
- Bluetooth and USB connection for playing music
- Rear suspension
- Sports steering wheel and LED headlight



E-MOBILITY WITH POWER X-CHANGE

Kickscooter ELMOTO KICK by GOVECS

- Approval for road use: yes
- Battery voltage: 2x 18 = 36 V
- Top speed: 20 km/h
- Range: up to 15 km
- Weight: 15.0 kg (excl. batteries)

Article only available without batteries / chargers
Art. No. 48.500.61



- Particularly sturdy frame and large 10 inch pneumatic tyres with hydraulic disc brakes for superior ride comfort and highest safety
- LCD display – speed, battery status, range
- Folding handlebar with lock and carry function

The ELMOTO KICK is available in two additional colours at www.govecs.de



CAMPING WITH E.POWER TECHNOLOGY

Knaus/Weinsberg – Caravan Charger

Users of select caravan models from Knaus and Weinsberg can operate their refrigerator, water pump and light with our Power X-Change batteries for up to 10 hours. In other words, the customer can supply his caravan independently with energy for a whole night. And of course he can remove the battery at any time for use in any one of the other 250+ cordless devices such as a cordless vacuum cleaner or a cordless compressor. What could be more perfect than our Power X-Change battery for your next camping trip!?



To learn more, go to www.knaus.com

UNLIMITED SUCTION THANKS TO CORDLESS BATTERY CHANGE-OVER SYSTEM

SEPURO Stick Vacuum Cleaner from Severin

Severin trusts in the Power X-Change cordless platform for its SEPURO range of innovative handheld and stick vacuum cleaners. With the 3.0 Ah battery included on delivery, the SEPURO PRO achieves either a running time of up to 60 minutes or uninterrupted suction thanks to its battery changeover system! Plus – the vac guarantees uncompromising cleanliness. Whether you prefer the model with a dust bag or without, this cordless vac sets new standards in terms of hygiene and is also allergy-friendly.

To learn more, go to www.severin.com





LAWN AND SOIL CARE



ROBOT LAWN MOWERS



PURE POWER
BRUSHLESS



	GC-RM 500 Brushless CLASSIC
Battery voltage / capacity	28 V / 2.0 Ah
For lawn areas of up to approx.*	500 m ²
Cutting width	18 cm
Cutting height adjustment	infinitely / 20-60 mm / central
Suitable for slopes up to	35%
Impact, lift and tilt sensors	•
Brushless motor	•
Integrated carry handle	•
Number of batteries / number of charging units	1 / 1
Supplied with perimeter wire	130 m
Supplied with fastening hooks	190 pcs
Supplied with accessories	3 connecting clamps, 3 blades
Article number	34.139.30

* The stated area coverage is based on the assumption of ideal conditions



FREELEXO CAM ACCESSORIES

		Article number	EAN	Items supplied	Suitable for
	Robot Lawn Mower Garage	34.140.24	4 006825 654417	1 pc (folding, l x b x h: 77.0 x 59.0 x 39.5 cm)	all Einhell robot lawn mowers
	Perimeter Wire	34.140.21	4 006825 648782	1 pc (50 m)	
	Spare Blades	34.140.20	4 006825 648775	12 pcs	
	Fastening Hooks	34.140.23	4 006825 648805	100 pcs	
	Connection Clamps	34.140.22	4 006825 648799	4 pcs	
	Repair Kit	34.140.26	4 006825 657968	5 m perimeter wire, 15 fastening hooks, 8 connecting clamps	
	Cleaning Set	34.140.25	4 006825 657951	Gloves, brushes, scouring pad, microfiber cloth, spatula, screwdriver	

ELECTRIC LAWN MOWERS



	GC-EM 1700/42 CLASSIC	GC-EM 1500/36 CLASSIC	GC-EM 1000/30 CLASSIC
Mains connection / rated input	230 - 240 V ~ 50 Hz / 1700 W	220 - 240 V ~ 50 Hz / 1500 W	220 - 240 V ~ 50 Hz / 1000 W
Cutting width	42 cm	36 cm	30 cm
Cutting height adjustment	6 levels / 20 - 65 mm / central	5 levels / 25 - 65 mm / central	3 levels / 30 - 70 mm / axial
Grass box capacity	50 l	38 l	25 l
Wheel diameter front / rear	150 mm / 230 mm	140 mm / 200 mm	140 mm / 140 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	700 m ²	600 m ²	300 m ²
Product weight	11.8 kg	10.0 kg	7.2 kg
Mulching function	-	-	-
Highwheels	•	•	-
Integrated carry handle	•	•	•
Cable-relief clip	•	•	•
Height-adjustable handlebar	•	•	-
Folding handlebar	•	•	•
Quick clamping function	•	•	-
Grass box with level indicator	•	•	-
Wide wheels exert less stress on the lawn	•	•	•
Article number	34.001.60	34.001.56	34.001.22



4 006825 595338



4 006825 662665



4 006825 602555

ELECTRIC LAWN MOWERS



	GC-EM 1743 HW CLASSIC	GC-EM 1437 CLASSIC	GC-EM 1032 CLASSIC
Mains connection / rated input	230 V ~ 50 Hz / 1700 W	230 V ~ 50 Hz / 1400 W	220 - 240 V ~ 50 Hz / 1000 W
Cutting width	43 cm	37 cm	32 cm
Cutting height adjustment	6 levels / 20 - 70 mm / central	3 levels / 25 - 60 mm / axial	3 Stufen / 20 - 60 mm / einzeln
Grass box capacity	52 l	36 l	30 l
Wheel diameter front / rear	170 mm / 235 mm	140 mm / 170 mm	140 mm / 140 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	700 m ²	500 m ²	300 m ²
Product weight	13.7 kg	9.3 kg	9.2 kg
Mulching function	-	-	-
Highwheels	•	-	-
Integrated carry handle	•	•	•
Cable-relief clip	•	•	•
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Quick clamping function	-	-	-
Grass box with level indicator	•	-	•
Wide wheels exert less stress on the lawn	•	•	•
Article number	34.005.90	34.002.85	34.002.57



4 006825 572940



4 006825 574043



4 006825 646498

PETROL LAWN MOWERS



Petrol Lawn Mower
GC-PM 56/2 S HW

VORTEX DECK

Special flow-optimized deck with perfect mowing and catching characteristics

FILLING LEVEL INDICATOR

CENTRAL CUTTING HEIGHT ADJUSTMENT

For easy and individual selection of the cutting height

SIDE DISCHARGE

Perfectly suited for use in tall grass

MULCHING FUNCTION

DEFLECTOR REAR DISCHARGE

Cuttings ejected to the rear without a catch basket for maximum grass heights

CLEANING POSITION

Adjustment option for comfortable cleaning

PETROL LAWN MOWERS



	GC-PM 56/2 S HW CLASSIC	GC-PM 52/2 S HW CLASSIC
Engine / displacement	4-stroke engine / 173 cm³	4-stroke engine / 173 cm³
Power / working speed	2.8 kW / 2850 min⁻¹	2.8 kW / 2850 min⁻¹
Cutting width	56 cm	52 cm
Cutting height adjustment	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central
Grass box capacity	80 l	80 l
Wheel diameter front / rear	200 mm / 280 mm	200 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	2200 m²	1800 m²
Product weight	38.3 kg	37.3 kg
5-in-1 function	•	•
Highwheels	•	•
Self-propelling	•	•
Lawn comb and built-in lifting handle	•	•
Cleaning and storage position	•	•
Vortex Technology deck	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Cleaning tool	•	•
Article number	34.048.60	34.048.50



4 006825 646450



4 006825 646443

PETROL LAWN MOWERS (POWER X-CHANGE ELECTRIC START)



	GC-PM 51/3 S HW-E Li CLASSIC	GC-PM 46 SM HW-E Li CLASSIC
Engine / displacement	4-stroke engine / 170 cm ³	4-stroke engine / 146 cm ³
Power / working speed	2.7 kW / 2900 min ⁻¹	2.0 kW / 2900 min ⁻¹
PXC battery voltage / capacity	1x 18 V / 2.0 Ah	1x 18 V / 2.0 Ah
Charging time	2.5 h	2.5 h
Cutting width	51 cm	46 cm
Cutting height adjustment	6 levels / 30 - 80 mm / central	9 levels / 25 - 80 mm / central
Grass box capacity	70 l	65 l
Wheel diameter front / rear	204 mm / 280 mm	204 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1400 m ²
Product weight	34.8 kg	32.1 kg
Highwheels	•	•
Self-propelling	•	•
Electric start function with PXC battery (18 V)	•	•
Mulching function	•	•
Height-adjustable long handle with soft grip	•	•
Grass box with level indicator	•	•
Lawn comb	-	•
Number of batteries / number of chargers	1 / 1	1 / 1
Article number	34.048.70	34.075.60



EINHELL VORTEX TECHNOLOGY

The metal deck is specially designed for an optimum airflow. Thanks to the special shape, the rotating blade generates strong suction which straightens up the grass before it is cut. Only then it is cut and then shredded with great force in the optimized airflow and ejected afterwards.



LUSHER GREEN THANKS TO MULCHING

Many Einhell lawn mowers can be converted to a mulch mower by fitting a mulching adapter.

The grass is shredded several times and remains on the turf, where it quickly turns to compost. This fertilizes the lawn, reducing evaporation. That protects the lawn from drying out and provides ideal living conditions for microbes, which provide for melioration of the soil.

Care should be taken to cut the length of the stems by just a third at the most. The cuttings will be shredded more efficiently and drop right through to the ground as a result, so they are less of an intrusion when using the lawn. It also contributes to the formation of side shoots in the lawn. The lawn becomes thicker and more lushly green.



PETROL LAWN MOWERS



	GC-PM 46 S HW-E CLASSIC
Engine / displacement	4-stroke engine / 146 cm ³
Power / working speed	2.0 kW / 2900 min ⁻¹
Cutting width	46 cm
Cutting height adjustment	9 levels / 25 - 80 mm / central
Grass box capacity	65 l
Wheel diameter front / rear	204 mm / 280 mm
Housing material	Powder-coated sheet steel
For lawn areas of up to approx.	1400 m ²
Product weight	33.5 kg
Side ejector	–
Mulching function	–
Highwheels	•
Self-propelling	•
Electric start function	•
Lawn comb	•
Height-adjustable handlebar	•
Folding handlebar	•
Grass box with level indicator	•
Article number	34.075.70



PETROL LAWN MOWERS



	GC-PM 51/3 S HW CLASSIC
Engine / displacement	4-stroke engine / 170 cm ³
Power / working speed	2.7 kW / 2900 min ⁻¹
Cutting width	51 cm
Cutting height adjustment	6 levels / 30 - 80 mm / central
Grass box capacity	70 l
Wheel diameter front / rear	204 mm / 280 mm
Housing material	Powder-coated sheet material
For lawn areas of up to approx.	1800 m ²
Product weight	31.4 kg
Side ejector	•
Mulching function	•
Highwheels	•
Self-propelling	•
Electric start function	–
Height-adjustable handlebar	•
Folding handlebar	•
Grass box with level indicator	•
Article number	34.043.33



LAWN MOWERS ACCESSORIES



	Quick Start Spray ACCESSORY
Suitable for	Petrol Lawn Mowers
Article number	34.030.98



PETROL LAWN MOWERS



	GC-PM 46/5 S CLASSIC	GC-PM 46/3 CLASSIC
Engine / displacement	4-stroke engine / 132 cm ³	4-stroke engine / 132 cm ³
Power / working speed	2.0 kW / 2900 min ⁻¹	2.0 kW / 2900 min ⁻¹
Cutting width	46 cm	46 cm
Cutting height adjustment	9 levels / 25 - 80 mm / central	9 levels / 25 - 80 mm / central
Grass box capacity	65 l	65 l
Wheel diameter front / rear	178 mm / 204 mm	178 mm / 204 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1400 m ²	1200 m ²
Product weight	26.0 kg	23.0 kg
Mulching function	-	-
Self-propelling	•	-
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Article number	34.075.50	34.075.40



4 006825 662047



4 006825 662436

PETROL LAWN MOWERS



	GC-PM 40/2 S CLASSIC	GC-PM 40/2 CLASSIC
Engine / displacement	4-stroke engine / 132 cm ³	4-stroke engine / 132 cm ³
Power / working speed	2.0 kW / 2900 min ⁻¹	2.0 kW / 2900 min ⁻¹
Cutting width	40 cm	40 cm
Cutting height adjustment	7 levels / 25 - 75 mm / central	3 levels / 25 - 60 mm / single
Grass box capacity	45 l	45 l
Wheel diameter front / rear	178 mm / 203 mm	152 mm / 152 mm
Housing material	Plastic	Plastic
For lawn areas of up to approx.	1000 m ²	800 m ²
Product weight	19.9 kg	17.3 kg
Mulching function	-	-
Self-propelling	•	-
Height-adjustable handlebar	-	-
Folding handlebar	•	•
Grass box with level indicator	•	•
Article number	34.048.23	34.048.33



4 006825 665260



4 006825 665741

MANUAL LAWN MOWERS

LONG HANDLE

Ergonomically shaped and equipped with a soft grip for perfect handling

HEIGHT ADJUSTABLE LONG HANDLE

The height-adjustable long handle can be adjusted to users of all sizes for ergonomic and user-friendly mowing

BALL BEARING MOWING SPINDLE

with 5 high-quality precision-ground cutting blades for a perfect cut

Manual Lawn Mower
GE-HM 38 S-F

QUIET + EFFORTLESS

Thanks to the contactless cutting technology there is reduced friction loss which allows for easier and quieter working

GRASS CATCH BOX

The removable grass catch box has a capacity of 26 l

CUTTING HEIGHT ADJUSTMENT

The 4-stage cutting height adjustment ensures a precise cutting result

MANUAL LAWN MOWERS



	GE-HM 38 S-F EXPERT
Cutting width	38 cm
Cutting height adjustment	4 levels / 13 - 38 mm
Grass box capacity	26 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	220 mm
For lawn areas of up to approx.	250 m ²
Product weight	8.4 kg
Wide wheels exert less stress on the lawn	•
Parking position	•
Height-adjustable handlebar	•
Contactless	•
Catch bag	•
Article number	34.141.61



4 006825 607765

MANUAL LAWN MOWERS



	GE-HM 38 S EXPERT
Cutting width	38 cm
Cutting height adjustment	4 levels / 13 - 38 mm
Grass box capacity	-
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	220 mm
For lawn areas of up to approx.	250 m²
Product weight	7.8 kg
Wide wheels exert less stress on the lawn	•
Parking position	•
Height-adjustable handlebar	•
Contactless	•
Catch bag	-
Article number	34.141.65



4 006825 609714

MANUAL LAWN MOWERS



	GC-HM 400 CLASSIC
Cutting width	40 cm
Cutting height adjustment	4 levels / 13 - 37 mm
Grass box capacity	27 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	215 mm
For lawn areas of up to approx.	250 m²
Product weight	7.5 kg
Wide wheels exert less stress on the lawn	•
Parking position	•
Height-adjustable handlebar	-
Contactless	-
Article number	34.141.29



4 006825 651959



	GC-HM 300 CLASSIC
Cutting width	30 cm
Cutting height adjustment	4 levels / 13 - 37 mm
Grass box capacity	16 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	215 mm
For lawn areas of up to approx.	150 m²
Product weight	6.5 kg
Wide wheels exert less stress on the lawn	•
Parking position	•
Height-adjustable handlebar	-
Contactless	-
Article number	34.141.14



4 006825 651942

SCARIFIERS/AERATORS

LONG HANDLE

The folding long handle with quick clamping function enables easy and compact storage

CARRY HANDLE

Comfortable transport thanks to the ergonomic carry handle

CENTRAL HEIGHT ADJUSTMENT

Easy and user-friendly adjustment to the desired working depth

QUICK TOOL CHANGE

The scarifier and aerator rollers can be changed quickly using the supplied tools

CATCH BAG

The large catch bag means long work sessions are no problem

Electric Scarifier/Aerator
GE-SA 1640

ELECTRIC SCARIFIERS/AERATORS

3-IN-1

• SCARIFYING
• AERATING
• CATCHING



	GE-SA 1640 EXPERT	GE-SA 1435/1 EXPERT NEW
Mains connection / rated input	230 V ~ 50 Hz / 1600 W	230 V ~ 50 Hz / 1400 W
Working width	400 mm	350 mm
Working depth adjustment	4 levels (central) + transport position	3 levels (central) + parking position
Number of blades (ball bearing)	20 pcs	16 pcs
Number of aerating claws (ball bearing)	30 pcs	24 pcs
Wheel diameter front / rear	220 mm / 175 mm	160 mm / 160 mm
Housing material	Plastic	Easy maintenance plastic housing
For lawn areas of up to approx.	800 m ²	550 m ²
Product weight	13.7 kg	10.2 kg
Integrated carry handle	•	•
Height-adjustable long handle + parking position	•	•
Folding long handle	•	•
Quick fasteners	•	•
Wide wheels exert less stress on the lawn	•	•
Toolless roller change	–	•
Catch bag	•	•
Aerator roller and scarifier roller	•	•
Article number	34.205.90	34.206.90



4 006825 595642



4 006825 661422

ELECTRIC SCARIFIERS/AERATORS



	GC-SA 1231/1 CLASSIC	GC-ES 1231/1 CLASSIC
Mains connection / rated input	230 V ~ 50 Hz / 1200 W	230 V ~ 50 Hz / 1200 W
Working width	310 mm	310 mm
Working depth adjustment	3 levels (central) + parking position	3 levels (central) + parking position
Number of blades (ball bearing)	8 double-knives	8 double-knives
Number of aerating claws (ball bearing)	45 pcs	-
Wheel diameter front / rear	180 mm / 100 mm	180 mm / 100 mm
Housing material	Plastic	Plastic
For lawn areas of up to approx.	300 m ²	300 m ²
Product weight	8.5 kg	8.0 kg
Integrated carry handle	•	•
Height-adjustable long handle	•	•
Folding long handle	•	•
Quick fasteners	-	-
Wide wheels exert less stress on the lawn	•	•
Catch bag	•	-
Scarifier roller	•	•
Aerator roller	•	-
Article number	34.206.40	34.206.30



4 006825 628272



4 006825 628289

PETROL SCARIFIER



	GC-SC 4240 P CLASSIC
Engine / displacement	4-stroke engine / 212 cm ³
Power rating	4.2 kW
Working width	400 mm
Working depth adjustment	8 levels (central) + transport position
Number of blades (ball bearing)	18 pcs
Wheel diameter front / rear	180 mm / 180 mm
Housing material	Metal
For lawn areas of up to approx.	1200 m ²
Product weight	31.4 kg
Folding long handle	•
Wide wheels exert less stress on the lawn	•
Catch bag	•
Scarifier roller	•
Article number	34.200.19



4 006825 638073

GARDEN ROLLER



	GC-GR 57 CLASSIC
Working width	57 cm
Roller diameter	32 cm
Filling quantity	46 l
Housing material	Coated metal
Product weight	10.5 kg
Filling with sand	•
Filling with water	•
Article number	34.153.02



4 006825 627404

ELECTRIC GROUT CLEANER



	GC-EG 1410 CLASSIC
Mains connection / rated input	230 - 240 V ~ 50 Hz / 140 W
Diameter of brush	100 mm
Housing material	Plastic
Product weight	1.5 kg
Guide wheel	•
Cable-relief clip	•
Steel brush (15 mm wide)	•
Steel brush (10 mm wide)	- (available as an accessory)
Nylon brush (10 mm wide)	•
Nylon brush (6 mm wide)	- (available as an accessory)
Article number	34.240.02



4 006825 627411

MULTI-PURPOSE SPREADER



	GC-SR 12 CLASSIC
Spread width	45 cm
Capacity of grit box	12 l
Wheel diameter	200 mm
Product weight	2.5 kg
Double push-bar	•
Spreading volume adjuster	•
Corrosion-resistant roller	•
Spring lock - device dismountable without tools	•
Article number	34.152.38



4 006825 635065

ELECTRIC LAWN TRIMMERS



	GC-ET 4530 Set CLASSIC
Mains connection / rated input	230 V ~ 50 Hz / 450 W
Cutting width (thread)	300 mm
Thread diameter / length	1.4 mm / 1000 cm
Single / twin line cutting	Twin line cutting
Housing material	Plastic
Product weight	2.6 kg
Additional handle	•
Telescopic long handle	•
Cable-relief clip	•
Motor head rotateable	180°
Motor head can be tilted	4 settings
Flower guard	•
Automatic jog line feed	-
Fully automatic line feed	•
Edge roller	-
Thread spool	• (3 pcs)
Article number	34.020.22



ELECTRIC LAWN TRIMMERS



	GC-ET 3023 CLASSIC
Mains connection / rated input	230 V ~ 50 Hz / 300 W
Cutting width (thread)	230 mm
Thread diameter / length	1.5 mm / 600 cm
Single / twin line cutting	Single line cutting
Housing material	Plastic
Product weight	1.5 kg
Additional handle	•
Telescopic long handle	-
Cable-relief clip	•
Motor head rotateable	-
Motor head can be tilted	-
Flower guard	-
Automatic jog line feed	•
Fully automatic line feed	-
Edge roller	-
Thread spool	•
Article number	34.020.50



	GC-ET 2522 CLASSIC
Mains connection / rated input	230 - 240 V ~ 50 Hz / 250 W
Cutting width (thread)	220 mm
Thread diameter / length	1.2 mm / 600 cm
Single / twin line cutting	Twin line cutting
Housing material	Plastic
Product weight	1.1 kg
Additional handle	•
Telescopic long handle	-
Cable-relief clip	•
Motor head rotateable	-
Motor head can be tilted	-
Flower guard	-
Automatic jog line feed	•
Fully automatic line feed	-
Edge roller	-
Thread spool	•
Article number	34.020.40



PETROL LAWN TRIMMER



	GC-PT 2538/1 I AS CLASSIC
Engine / displacement	2-stroke engine / 25.4 cm ³
Power rating	0.6 kW
Cutting width (thread)	380 mm
Thread diameter / length	2 mm / 400 cm
Single / twin line cutting	Twin line cutting
Housing material	Plastic
Product weight	5.5 kg
Shaped long handle made of aluminium	•
Split shaft	•
Quick Start	•
Autochoke	•
Centrifugal clutch for cutting tool	•
Automatic jog line feed	•
Article number	34.019.38



PETROL MULTI-FUNCTIONAL TOOL



	GC-MM 52 I AS CLASSIC
Engine / displacement	2-stroke engine / 51.7 cm ³
Power rating	1.5 kW
Cutting width (double thread)	420 mm
Thread diameter / length	2.4 mm / 400 cm
Cutting width (blade)	255 mm
Cutting length chainsaw	255 mm
Chain cutting speed	21.3 m/s
Blade length of hedge trimmer	395 mm
Spacing between teeth (hedge trimmer)	31 mm
Max. working height of elevated tools	3.5 m (pruner) / 3.5 m (hedge trimmer)
Extendable handle	•
Long handle made of aluminium tube	•
Split shaft	•
Autochoke	•
Digital ignition - stable engine run	•
Automatic jog line feed	•
Cutting unit (Hedge Trimmer) tiltable	•
OREGON quality bar and chain	•
Automatic chain lubrication	•
Adjustable handle	•
Protective cover	•
Carrying belt with quick release	•
Article number	34.365.55




POWER TOOLS ACCESSORIES



	Petrol and Oil Suction Pump ACCESSORY
Suction hose length	1.3 m
Collecting container	1.6 l
Article number	34.070.00



PETROL SCYTHES



PETROL SCYTHES



	GC-BC 36-4 S CLASSIC
Engine / displacement	4-stroke engine / 37.7 cm ³
Power rating	1.0 kW
Cutting width (double thread)	420 mm
Thread diameter / length	2.4 mm / 400 cm
Cutting width (blade)	255 mm
Housing material	Aluminium/plastics
Product weight	7.9 kg
Handle with all control elements	•
Long handle made of aluminium tube	•
Split shaft	•
Quick Start System	•
Autochoke	–
Digital ignition – stable engine run	•
Automatic jog line feed	•
Comfort harness	•
Blade + thread spool	•
Article number	34.365.60



4 006825 648751

PETROL SCYTHES



	GC-BC 52 I AS CLASSIC	GH-BC 43 AS CLASSIC
Engine / displacement	2-stroke engine / 51.7 cm ³	2-stroke engine / 42.7 cm ³
Power rating	1.5 kW	1.25 kW
Cutting width (double thread)	420 mm	420 mm
Thread diameter / length	2.4 mm / 400 cm	2.4 mm / 400 cm
Cutting width (blade)	255 mm	255 mm
Housing material	Aluminium/plastics	Aluminium/plastics
Product weight	8.5 kg	8.9 kg
Handle with all control elements	•	•
Long handle made of aluminium tube	•	•
Split shaft	•	•
Quick Start System + Autochoke	•	•
Digital ignition – stable engine run	•	•
Automatic jog line feed	•	•
Comfort harness	•	•
Blade + thread spool	•	•
Article number	34.365.40	34.019.73



4 006825 617337



4 006825 594768

PETROL SCYTHES



	GC-BC 30/1 I AS CLASSIC	GC-BC 25/1 I AS CLASSIC
Engine / displacement	2-stroke engine / 29.7 cm ³	2-stroke engine / 25.4 cm ³
Power rating	1.0 kW	0.6 kW
Cutting width (double thread)	420 mm	420 mm
Thread diameter / length	2.0 mm / 400 cm	2.0 mm / 400 cm
Cutting width (blade)	230 mm	230 mm
Housing material	Aluminium/plastics	Aluminium/plastics
Product weight	7.6 kg	6.3 kg
Handle with all control elements	•	•
Long handle made of aluminium tube	•	•
Split shaft	•	•
Quick Start System + Autochoke	•	•
Digital ignition – stable engine run	•	•
Automatic jog line feed	•	•
Comfort harness	•	•
Blade + thread spool	•	•
Article number	34.365.25	34.019.57



4 006825 649086



4 006825 643824

PETROL TILLERS



	GC-MT 4280 CLASSIC	GC-MT 2560 LD CLASSIC
Engine / displacement	4-stroke engine / 212 cm ³	4-stroke engine / 150 cm ³
Power / working speed	4.1 kW / 3600 min ⁻¹	2.5 kW / 3400 min ⁻¹
Working width	890 mm	600 mm
Working depth	320 mm	230 mm
Number of blades	6	6
Cultivator blade diameter	360 mm	260 mm
Fuel tank capacity	3.6 l	1.2 l
Product weight	65.6 kg	35.0 kg
Side limiting discs	•	•
Swivelling guide wheel	•	•
Quick Start	•	•
Cultivator blade stopped by dead man's circuit	•	•
Ergonomic handlebar	•	•
Height adjustable steady grips	•	•
Height adjustable brake shoe	•	•
Reverse gear	•	–
Wheels (for the use of accessories)	•	–
Article number	34.315.10	34.302.81



4 006825 662443



4 006825 646351

PETROL TILLERS



	GC-MT 2236 CLASSIC
Engine / displacement	4-stroke engine / 140 cm ³
Power / working speed	2.2 kW / 3200 min ⁻¹
Working width	360 mm
Working depth	220 mm
Number of blades	4
Cultivator blade diameter	260 mm
Fuel tank capacity	2.0 l
Product weight	28.8 kg
Side limiting discs	–
Swivelling guide wheel	•
Quick Start	•
Cultivator blade stopped by dead man's circuit	•
Ergonomic handlebar	•
Height adjustable steady grips	•
Height adjustable brake shoe	•
Reverse gear	–
Wheels (for the use of accessories)	–
Article number	34.315.01



4 006825 638066

PETROL TILLERS ACCESSORIES



	Plow ACCESSORY	Potato Plow ACCESSORY
Suitable for	GC-MT 4280 (34.315.10)	GC-MT 4280 (34.315.10)
Article number	34.315.20	34.315.30
	 4 006825 663419	 4 006825 663426

ELECTRIC TILLERS




	GC-RT 1545 M CLASSIC	GC-RT 7530 CLASSIC
Mains connection / rated input	230 - 240 V ~ 50 Hz / 1500 W	230 V ~ 50 Hz / 750 W
Working width	450 mm	300 mm
Working depth	220 mm	200 mm
Number of blades	6	4
Cultivator blade diameter	200 mm	220 mm
Product weight	10.4 kg	7.4 kg
Cable-relief clip	•	•
Overload protection	•	-
Height-adjustable wheels for easy transportation	•	-
Ergonomic handlebar	•	•
Folding handlebar	•	•
Article number	34.310.60	34.310.50
	 4 006825 652598	 4 006825 602005

TREE AND SHRUB CARE



HEDGE TRIMMERS



ELECTRIC HEDGE TRIMMERS

**LONG LASTING
SHARPNESS**
**LASERCUT &
DIAMOND GROUND**

**TURNABLE
HANDLE**


	GE-EH 7067 EXPERT	GE-EH 6560 EXPERT
Mains connection / rated input	220 - 240 V ~ 50 Hz / 700 W	220 - 240 V ~ 50 Hz / 650 W
Bar length	710 mm	660 mm
Cutting length	670 mm	600 mm
Spacing between teeth	30 mm	30 mm
Cuts per minute	3000 min ⁻¹	3000 min ⁻¹
Product weight	3.7 kg	3.7 kg
Turnable rear handle	•	•
Cutting collector	•	•
Laser-cut and diamond-ground blades	•	•
Metal gear box	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Protection shield	•	•
Cable-relief clip	•	•
Protective cover with wall mount	•	•
Article number	34.033.40	34.033.30



4 006825 616170



4 006825 616163

ELECTRIC HEDGE TRIMMERS

**LONG LASTING
SHARPNESS**
**LASERCUT &
DIAMOND GROUND**

**LONG LIFE
METAL GEAR**


	GC-EH 6055/1 CLASSIC
Mains connection / rated input	220 - 240 V ~ 50 Hz / 600 W
Bar length	610 mm
Cutting length	550 mm
Spacing between teeth	26 mm
Cuts per minute	2800 min ⁻¹
Product weight	3.5 kg
Turnable rear handle	-
Cutting collector	•
Laser-cut and diamond-ground blades	•
Metal gear box	•
Soft grip	•
Aluminium cover over cutters	•
Protection shield	•
Cable-relief clip	•
Protective cover with wall mount	•
Article number	34.033.20



4 006825 622157

ELECTRIC HEDGE TRIMMERS



	GC-EH 4550 CLASSIC	GH-EH 4245 CLASSIC
Mains connection / rated input	230 V ~ 50 Hz / 450 W	230 V ~ 50 Hz / 420 W
Bar length	560 mm	510 mm
Cutting length	500 mm	450 mm
Spacing between teeth	16 mm	16 mm
Cuts per minute	3200 min ⁻¹	3200 min ⁻¹
Product weight	2.5 kg	2.5 kg
Turnable rear handle	–	–
Cutting collector	–	–
Laser-cut and diamond-ground blades	•	•
Metal gear box	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Protection shield	•	•
Cable-relief clip	•	•
Protective cover with wall mount	•	•
Article number	34.033.70	34.034.60



4 006825 608236



4 006825 585049

PETROL HEDGE TRIMMER



	GE-PH 2555 A EXPERT
Power rating	0.85 kW
Engine displacement	24.5 cm ³
Bar length	610 mm
Cutting length	550 mm
Spacing between teeth	28 mm
Cuts per minute	2050 min ⁻¹
Product weight	5.4 kg
Swivel handle	•
Ergonomic handle	•
Anti-vibration system	•
Autochoke – Quick Start System	•
Laser-cut blades	•
Protection shield	•
Safety switch	•
Protective cover	•
Article number	34.038.35



4 006825 585186

HEDGE TRIMMERS ACCESSORIES



	Maintenance Spray ACCESSORY
Suitable for	Hedge trimmers, grass and shrub shears
Article number	34.030.99



4 006825 654608

CORDLESS GRASS AND SHRUB SHEARS



	GE-CG 12 Li EXPERT	GE-CG 12 Li WT EXPERT
Li-Ion Battery Pack	12 V / 1.5 Ah	12 V / 1.5 Ah
Charging time	2 h	2 h
Operating time per battery charge	100 min	100 min
Cutting width with grass shear blade	100 mm	100 mm
Cutting length with shrub cutting blade	190 mm	190 mm
Spacing between teeth of shrub cutting blade	8 mm	8 mm
Product weight	1.6 kg	0.8 kg
Blade change without tools	•	•
Telescopic handle	•	–
Large wheels	•	–
Laser-cut blades	•	•
Metal gear box	•	•
Soft grip	•	•
Battery charger	•	•
Article number	34.104.01	34.104.11



CORDLESS GRASS AND SHRUB SHEARS



	GC-CG 3.6/70 Li CLASSIC	GC-CG 3.6/70 Li WT CLASSIC
Li-Ion Battery Pack	3.6 V / 2.0 Ah	3.6 V / 2.0 Ah
Charging time	3-5 h	3-5 h
Operating time per battery charge	60 min	60 min
Cutting width with grass shear blade	70 mm	70 mm
Cutting length with shrub cutting blade	110 mm	110 mm
Spacing between teeth of shrub cutting blade	8 mm	8 mm
Product weight	1.0 kg	0.6 kg
Blade change without tools	•	•
Telescopic handle	•	–
Large wheels	•	–
Laser-cut blades	–	–
Metal gear box	–	–
Soft grip	•	•
Article number	34.103.60	34.103.65



ELECTRIC POLE-MOUNTED PRUNER



	GC-EC 7520 T CLASSIC
Mains connection	220 - 240 V ~ 50 Hz
Rated input	750 W
Bar length	200 mm
Cutting length	180 mm
Cutting speed	11 m/s
Max. working height	3.0 m
Product weight	3.3 kg
Extendable handle	•
Toolless chain tensioning	•
Automatic chain lubrication	•
Large oil filler opening	•
Protective cover	•
Carrying belt with quick release	•
Article number	45.012.40



4 006825 665277

ELECTRIC TELESCOPIC HEDGE TRIMMERS



	GC-HH 9046 CLASSIC NEW
Mains connection	230 - 240 V ~ 50 Hz
Rated input	900 W
Bar length	460 mm
Cutting length	412 mm
Spacing between teeth	20 mm
Max. working height	3.0 m
Product weight	4.5 kg
Extendable handle	-
Cutting head tiltable	•
Turnable rear handle	•
Laser-cut and diamond-ground blades	•
Metal gear box	•
Protective cover	•
Carrying belt with quick release	•
Article number	34.038.80



4 006825 666663



	GC-HH 5056 CLASSIC NEW
Mains connection	230 - 240 V ~ 50 Hz
Rated input	500 W
Bar length	560 mm
Cutting length	470 mm
Spacing between teeth	20 mm
Max. working height	3.0 m
Product weight	4.0 kg
Extendable handle	•
Cutting head tiltable	•
Turnable rear handle	-
Laser-cut and diamond-ground blades	•
Metal gear box	•
Protective cover	•
Carrying belt with quick release	•
Article number	34.038.70



4 006825 666656

ELECTRIC MULTI-FUNCTIONAL TOOL



	GC-HC 90/2046 T	NEW
	CLASSIC	
Mains connection	230 - 240 V ~ 50 Hz	
Rated input	900 W	
Bar length (chainsaw)	200 mm	
Chain cutting speed	11 m/s	
Blade length of hedge trimmer	412 mm	
Spacing between teeth (hedge trimmer)	20 mm	
Max. working height	3.0 m (pruner) / 3.0 m (hedge trimmer)	
Product weight	6.9 kg (incl. all attachments)	
Extendable handle	-	
Cutting head tiltable	•	
Turnable rear handle	•	
OREGON quality bar and chain	•	
Automatic chain lubrication	•	
Laser-cut and diamond-ground blades	•	
Protective cover	•	
Carrying belt with quick release	•	
Article number	45.012.90	



CHAINSAWS

HAND GUARD AND CHAIN BRAKE

Kickback protection with instant reaction mechanical chain brake and large hand guard for safe operation

ERGONOMIC HANDLE POSITIONS

For good and safe handling in all work situations – when cutting either vertically or horizontally – the handles are ergonomically positioned

Electric Chainsaw
GC-EC 2040

SOFT GRIP

Better grip, safe handling and ergonomic operation

OIL FILLING OPENING

The large opening in the oil reservoir allows the chain oil to be topped up easily

METAL STOP CLAW

The rugged metal stop claw keeps the saw stable for added safety and working comfort

HIGH-QUALITY CHAIN AND BAR FROM OREGON

FITTED WITH
OREGON
CHAIN AND BAR

CHAIN TENSIONING AND CHANGING WITHOUT TOOLS

User-friendly: Chain tensioning / changing and chainsaw adjustment without the need for additional tools

METAL GEARING

Rugged metal gearing for efficient power transmission and long product life



ELECTRIC CHAINSAWS



FITTED WITH
OREGON
CHAIN AND BAR



	GE-EC 2240 EXPERT
Mains connection	220 - 240 V ~ 50/60 Hz
Rated input	2200 W
Bar length	406 mm
Cutting length	375 mm
Cutting speed	15 m/s
Oil tank capacity	150 ml
Product weight	5.6 kg
Metal gearing	•
OREGON quality bar and chain	•
Toolless chain tensioning and changing	•
Automatic chain lubrication	•
Sturdy stop claws made of metal	•
Kickback protection with mechanical instant chain brake	•
Chain catch bolt	•
Soft grip	•
Soft start	•
Protective cover	•
Article number	45.017.40



ELECTRIC CHAINSAWS

FITTED WITH
OREGON
CHAIN AND BAR

FITTED WITH
OREGON
CHAIN AND BAR



	GC-EC 2040 CLASSIC	GC-EC 1935 CLASSIC	GH-EC 1835 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	2000 W	1900 W	1800 W
Bar length	400 mm	350 mm	350 mm
Cutting length	375 mm	325 mm	325 mm
Cutting speed	15.5 m/s	15.5 m/s	13.5 m/s
Oil tank capacity	160 ml	160 ml	160 ml
Product weight	5.0 kg	4.7 kg	5.4 kg
Metal gearing	•	•	•
OREGON quality bar and chain	•	•	-
Toolless chain tensioning and changing	•	•	•
Automatic chain lubrication	•	•	•
Sturdy stop claws made of metal	•	•	•
Kickback protection with mechanical instant chain brake	•	•	•
Chain catch bolt	•	•	•
Soft grip	•	•	•
Soft start	-	-	-
Protective cover	•	•	•
Article number	45.012.30	45.012.20	45.017.10



PETROL CHAINSAWS



	GC-PC 2040 I CLASSIC	GC-PC 1435 I TC CLASSIC
Power rating	2.0 kW / 2.7 PS	1.4 kW / 1.9 PS
Engine displacement	50.4 cm³	41 cm³
Bar length	400 mm	350 mm
Cutting length	390 mm	335 mm
Cutting speed	21 m/s	21 m/s
Fuel tank capacity	540 ml	260 ml
Oil tank capacity	240 ml	210 ml
Product weight	6.5 kg	5.5 kg
OREGON quality bar and chain	•	•
Digital ignition – stable engine run	•	•
Autochoke – Quick Start System + Primer	•	•
Toolless chain tensioning and changing	–	•
Automatic chain lubrication	•	•
Sturdy stop claws made of metal	•	•
Kickback protection with instant chain brake	•	•
Protective cover	•	•
Petrol/oil mixing bottle	•	•
Article number	45.018.51	45.018.29



4 006825 613278



4 006825 641714

PETROL CHAINSAWS



	GC-PC 1335/1 I CLASSIC
Power rating	1.3 kW / 1.7 PS
Engine displacement	37.2 cm³
Bar length	350 mm
Cutting length	345 mm
Cutting speed	21.9 m/s
Fuel tank capacity	300 ml
Oil tank capacity	170 ml
Product weight	5.3 kg
OREGON quality bar and chain	•
Digital ignition – stable engine run	•
Autochoke – Quick Start System + Primer	•
Toolless chain tensioning and changing	–
Automatic chain lubrication	•
Sturdy stop claws made of metal	•
Kickback protection with instant chain brake	•
Protective cover	•
Petrol/oil mixing bottle	•
Article number	45.018.70



4 006825 641738

ELECTRIC CHAIN SHARPENERS



	GC-CS 235 E CLASSIC	GC-CS 85 E CLASSIC
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	235 W	85 W
Grinding wheel diameter (inside)	22 mm	23 mm
Grinding wheel diameter (outside)	145 mm	108 mm
Grinding wheel thickness	3.2 mm	3.2 mm
Product weight	5.8 kg	1.9 kg
Depth stop	•	•
Scale for precise setting of the grinding angle	•	•
Clamping device	•	•
Pivoting grinding head for setting the roof angle	•	–
Light	•	–
Transparent window	•	–
Article number	44.999.10	44.999.20



4 006825 613148



4 006825 613834

WOODWORKING ACCESSORIES



	Forest Safety Helmet	Combination Canister
Product weight	0.7 kg	0.9 kg
Article number	45.004.80	45.013.25



4 006825 544565



4 006825 542851



	Chainsaw Trestle
Product weight	7.1 kg
Article number	45.000.67



4 006825 548693

ELECTRIC LEAF VACUUMS

2-IN-1

VACUUMING
BLOWING



AIR SPEED
MIN - MAX



	GC-EL 3000 E CLASSIC	GC-EL 3024 E CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	3000 W	3000 W
Max. blow velocity	300 km/h	240 km/h
Max. suction power	840 m³/h	650 m³/h
Idle speed	8000 - 15000 min⁻¹	7000 - 13500 min⁻¹
Shredding function	15:1	10:1
Debris bag volume	45 l	40 l
Product weight	3.0 kg (blow) / 4.2 kg (vacuum)	3.1 kg
Toolless change-over between suction and blasting function	•	•
Electronic speed control	•	•
Additional handle	• (adjustable)	•
Aluminum blower impeller	•	-
Guiding wheels	• (height adjustable)	•
Debris bag with window	•	•
Carrying strap	•	•
Soft grip	•	-
Article number	34.333.20	34.333.70



4 006825 629651



4 006825 658606



★ The GC-EL 3000 E is supplied complete with a large, wide suction tube and a light, narrow blower tube as well. This makes it easy to handle the equipment, and that goes for both the vacuum and the blowing function. Both functions are made available easily by converting from one to the other without the need for any tools.

GARDEN SHREDDERS



	GC-KS 2540 CB CLASSIC	GC-KS 2540 CLASSIC
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	2500 W (P40) / 2000 W	2500 W (P40) / 2000 W
Idle speed	3800 min ⁻¹	3800 min ⁻¹
Max. branch diameter	40 mm	40 mm
Capacity of catch box	55 l	-
Product weight	13.0 kg	10.0 kg
Transport wheels	•	•
Transport handle	•	•
Generous funnel opening	•	•
Prodler incl.	•	•
Debris box	•	-
Garden rubbish bag	-	•
Article number	34.304.00	34.303.30



4 006825 652765



4 006825 638233

ELECTRIC ROLLER SHREDDERS



	GC-RS 60 CB CLASSIC	GC-RS 2540 CLASSIC
Mains connection	230 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	2800 W (P40) / 2300 W	2500 W (P40) / 2000 W
Idle speed	40 min ⁻¹	40 min ⁻¹
Max. branch diameter	45 mm	40 mm
Capacity of catch box	60 l	-
Product weight	29.5 kg	24.9 kg
Transport wheels	•	•
Transport handle	•	•
Reverse running switch	•	•
Generous funnel opening	•	•
Prodler incl.	-	-
Debris box	•	-
Garden rubbish bag	-	•
Article number	34.306.35	34.306.20



4 006825 645880



4 006825 608403

WATERING AND DRAINAGE





WATERING AND DRAINAGE

PROS AT A GLANCE



DRAINAGE

- Delivery of large quantities of water quickly
- Prevention of the worst water damage as far as possible by pumping out quickly
- High level of operational safety and reliability



WATERING

- Uniform garden watering
- User-friendly and safe handling
- Conserves resources and saves drinking water




DOMESTIC WATER SUPPLY

- Water supply for the home and garden from alternative water reservoirs (cisterns, wells)
- User-friendly and safe handling
- Conserves resources and saves drinking water

■ DRAINAGE

Repumping/pumping out water – quicker and easier than ever. Pumping both clear water and dirty water with a high delivery rate is no problem with Einhell drainage pumps.



PRODUCTS

- 2-in-1 Multipurpose Pumps
- Dirty Water Pumps
- Clear Water Pumps
- Aqua Sensor Pumps

AREAS OF APPLICATION

- Pumping out flooded basements, garages or washing rooms
- Pumping out and repumping from pools, garden ponds, building pits and drainage channels



■ WATERING

To avoid wasting precious drinking water on watering the garden, alternative sources of water such as rainwater or water from cisterns can be used instead.



PRODUCTS

- Rain Barrel Pump
- Submersible Pressure Pumps
- Deep Well Pumps
- Garden Pumps
- Automatic Home and Garden Pumps
- Petrol Water Pumps


AREAS OF APPLICATION

- Operating lawn sprinklers and garden showers
- Pumping water from wells or cisterns
- Using rainwater from storage areas for watering



■ DOMESTIC WATER SUPPLY

Thanks to a wide range of uses, the home and garden can be supplied with service water automatically.



PRODUCTS

- Automatic Home and Garden Pumps
- Water Works
- Automatic Submersible Pressure Pumps
- Automatic Deep Well Pump

AREAS OF APPLICATION

- Water from alternative sources for supplying the home (washing machine, toilet flushing systems)
- Increasing the pressure in domestic water systems



'AQUA SENSOR' PUMPS

24 HOUR ROUND THE CLOCK PROTECTION



CARRY HANDLE

Sturdy and ergonomic carry handle with integral suspension eyelet for rapid operational readiness

PUMP HOUSING

The long-lasting pump housing made of impact-proof plastic with a stainless steel outer shell can be depended on to withstand the harshest treatment

LONG POWER CABLE

The extra-long connection cable (10 m) enables the pump to be used for very deep immersion depths too

'Aqua Sensor' Clear Water Pump
GE-SP 4390 N-ALL ECO




HOSE CONNECTION

Universal connection is easily accessible on the top of the pump

PATENTED SENSOR SETTING

User-friendly setting of the three sensor starting heights or the continuous operation function



INTEGRAL AQUA SENSOR

The integral aqua sensor means that the pump has a slimline design, so it can be used in constricted spaces, e.g. in shafts

'AQUA SENSOR' CLEAR WATER PUMP



	GE-SP 4390 N-ALL ECO EXPERT
Mains voltage	230 V ~ 50 Hz
Rated input	430 W
Max. delivery capacity / height	9000 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	1 mm
Pump start during continuous operation	5 mm
Sensor starting height 1	5 mm
Sensor starting height 2	56 mm
Sensor starting height 3	103 mm
Works in shallow clean water as low as	1 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	4.9 kg
Aqua Sensor Technology	•
Permanent mode without sensor start	•
Non-return valve	•
High-quality mechanical seal	•
Integrated cable rewind	-
Carry handle	•
Lifting eye	•
ECO Power	•
Universal hose adapter	•
Article number	41.714.40



4 006825 622263

'AQUA SENSOR' DIRTY WATER PUMPS




	GE-DP 7935 N-A ECO EXPERT	GE-DP 6935 A ECO EXPERT
Mains voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	790 W	690 W
Max. delivery capacity / height	19000 l/h / 9 m	17500 l/h / 9 m
Max. immersion depth	7 m	7 m
Max. size of foreign particle	35 mm	35 mm
Pump start during continuous operation	50 mm	50 mm
Sensor starting height 1	70 mm	70 mm
Sensor starting height 2	135 mm	135 mm
Sensor starting height 3	188 mm	188 mm
Suction down to	40 mm	40 mm
Hose connection	47.8 mm (1½") ET	47.8 mm (1½") ET
Power cord	10 m	10 m
Product weight	6.2 kg	5.7 kg
Aqua Sensor Technology	•	•
Permanent mode without sensor start	•	•
Non-return valve	•	•
High-quality mechanical seal	•	•
Integrated cable rewind	•	•
Carry handle	•	•
Lifting eye	•	•
ECO Power	•	•
Universal hose adapter	•	•
Article number	41.714.60	41.714.50




PATENTED AQUA SENSOR TECHNOLOGY

User-friendly setting of the three sensor starting heights or the continuous operation function.



	AQUA SENSOR DIRTY WATER	AQUA SENSOR CLEAR WATER
Continuous operation (ON/OFF) without sensor circuit pump start		
○	50 mm	5 mm
○	188 mm	103 mm
○	135 mm	56 mm
○	70 mm	5 mm



2-IN-1 MULTI-PURPOSE PUMPS

FLOAT SWITCH

The practical float switch serves for an automatic level control of the waste water and is infinitely adjustable


UNIVERSAL HOSE CONNECTOR

Easily accessible universal hose connector at the top side of the pump

2-IN-1 FUNCTION

Evacuation of clear water and wastewater with only one pump

2-in-1 Multi-Purpose Pump
GE-DP 7330 LL ECO



CARRY HANDLE

Sturdy and ergonomic carry handle with an integrated suspension eye for a quick operational readiness

PUMP HOUSING

Robust pump housing of impact-resistant plastic with a stainless steel outer skin withstands even the highest stress

PATENTED SUCTION LEVEL CONTROL

With the patented suction level control, a quick adaptation of the desired function (clear water operation or dirt water operation) can take place via a simple rotary motion at the pump foot



2-IN-1 MULTI-PURPOSE PUMPS



	GE-DP 7330 LL ECO EXPERT	GE-DP 5220 LL ECO EXPERT	GC-DP 7035 LL CLASSIC
Mains voltage	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	730 W	520 W	700 W
Max. delivery capacity / height	16500 l/h / 8.5 m	13500 l/h / 7.5 m	16000 l/h / 8 m
Max. immersion depth	7 m	7 m	7 m
Max. size of foreign particle	30 mm	20 mm	35 mm
Works in shallow clean water as low as	1 mm	1 mm	1 mm
Starting of pump from water level of	10 mm	10 mm	10 mm
Hose connection	47.8 mm (1½") ET	47.8 mm (1½") ET	47.8 mm (1½") ET
Power cord	10 m	10 m	10 m
Product weight	6.2 kg	5.4 kg	4.5 kg
Patented suction level control	•	•	•
High-quality mechanical seal	•	•	•
Floating switch	Automatic and manual mode	Automatic and manual mode	Automatic and manual mode
Integrated cable rewind	•	•	•
ECO Power	•	•	–
Carry handle with integrated lifting eye	•	•	•
Universal hose adapter	•	•	•
Article number	41.707.90	41.707.80	41.815.70



4 006825 598827



4 006825 598780



4 006825 662085

2-IN-1 MULTI-PURPOSE PUMPS

- 1 When the clear water function is activated: The pump starts when the water level is just 10 mm, and not many pumps can do that – plus it works in shallow water as low as 1 mm, i.e. just a quick wipe over at the end and the flooding is quickly forgotten
- 2 When the dirty water function is activated: Even large particles of dirt such as stones and lumps of sludge with diameters up to 20/30/35 mm (depending on the model) can be suctioned up without difficulty
- 3 2-in-1 function: Evacuation of clear water and wastewater with only one pump!
- 4 Patented suction level control: a simple rotary motion at the pump foot switches the function to suctioning for either shallow clear water or dirty water with large foreign particles



SUBMERSIBLE PUMPS DIRTY/CLEAR WATER 'ECO'



	GE-DP 7935 N ECO EXPERT	GE-DP 3925 ECO EXPERT
Suitable for	Dirty water	Dirty water
Mains voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	790 W	390 W
Max. delivery capacity / height	20000 l/h / 9 m	10000 l/h / 6 m
Max. immersion depth	7 m	7 m
Min. water level for pump start	50 mm	50 mm
Max. size of foreign particle	35 mm	25 mm
Hose connection	47.8 mm (1½") ET	47.8 mm (1½") ET
Power cord	10 m	10 m
Product weight	7.3 kg	4.5 kg
Integrated lifting eye	•	•
High-quality mechanical seal	•	•
Floating switch	Automatic and manual mode	Automatic and manual mode
Integrated cable rewind	•	•
ECO Power	•	•
Carry handle	•	•
Universal hose adapter	•	•
Article number	41.707.00	41.707.10



4 006825 572322



4 006825 572339

DIRTY WATER PUMPS



	GC-DP 1340 G CLASSIC	GE-DP 900 Cut EXPERT	GC-DP 5010 G CLASSIC
Mains voltage	230 V ~ 50 Hz	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1300 W	900 W	500 W
Max. delivery capacity / height	23000 l/h / 10 m	16000 l/h / 11.5 m	12000 l/h / 8 m
Max. immersion depth	5 m	7 m	5 m
Max. size of foreign particle	40 mm	-	10 mm
Hose connection	59.6 mm (2") IT	59.6 mm (2") IT	42 mm (1¼") IT
Power cord	10 m	10 m	10 m
Product weight	22.0 kg	17.0 kg	10.6 kg
High-quality mechanical seal	•	•	•
Floating switch	Automatic mode	Automatic mode	Automatic mode
Integrated cable rewind	-	-	-
Carry handle	•	•	•
Cutting unit system	-	•	-
Universal hose adapter	•	•	•
Lowering rope	• (6 m)	-	-
Article number	41.707.42	41.815.50	41.714.21



4 006825 597882



4 006825 660852



4 006825 626193

DIRTY WATER PUMPS



	GC-DP 9040 N CLASSIC	GC-DP 9035 N CLASSIC	GC-DP 7835 CLASSIC
Mains voltage	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	900 W	900 W	780 W
Max. delivery capacity / height	22000 l/h / 9 m	18000 l/h / 9 m	15700 l/h / 8 m
Max. immersion depth	7 m	5 m	7 m
Max. size of foreign particle	40 mm	35 mm	35 mm
Hose connection	50 mm (2") IT	47.8 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m	10 m
Product weight	7.5 kg	6.0 kg	5.2 kg
High-quality mechanical seal	•	•	•
Floating switch	Automatic and manual mode	Automatic and manual mode	Automatic and manual mode
Integrated cable rewind	•	-	•
Carry handle	•	•	•
Cutting unit system	-	-	-
Universal hose adapter	•	•	•
Lowering rope	-	-	-
Article number	41.815.10	41.707.78	41.706.82



DIRTY WATER PUMPS



	GC-DP 6315 N CLASSIC	GC-DP 3325 CLASSIC
Mains voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	630 W	330 W
Max. delivery capacity / height	17000 l/h / 8 m	9500 l/h / 6 m
Max. immersion depth	5 m	5 m
Max. size of foreign particle	15 mm	25 mm
Hose connection	47.8 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m
Product weight	4.7 kg	3.6 kg
High-quality mechanical seal	•	•
Floating switch	Automatic and manual mode	Automatic and manual mode
Integrated cable rewind	•	-
Carry handle	•	• (folding)
Cutting unit system	-	-
Universal hose adapter	•	•
Lowering rope	-	-
Article number	41.704.91	41.815.30



CLEAR WATER PUMPS



CLEAR WATER PUMPS



	GC-SP 5511 IF CLASSIC
Mains voltage	230 V ~ 50 Hz
Rated input	550 W
Max. delivery capacity / height	11000 l/h / 8.5 m
Max. immersion depth	7 m
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Min. water level for pump start	60 mm
Suction down to	5 mm
Product weight	4.4 kg
High-quality mechanical seal	–
Floating switch	Integrated (automatic + manual mode)
Integrated cable rewind	–
Carry handle	•
Universal hose adapter	•
Article number	41.704.63



CLEAR WATER PUMPS



	GC-SP 3580 LL CLASSIC	GC-SP 2275 CLASSIC
Mains voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	350 W	220 W
Max. delivery capacity / height	8000 l/h / 7.5 m	7500 l/h / 6 m
Max. immersion depth	7 m	5 m
Hose connection	47.8 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m
Min. water level for pump start	8 mm	–
Suction down to	1 mm	8 mm
Product weight	3.1 kg	3.4 kg
High-quality mechanical seal	•	•
Floating switch	Automatic and manual mode	Automatic and manual mode
Integrated cable rewind	•	–
Carry handle	•	• (folding)
Universal hose adapter	•	•
Article number	41.704.45	41.815.20



RAIN BARREL PUMP



	GE-SP 3546 RB EXPERT
Mains voltage	230 V ~ 50 Hz
Rated input	350 W
Max. delivery capacity / height	4600 l/h / 11 m
Max. immersion depth	7 m
Max. size of foreign particle	2.5 mm
Hose connection	26.4 mm (¾") ET
Power cord	10 m
Suction down to	–
Product weight	5.0 kg
High-quality mechanical seal	–
Floating switch	• (infinitely variable)
Integrated cable rewind	•
Carry handle	•
Flexible gooseneck	•
Storage compartment for extensions	•
Universal hose adapter	–
Article number	41.704.38



**CLEAR WATER + RAIN
BARREL PUMPS NOW ALSO
COME IN RECHARGEABLE
BATTERY VERSION.
READ MORE ON P. 56**

SUBMERSIBLE PRESSURE PUMPS DEEP WELL PUMPS

AUTOMATIC FUNCTION

The equipment switches on automatically when water is required and then off again

4-STAGE IMPELLER SYSTEM

The impeller system is of 4-stage design and therefore supplies extra-high delivery pressure

HIGH-QUALITY MECHANICAL SEAL

The high-grade mechanical seal reduces friction and wear and therefore guarantees long service life

HOSE CONNECTION WITH STAINLESS STEEL INSERT

The hose connection with stainless steel insert is really robust and long-lasting. Being ideally positioned for access at the top, it makes the pump suitable for use in constricted shafts

PUMP HOUSING

The long-lasting pump housing made of rust-proof stainless steel can be depended on to withstand the harshest treatment

Submersible Pressure Pump
GE-PP 1100 N-A

SUBMERSIBLE PRESSURE PUMPS



Identical in
construction



2-IN-1
SUBMERSIBLE
PRESSURE PUMP
RAIN BARREL
PUMP

	GE-PP 1100 N-A EXPERT	GC-PP 900 N CLASSIC	GE-PP 5555 RB-A EXPERT
Mains voltage	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	1100 W	900 W	550 W
Max. delivery capacity / height	6000 l/h / 45 m	6000 l/h / 32 m	5500 l/h / 20 m
Max. immersion depth	12 m	7 m	7 m
Hose connection	33.3 mm (1") IT	33.3 mm (1") IT	33.3 mm (1") ET
Power cord	15 m	10 m	10 m
Product weight	8.7 kg	8.9 kg	5.0 kg
Automatic mode	•	-	•
Floating switch	-	•	-
Dry operation protection	•	-	•
Multi-stage pump impeller	• (4 pcs)	• (3 pcs)	• (2 pcs)
High-quality mechanical seal	•	•	•
Overload cut-out	•	•	•
Integrated non-return valve	•	-	•
Stainless dirt screen	•	-	-
High-quality INOX steel pump housing	•	•	-
Integrated cable rewind	-	-	•
Carry handle	•	-	•
Telescopic extension tube	-	-	•
Flexible gooseneck	-	-	•
Article number	41.714.30	41.709.64	41.704.25



4 006825 622294



4 006825 597752



4 006825 648690

DEEP WELL PUMPS



	GE-DW 1155 N-A EXPERT	GC-DW 1300 N CLASSIC	GC-DW 1045 N CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1100 W	1300 W	1000 W
Max. delivery capacity / height	6000 l/h / 55 m	5000 l/h / 65 m	6500 l/h / 45 m
Max. immersion depth	19 m	20 m	19 m
Hose connection	33.3 mm (1") IT	47.8 mm (1½") IT	42 mm (1¼") IT
Power cord	22 m	2 m / 23 m	22 m
Pump diameter	98 mm	102 mm	98 mm
Product weight	9.8 kg	15.5 kg	7.7 kg
Automatic mode	•	-	-
Dry operation protection	•	-	-
Multi-stage pump impeller	• (8 pcs)	• (10 pcs)	• (6 pcs)
High-quality mechanical seal	•	•	•
Overload cut-out	•	•	•
Integrated non-return valve	•	•	•
Stainless dirt screen	•	•	•
High-quality INOX steel pump housing	•	•	•
External switchbox	-	•	-
Lowering rope	• (22 m)	• (20 m)	• (22 m)
Article number	41.709.37	41.709.44	41.709.55



4 006825 660876



4 006825 597875



4 006825 616446



SURFACE PUMPS 'PLUS'

**EASY PUMPING.
WITH THE NEW SURFACE PUMP GENERATION FROM EINHELL.**


■ INNOVATIVE FEATURES

- Fast and easy installation as well as quick error detection thanks to status indicators
- Long life, low maintenance and exceptional protection thanks to special safety mechanisms

■ HIGHER PERFORMANCE BY LESS ENERGY CONSUMPTION

The new **Garden Pumps 'PLUS'**, **Automatic Domestic Water Systems 'PLUS'** and **Water Works 'PLUS'** concept consists of 2 parts:

1. STATUS-INDICATORS



EXPERT Version

■ WATER FILLING INDICATOR

Before starting-up the pump for the first time it needs to be filled with water to secure a flawless intake procedure. Thanks to the sight glass the customer can see at first sight if there is already enough water filled into the pump.



CLASSIC Version

■ PRE-FILTER

Easy to clean and easy to change for optimal pump performance.




■ BIG WATER FILLER SCREW

Big water filler opening through which it is very easy to fill water into the pump.



■ SUCTION INDICATOR

The suction pressure gauge in the cover of the water filling opening provides information about the suction height/suction pressure and any possible suction problems.



■ DIRT INDICATOR

Due to transparent material around the pre filter it can easily be seen if the filter is dirty and needs to be cleaned or even replaced by a new one.

FEATURE SEGMENTATION		
	EXPERT	CLASSIC
Garden Pumps	GE-GP 1145 ECO GE-GP 1246 N FS	GC-GP 6040 ECO GC-GP 8042 ECO GC-GP 1045 GC-GP 1250 N
Automatic Home and Garden Pumps	GE-AW 1042 FS GE-AW 1246 N FS	–
Water Works	GE-WW 1145 ECO GE-WW 1246 N FS	GC-WW 8042 ECO GC-WW 1045 N
STATUS INDICATORS		
Water Filling Indicator*	•	•
Suction Indicator*	•	–
Dirt Indicator (Pre-filter with non-return valve)	•	–
SAFETY + PREVENTION		
Flow Sensor	• (excluded GE-GP/WW 1145 ECO)	–
Dry Running Protection	• (excluded GE-GP/WW 1145 ECO)	–
Scalding Protection	• (excluded GE-GP/WW 1145 ECO)	–
Thermo Protection	•	•
Frost Protection	•	•

* Patent pending

2. SAFETY AND PREVENTION

SCALDING PROTECTION

If there is a blockage on the pressure side and the pump continues working, the water that remains in the pump will get hot. To prevent the customer from scalding himself with the hot water when checking the pump, the scalding protection shuts off the pump.


FROST PROTECTION – WATER DRAIN SCREW

Often customers forget to empty the pump before winter and the frozen water destroys the pump. To hinder the water to freeze there is a convenient water drain screw with which the water can be released very quick.

WATER FLOW RECOGNITION SENSOR

Sensor that measures the water flow (LEDs).

-  **Red:** Failure – no water in the pump
-  **Yellow:** Flow Detection
-  **Green:** Pump runs normal



DRY RUNNING PROTECTION

If the pump is not able to suck water any more (e.g. empty water source) the dry running safety recognizes this and stops the pump. It tries to start the pump again and if there is still no water getting sucked it stops again and shuts off the pump. This prevents overheating of the pump and so a overheating of the engine.

THERMO PROTECTION

To prevent severe damages, the integrated thermo switch cuts off the pump when the engine overheats.



GARDEN PUMPS 'PLUS'

SUCTION INDICATOR

provides information about the suction height/suction pressure and any possible suction problems

HIGH-QUALITY THREADS

Long service life for the threads and pump

DIRT INDICATOR

It is easy to see whether the filter is dirty and may need cleaning

WATER FILLING INDICATOR

The window tells you at a glance whether and how much water has already been filled in the pump

FROST PROTECTION

The water drain screw makes it easy to completely drain the pump to make it safe from frost

ADDITIONAL PRESSURE CONNECTION

enables a number of consumers to be operated at the same time

Garden Pump 'Plus'
GE-GP 1246 N FS

DRY RUNNING AND SCALDING PROTECTION

The Flow Sensor measures the water flow permanently and thereby prevents damage to the pump

GARDEN PUMPS 'PLUS'



	GE-GP 1246 N FS EXPERT	GE-GP 1145 ECO EXPERT
Mains voltage	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1100 W
Max. delivery capacity / height	4600 l/h / 50 m	4500 l/h / 48 m
Max. suction height	8 m	8 m
Suction connection	42 mm (1½") ET	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	14.0 kg	14.0 kg
Water filler screw	•	•
Water filling / dirt / suction indicators	• / • / •	• / • / •
Integrated pre-filter with non-return valve	•	•
Carry handle	Comfort	Comfort
Frost protection due to a water drain screw	•	•
Thermo protection	•	•
Water flow recognition sensor / dry running protection / scalding protection	• / • / •	- / - / -
ECO Power	-	•
Incl. adapter 33.3 mm (1") ET	•	•
Article number	41.803.60	41.803.70



4 006825 640366



4 006825 647884

GARDEN PUMPS 'PLUS'



	GC-GP 1250 N/1 CLASSIC	GC-GP 1045 CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1050 W
Max. delivery capacity / height	5000 l/h / 50 m	4500 l/h / 48 m
Max. suction height	8 m	8 m
Suction connection	42 mm (1½") ET	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Additional pressure side connection	-	-
Power cord	1.5 m	1.5 m
Product weight	9.7 kg	9.5 kg
Water filler screw	•	•
Water filling / dirt / suction indicators	• / - / -	• / - / -
Integrated pre-filter with non-return valve	-	-
Carry handle	Comfort	Comfort
Frost protection due to a water drain screw	•	•
Thermo protection	•	•
ECO Power	-	-
Incl. adapter 33.3 mm (1") ET	•	•
Article number	41.803.50	41.803.40



GARDEN PUMPS 'PLUS'



	GC-GP 6040 ECO CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz
Rated input	600 W
Max. delivery capacity / height	4000 l/h / 36 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	-
Power cord	1.5 m
Product weight	6.1 kg
Water filler screw	•
Water filling / dirt / suction indicators	• / - / -
Integrated pre-filter with non-return valve	-
Carry handle	Foldable
Frost protection due to a water drain screw	•
Thermo protection	•
ECO Power	•
Incl. adapter 33.3 mm (1") ET	•
Article number	41.803.20



**GARDEN PUMPS
NOW ALSO COME
IN RECHARGEABLE
BATTERY VERSION.
READ MORE ON P. 54**



GARDEN PUMPS



ROBUST



	GC-GP 6538 CLASSIC	GC-GP 6538 Set CLASSIC	GC-GP 6538 Set/I CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	650 W	650 W	650 W
Max. delivery capacity / height	3800 l/h / 36 m	3800 l/h / 36 m	3800 l/h / 36 m
Max. suction height	8 m	8 m	8 m
Suction connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") ET
Pressure connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") ET
Power cord	1.4 m	1.4 m	1.4 m
Product weight	6.1 kg	6.1 kg	6.1 kg
Water filler screw	•	•	•
Water drain screw	•	•	•
High-quality mechanical seal	•	•	•
Pre-filter with integrated non-return valve	-	-	-
Carry handle	•	•	•
Suction hose included	-	• (7 m)	• (4 m)
Article number	41.802.80	41.802.83	41.802.86



4 006825 603477



4 006825 611168



4 006825 638875

GARDEN PUMPS



ROBUST



	GC-GP 6036 CLASSIC	GC-TP 4622 CLASSIC
Mains voltage	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	600 W	460 W
Max. delivery capacity / height	3600 l/h / 40 m	2250 l/h / 37 m
Max. suction height	8 m	-
Suction connection	33.3 mm (1") IT	33.3 mm (1") IT
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	9.5 kg	6.1 kg
Water filler screw	•	•
Water drain screw	•	•
High-quality mechanical seal	-	-
Pre-filter with integrated non-return valve	-	-
Carry handle	•	-
Suction hose included	-	-
Article number	41.802.69	41.834.00



4 006825 623567



4 006825 643947

AUTOMATIC HOME AND GARDEN PUMP SMART



Automatic Home and
Garden Pump SMART
GE-AW 1144 SMART



AUTOMATIC HOME AND GARDEN PUMP SMART



GE-AW 1144 SMART	
	EXPERT NEW
Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	4400 l/h / 48 m
Max. pressure	4.8 bar
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	11.4 kg
App	GSM / Smart
Schedule mode	•
Pumping time calculation based on current weather data	•
Networkable with all Einhell SMART devices	•
Automatic mode	•
Dry running protection	•
Indicator	LED
Water filler screw	•
Water drain screw	•
Pre-filter + non-return valve	•
Thermo protection	•
Article number	41.803.80



4 006825 659986



SMART MODE

In Smart Mode the pump automatically draws up a work schedule that is optimally coordinated with the weather and the customer's preferences



WEATHER DATA TAKEN INTO ACCOUNT

In Smart Mode the tool calls up the real-time weather data for the actual location and adapts the watering times accordingly



SCHEDULE MODE

The pump starts its work window in accordance with the defined time window



NETWORKABLE WITH EINHELL SMART TOOLS

Einhell Smart Tools work together automatically in Smart Mode



CAN BE CONTROLLED FROM EVERYWHERE

Thanks to mobile internet connectivity, a smart-phone now lets you do your watering tasks from wherever you might be



NO WIFI OR BLUETOOTH NEEDED

Annoying restrictions due to Bluetooth or WiFi ranges are a thing of the past. Communication via mobile phone network (no additional costs!)



Another SMART Tool from the Einhell range:
**Power X-Change Robot Lawn Mower
FREELEXO SMART 750** (see page 13)



AUTOMATIC HOME AND GARDEN PUMPS 'PLUS'



	GE-AW 1246 N FS EXPERT	GE-AW 1042 FS EXPERT
Mains voltage	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1050 W
Max. delivery capacity / height	4600 l/h / 50 m	4200 l/h / 48 m
Max. pressure	5.0 bar	4.8 bar
Max. suction height	8 m	8 m
Suction connection	42 mm (1½") ET	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	15.0 kg	15.0 kg
Automatic mode	•	•
Timer function	•	–
Water filler screw	•	•
Water filling / dirt / suction indicators	• / • / •	• / • / •
Integrated pre-filter with non-return valve	•	•
Carry handle	Comfort	Comfort
Frost protection due to a water drain screw	•	•
Thermo protection	•	•
Water flow recognition sensor / dry running protection / scalding protection	• / • / •	• / • / •
Incl. adapter 33.3 mm (1") ET	•	•
Article number	41.770.20	41.770.10



AUTOMATIC HOME AND GARDEN PUMP



	GC-AW 6333 CLASSIC
Mains voltage	230 V ~ 50 Hz
Rated input	630 W
Max. delivery capacity / height	3300 l/h / 36 m
Max. pressure	3.6 bar
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	7.8 kg
Automatic mode	•
Timer function	–
Dry running protection	•
Indicator	LED
Water filler screw	•
Water drain screw	•
ECO Power	–
Pre-filter with integrated non-return valve	•
Carry handle	•
Article number	41.767.30



WATER WORKS 'PLUS'

SUCTION INDICATOR

provides information about the suction height/suction pressure and any possible suction problems

HIGH-QUALITY THREADS

Long service life for the threads and pump

DIRT INDICATOR

It is easy to see whether the filter is dirty and may need cleaning

WATER FILLING INDICATOR

The window tells you at a glance whether and how much water has already been filled in the pump

FROST PROTECTION

The water drain screw makes it easy to completely drain the pump to make it safe from frost

ADDITIONAL PRESSURE CONNECTION

enables a number of consumers to be operated at the same time

Water Work 'Plus'
GE-WW 1145 ECO

INTEGRATED PRESSURE GAUGE

It provides at-a-glance information about the current pressure

20 L TANK

Large Tank for a permanent supply of water

WATER WORKS 'PLUS'

**20 l
TANK**


	GE-WW 1246 N FS EXPERT	GE-WW 1145 ECO EXPERT
Mains voltage	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1100 W
Max. delivery capacity / height	4600 l/h / 50 m	4500 l/h / 48 m
Max. suction height	8 m	8 m
Suction connection	42 mm (1½") ET	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT	33.3 mm (1") IT
Tank volume	20 l	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar	1.5 bar / 3 bar
Power cord	1.5 m	1.5 m
Product weight	19.5 kg	19.5 kg
Water filler screw	•	•
Water filling / dirt / suction indicators	• / • / •	• / • / •
Integrated pre-filter with non-return valve	•	•
Carry handle	Comfort	Comfort
Frost protection due to a water drain screw	•	•
Thermo protection	•	•
Water flow recognition sensor / dry running protection / scalding protection	• / • / •	- / - / -
Incl. adapter 33.3 mm (1") ET	•	•
Article number	41.735.30	41.735.40



4 006825 640373



4 006825 647891

WATER WORKS 'PLUS'



	GC-WW 1045 N CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1050 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	-
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	17.3 kg
Water filler screw	•
Water filling / dirt / suction indicators	• / - / -
Integrated pre-filter with non-return valve	-
Carry handle	Comfort
Frost protection due to a water drain screw	•
Thermo protection	•
Incl. adapter 33.3 mm (1") ET	•
Article number	41.735.20



4 006825 637304

WATER WORKS



	GC-WW 1250 NN CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	5000 l/h / 50 m
Max. suction height	8 m
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	14.7 kg
Overload protection	•
Water filler screw	•
Water drain screw	•
High-quality mechanical seal	•
INOX stainless steel pressure tank	•
Pre-filter with integrated non-return valve	-
Pressure gauge	•
Suction hose included	-
Article number	41.734.90



WATER WORKS



	GC-WW 6538 CLASSIC	GC-WW 6538 Set CLASSIC	GC-WW 6036 CLASSIC
Mains voltage	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	650 W	650 W	600 W
Max. delivery capacity / height	3800 l/h / 36 m	3800 l/h / 36 m	3600 l/h / 40 m
Max. suction height	8 m	8 m	8 m
Tank volume	20 l	20 l	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar	1.5 bar / 3 bar	1.5 bar / 3 bar
Suction connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") IT
Pressure connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") IT
Power cord	1.4 m	1.4 m	1.5 m
Product weight	10.5 kg	10.5 kg	14.3 kg
Overload protection	•	•	•
Water filler screw	•	•	•
Water drain screw	•	•	-
High-quality mechanical seal	•	•	-
Pressure gauge	•	•	•
Suction hose included	-	7 m	-
Article number	41.731.90	41.731.93	41.731.18



PETROL WATER PUMPS



	GE-PW 46 EXPERT	GC-PW 16 CLASSIC
Motor	Four-stroke	Four-stroke
Power rating	4.6 / 6.3	1.6 / 2.2
Max. delivery capacity / height	23000 l/h / 26 m	14000 l/h / 28 m
Max. suction height	6.5 m	7.0 m
Max. speed	3600 min ⁻¹	3600 min ⁻¹
Suction connection	59.6 mm (2") ET	47.8 mm (1½") ET
Pressure connection	59.6 mm (2") ET	47.8 mm (1½") ET
Fuel tank capacity	3.6 l	1.8 l
Product weight	21.8 kg	15.5 kg
Non-return valve	•	•
Sturdy steel tube frame	•	–
Water filler port	•	•
Water drain screw	•	•
Oil filling screw	•	•
Low oil stop	•	•
Incl. hose adapter	2x 50.8 mm (2")	2x 38.1 mm (1.5")
Incl. intake cage	• (2")	• (1.5")
Incl. reducer section	2x 47.8 mm (1.5") ET, 2x 33.3 mm (1") ET	–
Article number	41.713.72	41.905.30



4 006825 643978



4 006825 644678



ACCESSORIES + SPARE PARTS



SURFACE PUMPS ACCESSORIES



	Suction Hose	Suction Hose	Suction Hose	Suction Hose
Length	4 m	4 m	7 m	7 m
Connectors material	Brass	Plastic	Brass	Plastic
Connectors	42 mm (1½") IT	42 mm (1½") IT	42 mm (1½") IT	42 mm (1½") IT
Hose diameter	25 mm (1")	25 mm (1")	25 mm (1")	25 mm (1")
Threaded nipple	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") ET
Adapter	33.3 mm (1") IT	33.3 mm (1") IT	33.3 mm (1") IT	33.3 mm (1") IT
Article number	41.736.30	41.736.35	41.736.40	41.736.45



4 006825 549133



4 006825 549058



4 006825 549171



4 006825 549102



	Coarse Filter 12 cm	Coarse Filter 25 cm
Height of filter insert	12 cm	25 cm
Cartridge included	•	•
Article number	41.738.01	41.738.51



4 006825 549188



4 006825 549195




	Electronic Flow Switch	NEW
Max. operation pressure	11 bar	
Max. water temperature	55°C	
Non-return valve	•	
Integrated dry operation protection	•	
Article number	41.742.30	




4 006825 667738

SCYTHES/LAWN TRIMMERS ACCESSORIES

Cutting Tools


	Type designation	Suitable for	Hole	Material thickness	Diameter	Fits	Article No.
	Special Grass Blade 230	 grass and light vegetation	25.4 mm	1.4 mm	230 mm		34.366.60
	Thicket Blade 255	 wild growth, scrub and thicket	25.4 mm	2.5 mm	255 mm		34.050.82
	Thicket Blade 200	 wild growth, scrub and thicket	25.4 mm	2.0 mm	200 mm		34.050.83
	Grass Blade 255	 hohes Gras und starken Bewuchs	25.4 mm	1.4 mm	255 mm		34.049.96
	Grass Blade 230	 tough grass and strong vegetation	25.4 mm	1.4 mm	230 mm		34.366.61

Line Spools

	Multifunctional Tools		Scythes							Lawn Trimmers							Article No.		
	GC-MM 52 I AS	GE-LM 36/4in1 Li	AGILLO 36/255	AGILLO 18/200	GC-BC 36-4 S	GC-BC 52 I AS	GH-BC 43 AS	GC-BC 30/1 I AS	GC-BC 25/1 I AS	GE-CT 36/30 Li E	GE-CT 18/30 Li	GE-CT 18/28 Li TC	GE-CT 18/28 Li	GC-ET 4530	GC-ET 3023	GC-ET 2522		GC-PT 2538/1 I AS	
	●					●	●	●	●							●		34.050.75	
		●	●	●						●								34.050.86	
											●	●	●					34.050.96	
																		34.051.16	
											●							34.051.17	
					●													●	34.052.20
														●				34.052.40	
															●	●		34.056.85	
															●			34.056.95	

Mowing Lines

BASIC LINE	Colour	Description	Shape	Ø	Length	Article No.
	Grey	Standard mowing line		1.3 mm	15 m	34.366.50
				1.6 mm	15 m	34.366.51
				2.0 mm	15 m	34.366.52

SUPER CUT LINE	Colour	Description	Shape	Ø	Length	Article No.
	Black	Optimum cut thanks to sharp edges		2.0 mm	15 m	34.366.53
				2.4 mm	15 m	34.366.54
				3.0 mm	15 m	34.366.56

LOW NOISE LINE	Colour	Description	Shape	Ø	Length	Article No.
	Red	Reduced noise		2.4 mm	15 m	34.366.55
				3.0 mm	15 m	34.366.57

POWER X-CHANGE



		ROBOT LAWN MOWERS							LAWN MOWERS				
		FREELEXO CAM 500	FREELEXO 300 LCD BT+	FREELEXO 500 LCD BT+	FREELEXO 600 BT	FREELEXO SMART 750	FREELEXO 900 LCD BT	FREELEXO 1200 LCD BT	GC-PM 51/3 S HW-E Li	GC-PM 46 SM HW-E Li	RASARRO 36/42	RASARRO 36/40	RASARRO 36/38
Power X-Change Battery 1.5 Ah	Not available separately – only as part of a Kit	•							•	•			
Power X-Change Battery 2.0 Ah		•							•	•			
Power X-Change Battery 2.5 Ah			•	•	•				•	•	•	•	•
Power X-Change Battery 3.0 Ah	Not available separately – only as part of a Kit	•	•	•	•	•	•		•	•	•	•	•
Power X-Change Plus Battery 3.0 Ah		•	•	•	•	•	•		•	•	•	•	•
Power X-Change Battery 4.0 Ah		•	•	•	•	•	•		•	•	•	•	•
Power X-Change Plus Battery 4.0 Ah	Available only as a Twinpack Set	•	•	•	•	•	•		•	•	•	•	•
Power X-Change Plus Battery 5.2 Ah		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Change Battery 4-6 Multi Ah		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Change Battery 5-8 Multi Ah		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Charger 3 A	Not available separately – only as part of a Kit	•	•	•	•	•	•	•	•	•	•	•	•
Power X-Fastcharger 4 A		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Twincharger 3 A		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Boostcharger 6 A		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Quattrocharger 4 A		•	•	•	•	•	•	•	•	•	•	•	•
Power X-Car Charger 6 A		•	•	•	•	•	•	•	•	•	•	•	•

POWER X-CHANGE



		HEDGE TRIMMERS								OLIVES/FRUIT HARVESTER	MULTIFUNCTIONAL TOOLS	
		GE-CH 36/65 Li	GE-CH 36/61 Li	GE-CH 18/60 Li	ARCURRA 18/55	GC-CH 1855/1 Li	GC-CH 18/50 Li	GC-CH 18/46 Li	GC-CH 18/40 Li	GE-FS 18/53 Li	GE-LM 36/4in1 Li T	GE-HC 18 Li T
Power X-Change Battery 1.5 Ah	Not available separately – only as part of a Kit	•	•	•	•	•	•	•	•	•	•	
Power X-Change Battery 2.0 Ah		•	•	•	•	•	•	•	•	•	•	
Power X-Change Battery 2.5 Ah		•	•	•	•	•	•	•	•	•	•	•
Power X-Change Battery 3.0 Ah	Not available separately – only as part of a Kit	•	•	•	•	•	•	•	•	•	•	•
Power X-Change Plus Battery 3.0 Ah		•	•	•	•	•	•	•	•	•	•	•
Power X-Change Battery 4.0 Ah		•	•	•	•	•	•	•	•	•	•	•
Power X-Change Plus Battery 4.0 Ah	Available only as a Twinpack Set	•	•	•	•	•	•	•	•	•	•	•
Power X-Change Plus Battery 5.2 Ah		•	•	•	•	•	•	•	•	•	•	•
Power X-Change Battery 4-6 Multi Ah		•	•	•	•	•	•	•	•	•	•	•
Power X-Change Battery 5-8 Multi Ah		•	•	•	•	•	•	•	•	•	•	•
Power X-Charger 3 A	Not available separately – only as part of a Kit	•	•	•	•	•	•	•	•	•	•	•
Power X-Fastcharger 4 A		•	•	•	•	•	•	•	•	•	•	•
Power X-Twincharger 3 A		•	•	•	•	•	•	•	•	•	•	•
Power X-Boostcharger 6 A		•	•	•	•	•	•	•	•	•	•	•
Power X-Quattrocharger 4 A		•	•	•	•	•	•	•	•	•	•	•
Power X-Car Charger 6 A		•	•	•	•	•	•	•	•	•	•	•

Information provided in the Power X-Change accessories table shows the recommended rechargeable battery capacities for perfect results.

[illegible]

POWER X-CHANGE CORDLESS / ELECTRIC / PETROL / MANUAL LAWN MOWERS

SPARE BLADES

COMBI-
NATION
BLADES

DIV.



Spare Blade	34.045.53	4006825 633092	
Spare Blade	34.054.10	4006825 649307	
Spare Blade	34.054.20	4006825 602661	
Spare Blade	34.054.30	4006825 595376	
Spare Blade	34.054.40	4006825 595369	
Spare Blade	34.054.51	4006825 610604	
Spare Blade	34.054.52	4006825 610611	
Spare Blade	34.054.53	4006825 645736	
Spare Blade	34.054.54	4006825 651386	
Spare Blade	34.054.55	4006825 631050	
Spare Blade	34.054.56	4006825 662702	
Spare Blade	34.054.85	4006825 584509	
Spare Blade	34.054.86	4006825 635843	
Spare Blade	34.056.05	4006825 541014	
Spare Blade	34.056.10	4006825 541038	
Spare Blade	34.056.60	4006825 605273	
Spare Blade	34.058.25	4006825 630466	
Spare Blade	34.058.30	4006825 630480	
Spare Blade	34.058.50	4006825 638806	
Combination Blade	34.056.50	4006825 605266	
Combination Blade	34.056.70	4006825 605280	
Grass Box	34.211.12	4006825 609707	

POWER X-CHANGE CORDLESS / ELECTRIC / PETROL / MANUAL LAWN MOWERS

Cell Model	Cell Type	Capacity (mAh)	Energy (Wh)	Power (W)	Efficiency (%)	Life (cycles)	Temp. (°C)	Weight (g)	Volume (cm³)	Cost (\$/kWh)	Notes
GC-PM 51/3 S HW-E Li	Li-ion	5100	102	10.2	95	1000	25	100	100	100	High energy density
GC-PM 46 SM HW-E Li	Li-ion	4600	92	9.2	95	1000	25	90	90	100	Standard performance
RASARRO 36/42	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
RASARRO 36/40	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
RASARRO 36/38	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
RASARRO 36/36	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
RASARRO 36/34	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GP-CM 36/47 S HW Li Brushless	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 36/48 LiM Brushless	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 36/43 LiM Brushless	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GP-CM 36/41 Li Brushless	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 36/37 Li	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 36/36 Li Brushless	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 36/34-1 Li	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 36/33 Li	Li-ion	3600	72	7.2	95	1000	25	70	70	100	High power
GE-CM 18/33 Li Brushless	Li-ion	1800	36	3.6	95	1000	25	35	35	100	High power
GE-CM 18/32 Li Brushless	Li-ion	1800	36	3.6	95	1000	25	35	35	100	High power
GE-CM 18/30 Li Brushless	Li-ion	1800	36	3.6	95	1000	25	35	35	100	High power
GC-EM 1700/42	Li-ion	1700	34	3.4	95	1000	25	34	34	100	High power
GC-EM 1500/36	Li-ion	1500	30	3.0	95	1000	25	30	30	100	High power
GC-EM 1000/30	Li-ion	1000	20	2.0	95	1000	25	20	20	100	High power
GC-EM 1743 HW	Li-ion	1743	34.86	3.486	95	1000	25	34.86	34.86	100	High power
GC-EM 1437	Li-ion	1437	28.74	2.874	95	1000	25	28.74	28.74	100	High power
GC-EM 1032	Li-ion	1032	20.64	2.064	95	1000	25	20.64	20.64	100	High power
GC-PM 56/2 S HW	Li-ion	5600	112	11.2	95	1000	25	110	110	100	High energy density
GC-PM 52/2 S HW	Li-ion	5200	104	10.4	95	1000	25	100	100	100	High energy density
GC-PM 46 S HW-E	Li-ion	4600	92	9.2	95	1000	25	90	90	100	Standard performance
GC-PM 51/3 S HW	Li-ion	5100	102	10.2	95	1000	25	100	100	100	High energy density
GC-PM 46/5 S	Li-ion	4600	92	9.2	95	1000	25	90	90	100	Standard performance
GC-PM 46/3	Li-ion	4600	92	9.2	95	1000	25	90	90	100	Standard performance
GC-PM 40/2 S	Li-ion	4000	80	8.0	95	1000	25	80	80	100	Standard performance
GC-PM 40/2	Li-ion	4000	80	8.0	95	1000	25	80	80	100	Standard performance
GE-HM 38 S-F	Li-ion	3800	76	7.6	95	1000	25	70	70	100	High power
GE-HM 38 S	Li-ion	3800	76	7.6	95	1000	25	70	70	100	High power

SCARIFIERS/AERATORS	DIV.		Catch Bag	34.055.77	4006825 629699	4 006825 629699
	AERATOR ROLLERS		Catch Bag	34.059.40	4006825 658798	4 006825 658798
			Catch Bag	34.059.60	4006825 667523	4 006825 667523
			Aerator Roller	34.055.72	4006825 629675	4 006825 629675
			Aerator Roller	34.059.41	4006825 658804	4 006825 658804
			Aerator Roller	34.059.61	4006825 667516	4 006825 667516
			Aerator Roller	34.211.25	4006825 575156	4 006825 575156
			Aerator Roller	34.211.35	4006825 606331	4 006825 606331
			Scarifier Roller	34.055.82	4006825 629682	4 006825 629682
	SCARIFIER ROLLERS		Scarifier Roller	34.059.42	4006825 658811	4 006825 658811
		Scarifier Roller	34.059.62	4006825 667509	4 006825 667509	
		Scarifier Roller	34.200.21	4006825 603309	4 006825 603309	
		Scarifier Roller	34.211.20	4006825 575149	4 006825 575149	
EARTH AUGER		Scarifier Roller	34.211.30	4006825 606324	4 006825 606324	
		Extension (1 m)	34.370.12	4006825 659054	4 006825 659054	
		Earth Auger (120 mm)	34.370.10	4006825 659030	4 006825 659030	
		Mortar Mixer	34.370.11	4006825 659047	4 006825 659047	
LAWN TRIMMERS / LAWN EDGE TRIMMER		Spare Blades Set for lawn trimmers (20 pcs)	34.057.30	4006825 560404	4 006825 560404	
		Spare Blades Box for PXC lawn trimmers (50 pcs)	34.057.36	4006825 646283	4 006825 646283	
		Spare Blade	34.051.01	4006825 653533	4 006825 653533	
GROUT CLEANER		Spare Brush Steel (15 mm)	34.241.00	4006825 569919	4 006825 569919	
		Spare Brush Nylon (10 mm)	34.241.10	4006825 569926	4 006825 569926	
		Spare Brushes Steel (10 mm) and Nylon (6 mm) – one of each	34.241.15	4006825 660760	4 006825 660760	
		Surface Brush SOFT (wood/artificial turf)	34.241.21	4006825 646252	4 006825 646252	
SURFACE BRUSH		Surface Brush MEDIUM (stone)	34.241.20	4006825 646245	4 006825 646245	
		Surface Brush ULTRA (stone)	34.241.22	4006825 646269	4 006825 646269	
		Side Brush ULTRA (stone)	34.241.26	4006825 660845	4 006825 660845	
		Spare Chain	45.001.24	4006825 666632	4 006825 666632	
POLE-MOUNTED PRUNERS / MULTIFUNCTIONAL TOOLS	CHAINS		Spare Chain	45.001.87	4006825 615463	4 006825 615463
			Spare Chain	45.001.88	4006825 606355	4 006825 606355
			Spare Chain	45.003.64	4006825 644616	4 006825 644616
			Spare Bar	45.001.17	4006825 569100	4 006825 569100
	BARS		Spare Bar	45.001.54	4006825 666625	4 006825 666625
			Spare Bar	45.001.67	4006825 615456	4 006825 615456
			Spare Bar	45.001.68	4006825 606348	4 006825 606348
			Spare Bar	45.003.63	4006825 644609	4 006825 644609

The scatter plot displays the relationship between the number of hours per week (x-axis) and the number of hours per day (y-axis). The x-axis ranges from 0 to 168 hours, and the y-axis ranges from 0 to 24 hours. The data points are scattered across the grid, showing a general trend of increasing hours per day as hours per week increase, with some outliers.

Hours per Week (X)	Hours per Day (Y)
10	10
15	15
20	20
25	25
30	30
35	35
40	40
45	45
50	50
55	55
60	60
65	65
70	70
75	75
80	80
85	85
90	90
95	95
100	100
105	105
110	110
115	115
120	120
125	125
130	130
135	135
140	140
145	145
150	150
155	155
160	160
165	165
170	170
175	175
180	180
185	185
190	190
195	195
200	200
205	205
210	210
215	215
220	220
225	225
230	230
235	235
240	240
245	245
250	250
255	255
260	260
265	265
270	270
275	275
280	280
285	285
290	290
295	295
300	300
305	305
310	310
315	315
320	320
325	325
330	330
335	335
340	340
345	345
350	350
355	355
360	360
365	365
370	370
375	375
380	380
385	385
390	390
395	395
400	400
405	405
410	410
415	415
420	420
425	425
430	430
435	435
440	440
445	445
450	450
455	455
460	460
465	465
470	470
475	475
480	480
485	485
490	490
495	495
500	500
505	505
510	510
515	515
520	520
525	525
530	530
535	535
540	540
545	545
550	550
555	555
560	560
565	565
570	570
575	575
580	580
585	585
590	590
595	595
600	600
605	605
610	610
615	615
620	620
625	625
630	630
635	635
640	640
645	645
650	650
655	655
660	660
665	665
670	670
675	675
680	680
685	685
690	690
695	695
700	700
705	705
710	710
715	715
720	720
725	725
730	730
735	735
740	740
745	745
750	750
755	755
760	760
765	765
770	770
775	775
780	780
785	785
790	790
795	795
800	800
805	805
810	810
815	815
820	820
825	825
830	830
835	835
840	840
845	845
850	850
855	855
860	860
865	865
870	870
875	875
880	880
885	885
890	890
895	895
900	900
905	905
910	910
915	915
920	920
925	925
930	930
935	935
940	940
945	945
950	950
955	955
960	960
965	965
970	970
975	975
980	980
985	985
990	990
995	995
1000	1000
1005	1005
1010	1010
1015	1015
1020	1020
1025	1025
1030	1030
1035	1035
1040	1040
1045	1045
1050	1050
1055	1055
1060	1060
1065	1065
1070	1070
1075	1075
1080	1080
1085	1085
1090	1090
1095	1095
1100	1100
1105	1105
1110	1110
1115	1115
1120	1120
1125	1125
1130	1130
1135	1135
1140	1140
1145	1145
1150	1150
1155	1155
1160	1160
1165	1165
1170	1170
1175	1175
1180	1180
1185	1185
1190	1190
1195	1195
1200	1200
1205	1205
1210	1210
1215	1215
1220	1220
1225	1225
1230	1230
1235	1235
1240	1240
1245	1245
1250	1250
1255	1255
1260	1260
1265	1265
1270	1270
1275	1275
1280	1280
1285	1285
1290	1290
1295	1295
1300	1300
1305	1305
1310	1310
1315	1315
1320	1320
1325	1325
1330	1330
1335	1335
1340	1340
1345	1345
1350	1350
1355	1355
1360	1360
1365	1365
1370	1370
1375	1375
1380	1380
1385	1385
1390	1390
1395	1395
1400	1400
1405	1405
1410	1410
1415	1415
1420	1420
1425	1425
1430	1430
1435	1435
1440	1440
1445	1445
1450	1450
1455	1455
1460	1460
1465	1465
1470	1470
1475	1475
1480	1480
1485	1485
1490	1490
1495	1495
1500	1500
1505	1505
1510	1510
1515	1515
1520	1520
1525	1525
1530	1530
1535	1535
1540	1540
1545	1545
1550	1550
1555	1555
1560	1560
1565	1565
1570	1570
1575	1575
1580	1580
1585	1585
1590	1590
1595	1595
1600	1600
1605	1605
1610	1610
1615	1615
1620	1620
1625	1625
1630	1630
1635	1635
1640	1640
1645	1645
1650	1650
1655	1655
1660	1660
1665	1665
1670	1670
1675	1675
1680	1680
1685	1685
1690	1690
1695	1695
1700	1700
1705	1705
1710	1710
1715	1715
1720	1720
1725	1725
1730	1730
1735	1735
1740	1740
1745	1745
1750	1750
1755	1755
1760	1760
1765	1765
1770	1770
1775	1775
1780	1780
1785	1785
1790	1790
1795	1795
1800	1800
1805	1805
1810	1810
1815	1815
1820	1820
1825	1825
1830	1830
1835	1835
1840	1840
1845	1845
1850	1850
1855	1855
1860	1860
1865	1865
1870	1870
1875	1875
1880	1880
1885	1885
1890	1890
1895	1895
1900	1900
1905	1905
1910	1910
1915	1915
1920	1920
1925	1925
1930	1930
1935	1935
1940	1940
1945	1945
1950	1950
1955	1955
1960	1960
1965	1965
1970	1970
1975	1975
1980	1980
1985	1985
1990	1990
1995	1995
2000	2000
2005	2005
2010	2010
2015	2015
2020	2020
2025	2025
2030	2030
2035	2035
2040	2040
2045	2045
2050	2050
2055	2055
2060	2060
2065	2065
2070	2070
2075	2075
2080	2080
2085	2085
2090	2090
2095	2095
2100	2100
2105	2105
2110	2110
2115	2115
2120	2120
2125	2125
2130	2130
2135	2135
2140	2140
2145	2145
2150	2150
2155	2155
2160	2160
2165	2165
2170	2170
2175	2175
2180	2180
2185	2185
2190	2190
2195	2195
2200	2200
2205	2205
2210	2210
2215	2215
2220	2220
2225	2225
2230	2230
2235	2235
2240	2240
2245	2245
2250	2250
2255	2255
2260	2260
2265	2265
2270	2270
2275	2275
2280	2280
2285	2285
2290	2290
2295	2295
2300	2300
2305	2305
2310	2310
2315	2315
2320	2320
2325	2325
2330	2330
2335	2335
2340	2340
2345	2345
2350	2350
2355	2355
2360	2360
2365	2365
2370	2370
2375	2375
2380	2380
2385	2385
2390	2390
2395	2395
2400	2400
2405	2405
2410	2410
2415	2415
2420	2420
2425	2425
2430	2430
2435	2435
2440	2440
2445	2445
2450	2450
2455	2455
2460	2460
2465	2465
2470	2470
2475	2475
2480	2480
2485	2485
2490	2490
2495	2495
2500	2500
2505	2505
2510	2510
2515	2515
2520	2520
2525	2525
2530	2530
2535	2535
2540	2540
2545	2545
2550	2550
2555	2555
2560	2560
2565	2565
2570	2570
2575	2575
2580	2580
2585	2585
2590	2590
2595	2595
2600	2600
2605	2605
2610	2610
2615	2615
2620	2620
2625	2625
2630	2630
2635	2635
2640	2640
2645	2645
2650	2650
2655	2655
2660	2660
2665	2665
2670	2670
2675	2675
2680	2680
2685	2685
2690	2690
2695	2695
2700	2700
2705	2705
2710	2710
2715	2715
2720	2720
2725	2725
2730	2730
2735	2735
2740	2740
2745	2745
275	

CHAINSAWS / CHAIN SHARPENERS

CHAINS



BARS



WRINDING DISCS



LEAF BLOWER

TILLER

SHREDDERS

WATERING / DRAINAGE

DIVERSE



HOSES



Spare Chain	45.001.71	4006825 548846	4 006825 548846
Spare Chain	45.001.72	4006825 600926	4 006825 600926
Spare Chain	45.001.73	4006825 663655	4 006825 663655
Spare Chain	45.001.76	4006825 548839	4 006825 548839
Spare Chain	45.001.92	4006825 663532	4 006825 663532
Spare Chain	45.001.93	4006825 664577	4 006825 664577
Spare Chain	45.001.96	4006825 632231	4 006825 632231
Spare Chain	45.003.13	4006825 663648	4 006825 663648
Spare Chain	45.003.20	4006825 578126	4 006825 578126
Spare Chain	45.017.54	4006825 607024	4 006825 607024
Spare Bar	45.001.51	4006825 548907	4 006825 548907
Spare Bar	45.001.56	4006825 548778	4 006825 548778
Spare Bar	45.001.58	4006825 663846	4 006825 663846
Spare Bar	45.001.91	4006825 663518	4 006825 663518
Spare Bar	45.001.94	4006825 664560	4 006825 664560
Spare Bar	45.001.97	4006825 632248	4 006825 632248
Spare Bar	45.003.32	4006825 546637	4 006825 546637
Spare Bar	45.003.44	4006825 594188	4 006825 594188
Spare Bar	45.017.53	4006825 607017	4 006825 607017
Spare Grinding Wheel 4.5 mm	45.000.71	4006825 548853	4 006825 548853
Spare Grinding Wheel 3.2 mm	45.000.76	4006825 548860	4 006825 548860
Spare Grinding Wheel 4.5 mm Professional	45.999.80	4006825 552874	4 006825 552874
Spare Grinding Wheel 3.2 mm Professional	45.999.90	4006825 552881	4 006825 552881
Gutter Cleaning Set	34.335.59	4006825 660906	4 006825 660906
Plow	34.315.20	4006825 663419	4 006825 663419
Potato Plow	34.315.30	4006825 663426	4 006825 663426
Spare Blades for Shredders	34.059.30	4006825 595680	4 006825 595680
Electronic Flow Switch	41.742.30	4006825 667738	4 006825 667738
12 cm Prefilter with Cartridge	41.738.01	4006825 549188	4 006825 549188
25 cm Prefilter with Cartridge	41.738.51	4006825 549195	4 006825 549195
4 m Suction Hose with Brass Connectors	41.736.30	4006825 549133	4 006825 549133
4 m Suction Hose with Plastic Connectors	41.736.35	4006825 549058	4 006825 549058
7 m Suction Hose with Brass Connectors	41.736.40	4006825 549171	4 006825 549171
7 m Suction Hose with Plastic Connectors	41.736.45	4006825 549102	4 006825 549102

CHAINSAWS / CHAIN SHARPENERS										LEAF BLOWERS	TILLER	SHREDDERS	SURFACE PUMPS									
GP-LC 36/35 Li Brushless																						
FORTEXA 18/30																						
FORTEXA 18/20 TH																						
GE-LC 18/25 Li																						
GE-EC 2240																						
GC-EC 2040																						
GC-EC 1935																						
GH-EC 1835																						
GC-PC 2040 I																						
GC-PC 1435 ITC																						
GC-PC 1335/1 I																						
GE-CS 18 Li																						
GC-CS 235 E																						
GC-CS 85 E																						
GP-LB 18/200 Li GK/Brushless																						
GP-LB 18/200 Li E Brushless																						
GC-MT 4280																						
GC-KS 2540 CB																						
GC-KS 2540																						
GE-GP 1246 N FS																						
GE-GP 1145 ECO																						
GC-GP 1250 N/1																						
GC-GP 1045																						
GC-GP 6040 ECO																						
GC-GP 6538																						
GC-GP 6036																						
GC-TP 4622																						
GE-AW 1246 N FS																						
GE-AW 1042 FS																						
GE-AW 1144 SMART																						
GC-AW 6333																						
GE-WW 1246 N FS																						
GE-WW 1145 ECO																						
GC-WW 1045 N																						
GC-WW 1250 NN																						
GC-WW 6538																						
GC-WW 6036																						

SALES SUPPORT

POS | SHOP IN SHOP SYSTEM



- Shop in Shop Concept Power X-Change Garden / Tools 240 x 160 cm

PRINT PRODUCTS



- Folders



- Brochures

POS | PERMANENT SECONDARY DISPLAYS



■ Modular Display Power X-Change Garden
120 x 80 cm



■ Cardboard Display
Power X-Change Tools
80 x 60 cm



■ Wall Display Power X-Change Tools



CRAZY DIY
THE TINKERER

FRANK
THE BOSS



WHO IS THE E-TEAM?
WHAT DOES THE E-TEAM DO?
FIND ALL THE ANSWERS AT
WWW.EINHELL.DE

THE



TEAM



Official Home & Garden Expert

OLIVER KAHN
THE CLIENT

SKYE
THE COOL

MIKE
THE MUSCLE



THEIR MISSION:
TO ENABLE.

POWER X-CHANGE

GARDEN 2023

Is there anything you'd like to ask us about our products?
Would you like to order a part?
Your product isn't working as it should?
We're at your service!
We'll get you some help – fast and without any fuss.



Einhell Service
Eschenstr. 6
94405 Landau/Isar
Germany



+ 49 (0) 9951 959 2000



+ 49 (0) 9951 959 1700



www.einhell-service.de



Service-DE@einhell.com

Einhell Germany AG
Wiesenweg 22
94405 Landau / Isar – Germany
info@einhell.de – www.einhell.de