NEW BIGGER

Edition! Portable Endoscope Camera R OG I 5" Screen with 360° Swivel Lens

A professional grade endoscope with toggle function allowing the 3.9mm camera head to be moved through 360° to allow it to look back on itself. No need for small mirror attachments for looking at engine valve heads!

SD or USB-C data cable.



110mm x 65mm with 840 x 480 pixels (403,200 effective pixels), with 70° camera viewing angle.



diameter camera probe is 1m long, with a remote control



surrounding the camera lens, offering three brightness settings.



360° controllable head with high temperature protection and IP67 waterproof rating.



Supplied with a USB-C charging cable, for recharging & PC download, 32GB memory card, in a soft-shell case for storage

Professional Inspection Cameras

Portable Endoscope Camera

4.3" Screen with 3.9mm Camera

Equipped with a fixed camera head on a flexible 1000mm camera probe.

Records still images and video, which can be downloaded to a PC or laptop via Micro SD or USB-C data cable.

- High-resolution LCD screen (4.3") 95mm x 54mm with 480 x 272 pixels (130,560 effective pixels), with 70° camera viewing angle.
- The extremely flexible, semirigid camera probe, IP67 rated for water and dust.
- Also features a built in 6 LED torch with 3 brightness levels.

(F) . Supplied with a USB-C charging cable, for recharging & PC download, 32GB memory card, in a soft-shell case for storage





12th August 12pm Join us for live demonstrations:

Watch our expert team demonstrate the newest tools from Laser!

www.lasertools.co.uk/LaserLive



CE

toolconnection.co.uk

SSUE A

NEW

Welcome

to the latest bigger issue of ToolSaver!

Our bi-monthly promotional leaflet bringing you the newest tools and best offers from across our vast range of automotive tools and accessories.

A wide range of specialist automotive tools and consumables, Tool Connection is home to the worldwide recognised brands known for their quality and value for money, all supported by our sales, technical and service teams.

Our service is second to none and our guarantee means what it says!



Our leading automotive brand, offering premium hand tools and a growing range of specialist tools designed to handle challenging jobs with ease. Developed with input from working technicians, the range includes engine timing tools and insulated tools for electric and hybrid vehicles.

☑ lasertools.co.uk



A complete and inclusive range of workshop consumables designed to meet the needs of today's tradespeople and technicians. Our ever-growing range brings together exceptional variety and quality, offering solutions not seen before in the UK market. Whether you're stocking a professional workshop or tackling day-to-day tasks, we've got the consumables you need - all in one place.

connect-consumables.co.uk



Offering a large range of tools and equipment developed to make the professional body repairer's job faster and more efficient, at the heart of the range is the renowned cost-saving Miracle System, which also promotes the sustainable ethos of 'repair over replace', reducing waste and helping preserve valuable vehicle components. We're also leading the way with innovative tools for working on hybrid and electric vehicles and support the industry's transition to more sustainable repair practices.

power-tec.co.uk



- Access to over 10,000 products, with information, images, 360° views & videos.
- Up-to-date product data.
- Search OEM Data, Timing Tools and GEN2 Wheel Bearings with our TOOLPOINT® function.
- Downloadable instructions, application & product information.















Don't forget to follow us on Facebook, Instagram, LinkedIn, Threads and TikTok, to keep up-to-date with our latest product releases and news.

Scan the QR to join us today!





Technical & Aftersales Support



Our dedicated aftersales team are always happy to assist with enquiries, ensuring a smooth and reliable customer experience. Integrated within our aftersales department is our renowned technical team, delivering expert support and product knowledge.

They provide expert advice, hands-on product support, and in-depth knowledge across a wide range of automotive tools and technologies. Whether you need guidance on engine timing kits or fully insulated tools for EV and hybrid systems, they're here to help.

Our technical team is officially recognised as a Certified Data Supplier for TecDoc, a mark of excellence that reflects the accuracy, depth, and professionalism of the data and support we provide. Our aftersales and technical team deliver confidence and expertise you can count on - before and after your purchase.

CONTENTS	
Steering / Suspension	p.4
Wheel Bearings	p.6
Hub / CV Joint	p.7
Braking	p.8
Hybrid / EV	p.10
Socket Sets	p.12
Socket Accessories	p.13
Impact Sockets	p.14
Impact Accessories	p.15
Spanner Sets	p.16
Spanner Accessories	p.17
Summer Sale	p.18
Bodyshop	p.20
Air Tools	p.22
Air Tool Accessories	p.23
Electrical	p.24
Oil	p.26
Diesel	p.28
Petrol	p.29
Timing Tools	p.30
Clutch	p.31
Fuel	p.32
Exhaust	p.33
Tech Talk	p.34

New Lines

New & innovative tools from

LASER®

NEW

Compact Swirl Cleaning Gun with Vacuum Extraction

Combined with the use of workshop compressed air, the swirl gun technology creates a vortex-like stream of air, a controlled cleaning solution reservoir and a vacuum cleaner*, to give an all-in-one cleaning and drying solution.

Ideal for cleaning upholstery, interior & exterior trim edges, & engine bay detailing.
*NOTE: Requires the use of a wet & dry vacuum cleaner



Injector Puller Adaptor - Bosch CR Solenoid 9243

Adaptor for injector puller, designed for Bosch solenoid style injectors to be extracted using any 5/8" UNF threaded slide hammer or pneumatic extractor.

- Mounts directly onto the top of the injector, no disassembly of the injector required.
- Simple to assemble using just 3 x 3mm grub screws.
- When angled access is required, please use with adaptor Laser Part No. 6123.





PROMOTIONS VALID FROM

1st Aug – 30th Sept 2025

Pneumatic Impact Set 11pc

9183

NEW

Designed to make separating ball joints easy. Allows an air impact hammer equipped with the punches provided to be used to quickly vibrate the joint taper free.

Sizes: M10 x 1.25, M10 x 1.5, M12 x 1.25, M12 x 1.5, M12 x 1.75, M14 x 1.5, M14 x 2.0, M16 x 1.5mm. 2x air hammer punches. 1x 17mm hex punch to align the impact gun where required. Domed adaptor to allow controlled off-line use.



3-in-1 Mini Ratchet Spanner - with Interchangeable Drives

Interchangeable drives including 3/8"D and 1/4"D adaptors for use with socketry, together with a 1/4" hex adaptor for use with any 1/4" shank hex screwdriver bits, all of which can be stored in the handle.

- $\operatorname{\slash\hspace{-0.4em}P}$ Bi-Hex (12pt) profile 11mm reversible ratchet ring.
- Length: 155mm.
- Sizes: 1/4" hex (F), 1/4"D & 3/8"D.
- Manufactured from chrome vanadium, with an anodised aluminium handle & with SCM440 steel drive adaptors.





Heat Shield Repair Kit 10pc

52mm diameter disc of heat shield material and a clamping washer to allow the original shield to be repaired and reused.

- Applications include: Ford & Volkswagen Group vehicles.
- For fitting tool please see Laser Part No. 7347.
- Assorted heat shield fastener kits also available, please see Connect Part No. 30286.

	CODE	QTY	DESCRIPTION	PRICE
ſ	34316	5ea	Heat Shield Discs & Washers	£12.95
	34317	20	Heat Shield Discs	£39.95

Connect*



An assorted box of metal trim fasteners suitable for use on various Ford and Volkswagen Group vehicles, as a direct replacement for the original manufacturer heat shield retainers.





Ball Joint Separator

Pneumatic Impact Set 11pc

Makes separating ball joints easy. The separator adaptors screw-in, in place of the joint nut and bottom out on the end of the joint thread, allowing an air impact hammer to be used to quickly vibrate the joint taper free.

Sizes: M10 x 1.25, M10 x 1.5, M12 x 1.25, M12 x 1.5, M12 x 1.75, M14 x 1.5, M14 x 2.0, M16 x 1.5mm. 2 x air hammer

punches. 1 x 17mm hex punch to align the impact gun where required. Domed adaptor to allow controlled off-line use.



Works with both aluminium & pressed steel subframes

Engine Subframe Double Silent Block Tool - for VW Group

9028

Developed for use on the listed VAG vehicles, the Laser 9028 enables the removal and replacement of the subframe lower engine mount split bush with minimal disassembly of vehicle components.

Works with both aluminium & pressed steel subframes.

Full list of applications online: www.lasertools.co.uk/product/9028





Steering & Suspension Ball joint, bearing & bush repair



Press Supporting Block - 30 Tonne

5824

Universal design to provide a stable, yet adjustable, support base for vehicle hubs and other complex shapes, allowing bearings to be pressed out with ease.

Contents:

Base block, spacer block, side guard plates (pair).
Threaded columns:
1 x 110mm, 2 x 150mm,

2 x 190mm, c/w nuts and washers.







Bearing & Bush Removal/ Insertion Kit

5178

A universal tool, perfect for service garages and workshops where multiple tool combinations are required.

- For use on bushes, bearings and seals.
- ♣ 4 threaded hars 350mm long
- Spare threaded bars available: M10 (Part No. 2473), M12 (Part No. 2474), M14 (Part No. 2475) and M16 (Part No. 2485).

Macpherson Strut Spring Compressor - 1.5 Tonne

Hydraulic

9234

The new Laser 9234 spring compressor is hydraulically operated, which offers ease of control and more accurate pressure management than found with pneumatic systems. This is a stand-alone unit which does not require air or electric connections. The 9234 is equipped with a with a very strong and stable base.

- Designed for vehicle coil springs with a wire diameter from 12 - 18mm. Suitable for both left & right-hand wound springs.
- ▶ Ram stroke: 580mm, with
- 4 x additional spring shoes & clamps included
- Equipped with very strong safety cage
- Also features a pressure gauge with over pressure safety valve (do not exceed 1160psi / 80 bar).

High pressure hydraulic force to easily compress the spring is created by simple hand operated lever.



Before

PROMOTIONS VALID FROM

1st Aug – 30th Sept 2025

After

Model 1 (A+0







Model 2. (B+B







Model 3. (B+C







Model 4. (B+D







Shock Absorber & MacPherson Strut Tool Kit

24pc

7673

Specifically designed for repairing and replacing shock absorbers including MacPherson strut type assemblies.

Contents:

- 1 x 1/2"D (21mm Hex) Go Thru' Ratchet.
- ↑ 1 x Special Extension
 Bar 120mm.
- 3 x Slot Socket Adaptors.
- 7 x Go Thru' Sockets.
- 4 Hex Socket Adaptors.





MacPherson Clamp Separator Set 6798

INCLUDES:

4 x

Clamps & Shoes

Fast and efficient, holds the clamp open for removal and fitting of the MacPherson strut and hubs.

- Kit includes: 5 separator bits designed to fit the most common sizes of clamp and 17mm combi spanner.
- Applications include: Citroën, Peugeot, Ford, VAG, Audi where MacPherson struts are clamped into the hub.



Wheel Bearing Removal & Installation





Rear Wheel Bearing Service Kit

for Mercedes-Benz Viano & Vito Vans

Allows rear wheel bearings to be removed and fitted on vehicle with the minimum of component removal required.

Applications: Mercedes-Benz chassis type W639 including Viano (from 2003), Vito Mixto (from 2003), Vito Mini Bus (From 2003) & Vito Van (from 2003).





F Rear wheel drive applications include: BMW, Mercedes-Benz and Porsche

Wheel Bearing Circlip Pliers

Tips fitted with clip guides to help prevent the clip slipping off.

Bearing clips used by Citroën, Peugeot, etc.





GEN2 Wheel Bearing Kits

Generation II (GEN2) type wheel bearings consist of a combined bearing and drive flange (hub), which cannot be separated, therefore require special tools for both removal and fitting of new bearings. The Laser Tools range includes a number of individually sized kits, along with upgrade kits to allow for expansion of applications to different sized bearings, without always having to purchase complete new kits for each bearing size. By using clamshells and force plates and pins, this tool ensures that the load is taken only on the outer race of the bearing. The kits are also designed to allow for extraction of the relevant bearing, without removing the ABS Sensor.



GEN2 Wheel Bearing Kit 82mm

for Ford

Applications: Ford Focus, Focus 2.5RS, Focus 2.5RS 50, Mondeo Mk IV, Mondeo MKIV (from 2007), Galaxy (from 2006) and S-Max (from 2006) front; Landrover Freelander 2 (from 2006) front; Volvo S80, V70, XC60 and XC70 (from 2006).



GEN2 Wheel Bearing Kit 85mm

for VAG

Applications: Volkswagen Multivan, T5, T6, Touareg and Transporter.

Hub & CV Joint Removal & Installation





Inner Drive Shaft Extractor Fork

Engages between the inner driveshaft and the gearbox housing to lever out the driveshaft.

- Total length: 390mm; jaw width: 82mm.
- Applications: Ford, Mazda, Volvo, Renault, Dacia & other front wheel drive vehicles.



Drive Shaft Extractor Tools

Used together or individually depending on the driveshaft/gearbox design being worked on.

Designed to engage between the gearbox housing and the driveshaft on front wheel drive vehicles with pop out drive shafts.



Drive Flange Locking Kit

Designed to allow the drive flange to be locked preventing rotation when loosening or tightening inner drive shaft mounting bolts and hub nuts.



For removing CV joints on front wheel drive cars and vans without removing the drive shaft.

Can accept CV joints up to 115mm in diameter.



Installer with Cutter

2-in-1 tool designed for fitting steel band clips.

Built in cutter & winding mechanism, easily tightened & cut to length.



Heavy duty pliers for use on ear type metal CV boot clips (for example Oetiker ear clamps).

Handles have a 1/2" square hole for use with a power bar when extra tension is required.



CV Bootgun Pro

Pneumatic bootgun featuring wider opening arms and ergonomic handle, designed to stretch flexible boots over constant velocity joints onto driveshafts without having to dismantle the joint.



CV Boot Clamp Pliers

260mm

For use on earless clamps.

Applications: Earless clamps fitted to axle boots on Audi, BMW, Chrysler, Ford, GM, Honda, Mazda, Mercedes-Benz, Nissan, Porsche, Vauxhall/Opel and VW.



shafts where a torque setting specified.

Two way jaws offer a choice of clamping positions at 90° to each other, ideal for use in restricted areas





Assorted Oetiker Dual Hook & Universal CV Boot Clamps 60pc

A comprehensive set of metal band clamps suitable for use on constant velocity joint rubber boots.



Suitable for fitting medium sized closed and open ear-type pipe O-clips. Two settings which allow for pre-tensioning and definite clamping, with the mechanical lock preventing damage to the collar.



Drive Shaft Puller/Extractor Set 7pc

Driveshaft puller and 6 adaptors, designed for pulling drive shafts into hubs on Audi, BMW, Fiat, Ford, Mercedes-Benz, Peugeot, Porsche, Renault, Subaru, Vauxhall, Opel and Volvo.

Sizes: M16, M20, M22, M24, M27 & M30.





Brake Disc Run Out Kit

A 3 piece kit designed specifically to allow a DTi gauge to be mounted securely in almost any position against the brake disc to measure warp.

DTi gauge accurate to 0.01mm, total deflection 10mm.

Flaring Tool In-situ 3434 A versatile flaring tool that produces male, female and double SAE flares on 5mm to 16mm diameter pipes. Can be used on vehicle. Die sizes: 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8".

Brake Fluid Tester


4875

A simple tool for testing the percentage

of water in brake fluid – essential for regular safety checks on your brakes.

- Suitable for Dot 3, Dot 4 and Dot 5.1.
- NB Not suitable for silicone-based Dot 5.





This brake caliper guide thread repair kit comes complete with a titanium coated core drill, M9 tap and 10 threaded inserts.

High Pressure Brake Bleeder

8395

The advent of electro-hydraulic braking systems has meant that some motor manufacturers are specifying a need for pressure brake bleeders that can operate at a higher pressure than required with conventional systems.

This brake bleeder has been developed to meet this requirement as well as maintain the ability to be adjusted for lower pressure applications.

- Easily adjustable pressure from 0 to 50psi (3.5 bar). 12V power from vehicle battery (via the cigarette lighter/auxiliary socket).
- battery (via the cigarette lighter/auxiliary sock
 Safe for use with DOT 3, 4, 4+ and DOT 5.1 brake fluids.
- Auto shutoff when empty.





C < 器</p>



Braking


Vacuum Tester & Brake Bleed Kit

8018


Automotive tester, tune up & brake bleed vacuum pump with adaptor kit. Ideal for a wide variety of automotive applications.

- Applications: Brake & clutch bleeding, fluid extraction, vacuum valve testing (turbo, EGR), fuel pressure regulator testing.
- Kit includes: Vacuum pump, 1 fluid reservoir (4.5floz), 3 x reservoir caps, 5 fluid hoses, 2 universal bleed screw adaptors, 8 x tapered adaptors, 1 x T-joint, 1 straight joint & cupped joint.





Testing, Bleeding, Repair



Set of plastic coated caliper S-shaped hanging hooks, comprising of 3 different pairs. One pair of small steel rigid hooks, one pair of large flexible aluminium core hooks and one pair of large steel rigid hooks.



The clever design of this kit means that there is often no need for removal and installation of the rear wheels when bleeding brakes.

Contents: 1 x 7mm hex pass-through socket (45mm); 5×11 mm single hex pass-through sockets (12mm, 39mm, 60mm, 70mm, 85mm), 2m long silicone bleed hose (6.5mm OD, 4mm ID); a 17mm, reversible, pivoting, 72 teeth ratchet head; removable ratchet handle.



A 1.2 metre long silicone hose, without valve, for use with Laser 6783 (below) and other Laser brake bleeders. Clear/natural colour.

Length: 1.2m, 3.5mm ID.

CODE	SIZE
6819	Without Valve 1.2m
6820	With Valve 1.2m



Pneumatic Fluid Extractor & Brake Bleeder - 1L

Removes fluid through brake nipples using an airline generated vacuum. For bleeding or entire brake fluid replacement on motorcycles. Can also be used on cars with twin bleed.

Uses standard workshop air to generate a vacuum.



PROMOTIONS VALID FROM

1st Aug - 30th Sept 2025

Brake Fluid Receiver Bottle

A brake fluid catch bottle with a 1.5L capacity. Clear bottle with a graduated scale.

- Capacity: 1500cc.
- Complete with metal hanging hook for ease of use



Rubber Brake Bleed Nipple Adaptor

Rubber brake and clutch bleed nipple adaptor: fits hose diameters: 4 - 8mm.

Allows connection to any suitably sized hose.



Ideal for bleeding brake and hydraulic clutch systems, this kit is suitable for workshop or home use, as it covers a wide range of vehicles

- Comprises 6 colour coded wrenches sizes: 7, 8, 9, 10, 11, 12mm with integral captive sockets.
- Silicone bleed hose fitted with in-line





Manual Brake Bleeder with **Universal Adaptor 3L**

3L brake bleeder with universal adaptor and 44m Euro cap. Single handed manual operation.

- universal adaptor with seal measuring 20 90mm. Brake master cylinder cap kit that covers 90% of current master cylinder reservoirs also available, please see Laser Part No. 7101.
- Pressure gauge and manual pump unit, no external power source needed.

CHARGING CABLES





An extensive range of high-quality **Electric Vehicle Charging Cables and** Portable Chargers, which meet all international standards.

The range includes a wide variety of options, to suit most electric vehicles and charging circumstances.

TYPE 1 and TYPE 2 connectors; single phase or three phase cables; UK plug, Commando plug, or three phase plug; standard length, extra-long, and extension cables.

C € EK

Supplied in a convenient Laser Tools branded carry bag for easy transport and storage when not in use.

Type 2 Female to Type 2 Male **Extension Cable**











Applications

Audi, BMW, Hyundai, Jaguar, Kia, Lucid Air. Mercedes-Benz. MINI. Nissan Leaf (2018), Porsche, Range Rover P400e, Renault. Smart, Tesla, Toyota, Volkswagen & Volvo



Type 2 Female to CEE Plug 32A with Controller

9109













Applications

Audi, BMW, Hyundai, Jaguar, Kia, Lucid Air, Mercedes-Benz, MINI. Nissan Leaf (2018), Porsche, Range Rover P400e, Renault. Smart, Tesla, Toyota, Volkswagen & Volvo.



Type 2 Female to 32A **Commando with Controller**







Applications

Audi, BMW, Hyundai,

Air, Mercedes-Benz,

(2018), Porsche, Range Rover P400e, Renault,

Smart, Tesla, Toyota,

Volkswagen & Volvo.

Jaguar, Kia, Lucid

MINI, Nissan Leaf















Type 2 Female to UK Plug









Applications

with Control 9107

Audi, BMW, Hyundai, Jaguar, Kia, Lucid Air, Mercedes-Benz, MINI, Nissan Leaf (2018), Porsche, Range Rover P400e, Renault, Smart, Tesla, Toyota, Volkswagen & Volvo.



Type 2 Female to Type 2 Male









MAX CARLE



Audi, BMW, Hyundai, Jaguar, Kia, Lucid Air, Mercedes-Benz, MINI, Nissan Leaf (2018), Polestar, Porsche, Range Rover P400e. Renault. Smart, Tesla, Tovota, Volkswagen & Volvo.



Type 2 Female to Type 2 Male 9105















Applications

Audi, BMW, Hyundai Jaguar, Kia, Lucid Air. Mercedes-Benz. MINI, Nissan Leaf (2018), Porsche, Range Rover P400e. Renault. Smart Tesla Toyota Volkswagen & Volvo.





Wheeled Storage Box

for Vehicle Fire Blanket

9125

A robust front-loading mobile fire box suitable for storing and transporting EV fire blankets, large fire extinguishers or other essential safety equipment.

Overall dimensions: 1000mm height x 540 width x 345mm deep. Weight 9.5kg.



Size: 6 x 8 metres, thickness 0.45mm.

Material: E glass cloth coated with silicone and can withstand direct temperatures up to 550°C.

It should be noted that EV battery fires are self-oxygenating so a fire blanket can only help control the fire, it may not fully extinguish it.

LASER®



Safety Kits for working on Hybrid & Electric vehicles

Hybrid Personal Safety Pack

6771

Contains:

- Protective Arc Flash Face Shield.
- Carrying Bag for Face Shield.
- Fully Insulating Glove Set (Large, size 10).
- Leather Overgloves (Large, size 10).
- Glove Storage Bag.

Hybrid Vehicle Safety Pack 6770

Contains:

- Insulated safety clamp 1000V.
- Transparent insulating shrouding 1000V.
- Steering wheel lockout cover 500mm.
- Nylon bodied safety lockout padlock and safety tag: DO NOT START.
- Three cable end shrouds with grip collar: 15mm, 25mm and 35mm.









Hybrid Workshop Safety Pack 6769

- High voltage floor matting 1m.
- Insulated rescue pole.
- High voltage / no admittance sign plus danger high voltage sign.
- Safety post support base and chain support post c/w cap.
- Plastic 6mm chain 25m.



SOCKET SETS

Professional Kits from LASER®

Socket Set 1/4"D & 1/2"D

A comprehensive 94 piece socket set, from 4mm - 32mm, with 1/4"D bits and a range of accessories. Sockets manufactured from chrome vanadium with satin finish.



Socket Set 1/4"D, 3/8"D, 1/2"D

A comprehensive 171 piece socket set, from 4mm - 32mm, with standard and shank bits and a range of accessories. Sockets manufactured from chrome vanadium with satin finish.



Socket Set 3/4"D 21pc

Extra long 500mm ratchet

A comprehensive 3/4"D Bi-Hex (12pt) socket set, from 19mm to 50mm, with heavy-duty ratchet and accessories.

- Accessories: 500mm professional 24 (100mm, 200mm and 400mm long) and a 450mm long sliding T-bar
- chrome vanadium.





A comprehensive 1/2"D standard and deep single hex (6pt) socket set, from 10mm - 32mm, made from polished chrome vanadium.

Includes: 2 x spark plug sockets: 10, 14mm. Length: 65mm.



deep single Hex (6pt) sockets, in a full range of sizes from 6mm to 22mm, manufactured

from polished chrome vanadium. Includes: 2 x spark plug sockets: 10, 14mm. Length: 65mm.









Socket Set 1/2"D 31pc

A comprehensive 1/2"D single Hex (6pt) and Star* socket set, from 10mm - 32mm, manufactured from satin finish chrome vanadium.

Includes: Accessories: 72 teeth ratchet with soft. grip handle, 2 x extension bars (150mm & 300mm long), 3/8"D (F) to 1/2"D (M) adaptor, universal joint.



Alldrive Socket & Bit Set 1/4"D 40pc



A miniature set of Alldrive® profile sockets, from M4 - M14 and a selection of impact bits and accessories.

Includes: Phillips Ph1, Ph2; PzDrive: Pz1, Pz2; Hex 3 - 8mm: Star* T10 - T40: Spline M4 - M10. 72 teeth ratchet, universal joint, extension bar (100mm long), 100mm bit adaptor, spinner handle.



Socket & Bit Set 1/4"D 38pc

Miniature 1/4"D socket and bit set, from 5.5mm -14mm, made from satin finish chrome vanadium sockets and S2 impact grade steel bits.

Spring loaded bit holders for ease of use.



- 13, 14mm. 8 x bits: Phillips Ph1, Ph2; Flat 4, 6mm; Hex 4, 5mm; Star* T15, T20.
- 2 x 50mm extension bars for socket or bit driving.





including: metric, AF, spline, star, Whitworth & BA.



convertors and bit adaptors designed to

Adaptor Set 17pc









of popular sized impact bits.



situations. Forward and reverse function.



7370 Extension Bar Set 1/2"D 5pc Lengths: 50, 75, 150, 250 and 375mm.

IMPACT SOCKETS

Professional **LASER**®




Impact Socket Set 3/8"D, 1/2"D 37pc 3288

Metric and imperial impact sockets including 2 x 75mm long extensions and a 1/2" (F) to 3/8" (M) step-down adaptor.

- imperial 3/8" 11/16".
- 23 x 38mm deep x 1/2"D. imperial: 7/16" - 1 1/4

Impact Socket **Set** 1/2"D 8pc

A great value set of eight 1/2" square drive impact sockets, from 10mm to 24mm. Designed to withstand the rigours of impact tool use.



√ 1/2"D x Single Hex (6pt) x 40mm deep.





Impact Socket Set 1/2"D 18pc

A high quality, 1/2" square drive impact socket set with 18 metric sockets from 10mm to 32mm in single hex (6pt) profile.

A great workhorse set designed to withstand the rigours of impact use.









Bi-Hex Impact Socket Set 1/2"D 10pc

Set of 1/2"D x Bi-Hex (12pt) impact sockets in 2 different depths, drilled to accept retaining pin or detent ball.

- Socket sizes: 32, 33, 34, 35, 36mm x 23mm deep.
- Deep socket sizes: 32, 33, 34, 35, 36mm x 46mm deep.
- Suitable for use on ball joints.



Deep Impact Socket Set

A set of 50mm depth impact quality 1/4" square drive sockets in single hex (6pt) profile.

1/4"D 14pc 5962






Deep Impact Socket Set 1/2"D 20pc

A comprehensive set of deep, 1/2" square drive impact sockets, from 10mm to 38mm, in Bi-Hex (12pt) profile. 78mm deep.

Ideal for use with Laser cordless impact wrench, Part No. 8013 or mini air impact wrench 1/2"D, Part No. 7681.










Impact Universal Joint Socket Set

3/8"D 10pc

Built in U/J, meaning these come in a lot shorter than using a standard socket together with a universal joint, allowing better access to difficult to reach fixings.







Impact Socket Set 1/4"D 14pc

A set of impact quality 1/4" square drive sockets in single hex (6pt) profile. Covers smaller sizes from 4mm to 15mm,







Stubby Impact Socket Set 3/8"D 14pc

A full set of impact quality 3/8" square drive low profile sockets. The shallow profile makes them ideal for use in areas where access is restricted.

Socket sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm.

Impact Socket Extensions & Accessories





Impact Accessory Set 6pc 1/2"D

provide access to difficult to reach fixings


Lengths: 75, 125 & 175mm.

Includes: 1/2"D universal joint 1/2"D (F) to 3/8"D (M) & 1/2"D (F)









7372 Impact Extension Bar Set 3/8"D 5pc Lengths: 50, 75, 150, 250 and 350mm.





Special design can





A 3 piece lockable impact universal joint set comprising 1/4", 3/8" & 1/2" drive joints.

Full 360° rotation at angles up to 40° allows access to hard to reach spaces.









7816

Step-up adaptors: 1/4"D (F) to 3/8"D (M), 3/8"D (F) to 1/2"D (M), 1/2"D (F) to 3/4"D (M).

Step-down adaptors: 3/8"D (F) to 1/4"D (M), 1/2"D (F) to 3/8"D (M).







Exclusive, limited time offers on new θ best selling tools θ equipment!





Impact Square Drive Adaptor Set 8pc

Selection of impact quality square drive convertors, comprising both male to female and female to male, covering all drives from 1/4"D to 1"D.

- Step-up adaptors: 1/4"D (F) to 3/8"D (M), 3/8"D (F) to 1/2"D (M), 1/2"D (F) to 3/4" (M) and 3/4"D (F) to 1"D (M).
- Step-down adaptors: 1"D (F) to 3/4"D (M), 3/4"D (F) to 1/2"D (M), 1/2"D (F) to 3/8"D (M) and 3/8"D (F) to 1/4"D (M).



Metric Combination Spanner Set 12pc

Set of metric combination Bi-Hex (12pt) spanners sized from 8mm up to 19mm.

- **Sizes:** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm.
- Bi-Hex (12pt) profile with 15° offset head



Combination Spanner Set 8 - 19mm

8pc

Bi-Hex (12pt) profile with 15° offset.

Sizes: 8, 9, 10, 11, 13, 14, 17, 19mm.





Combination Spanner Set 6 - 22mm

12pc

Bi-Hex (12pt) profile with 15° offset head.

Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19 & 22mm.

Metric Combination Spanner Set 25pc

8717

A comprehensive set of metric

combination Bi-Hex (12pt)

spanners sized from 6mm up to 32mm.

- Supplied in an EVA foam tray, designed to fit roll cab drawers, keeping the tools clean, tidy and ready for use.
- Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 21 22 23 24 25 26 27 28 30 & 32mm



Stored in tool chest friendly EVA trays

AF/Metric Combination Spanner Set 32pc

A comprehensive combination spanner set in popular metric and imperial (AF) sizes, in regular and stubby lengths. A great tool kit for the home mechanic, covering the most common applications in the workshop.

- Metric standard: 6 19mm; Stubby: 10 - 15mm.
- Imperial (AF) standard: 1/4" 7/8"; **Stubby:** 3/8" - 5/8".





Ratchet Ring

Combination Spanner Set 5pc

Bi-Hex (12pt) with 72-tooth ratchet mechanism, allowing fasteners to be turned quicker and making them ideal for use in confined areas.

- Sizes: 10, 11, 12, 13, 14 & 15mm.
- Supplied in a hanging storage clip.

CV





- 17, 18 & 19mm.
- Supplied in a hanging







Flexi-Head Ratchet Ring Spanner Set

Flexi-head Bi-hex ratchet ring combination spanner set 8mm to 19mm, ideal for difficult access applications.

Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm.





Ultra Thin Open Ended Spanner Set 10pc

Double ended, ultra-thin open-ended spanners, ideal when space is restricted. Invaluable for a wide range of automotive applications including, freeing slim lock nuts and gland nuts.

Contents: 6 x 7mm (2.1mm thick); 8 x 9mm, 10 x 11mm (2.5mm thick); 12 x 13mm, 14 x 15mm (3.5mm thick); $16 \times 17mm (4.5mm thick)$; 18x 19mm (4.5mm thick); 20 x 22mm (5.2mm thick), 21 x 23mm & 22 x 24mm (5.5mm thick).



Spanner Sets, Adaptors & Accessories









Universal Wrench Extender Adaptor

Hooks over a spanner to provide extra leverage, particularly useful for loosening tight or seized fasteners. Features a v-shape hook and both a



- Sizes: 8 x 10mm, 11 x 13mm, 12 x 14mm, 13 x 15mm, 16 x 18mm & 17 x 19mm.
 Low profile, Bi-Hex (12pt) with face drive









Flexible Socket Spanner Set 6pc

Sizes: 6 x 7mm & 8 x 9mm, 230mm long; 10 x 11mm, 245mm long; 12 x 13mm, 273mm long; 14 x 15mm, 299mm long;





Go Thru Angled Socket Spanner Set 8pc



Reversible Ratchet Spanner 4-in-1

- Length: 230mm.







Innovative design allows 8 different Bi-Hex (12pt) sizes in one spanner, from 8mm to 19mm.



spanner handle with 12 interchangeable heads, ideal for use in confined areas.

- Sizes: 8 19mm.
- Supplied on storage rack.





Wobble Function 3pc





Crows Foot Wrench Set 3/8"D 10pc

square drive extension bar and ratchet, for improved access in confined areas. The flare nut head provides a firm grip for more





SUMMER PRICE DROP

PRICES LOWERED ON OUR POPULAR HAND TOOLS



Roto Lock Socket and Bit Set 1/4"D 31pc

6916



Socket and Bit Set 1/4"D 26pc



№ 10mm Hex shank Star*bits: 30mm long: T10 -T27 and T30; 75mm long: T20 - T55 and T60.



Foldable Work Lamp - COB & LED 7650











Wheel Nut Socket Set 1/2"D 7752







Oil Filter Wrench Set 13pc

3394

11 cup style, flute profile wrenches from 66 -108mm diameters for a variety of vehicles.




Scarab Relay & Fuse Plier



PROMOTIONS VALID FROM

1st Aug - 30th Sept 2025



Engine Support Beam 500kg

4842

Working range: 460 - 1450mm.



Brake Flaring Tool Set

Multi V-Belt Pulley Alignment Tool

7644

Designed to check the alignment of Multi-V pulleys prior to fitting a new belt.

Helps in the diagnosis of misaligned pulleys, failed idler, water pump, A/C pump and alternator bearings.





Multi-Function Automotive Tester



Alternator

Tool Set 13pc

9433 0 0 0 0

4213

For use on Audi, BMW, Fiat, Ford, Mercedes-Benz, Renault, Seat and Volkswagen.



Magnetic Sump Plug Key Set


Sump plug sizes: 14 x 17mm Hex, 10 x 12mm Hex, 9mm x 5/16" Hex, 8 x 13mm square and 11mm x 3/8" square.



A 9 piece set, for use on hard to reach auxiliary (serpentine) belts. Socket sizes: 13, 15, 16, 18mm. Crows Foot sizes: 13, 14, 15mm in 3/8"D & 1/2"D.

BODYWORK

Dent repair & alignment • Trim removal



Dent Puller

1779

Powerful 115mm grip vacuum cup handy for drawing out dents in body panels. Also useful for handling glass panels up to 50kg.



Suction Cup
Dent Puller 2pc

6567

Ideal for small dents, lifting and for holding wing mirrors.

Max lifting capacity: 10kg per cup.

Pneumatic Spot Repair Sander Kit

7683

Ideal for spot refinishing and smart repair. Supplied with a selection of discs, pads and polishing pads.

- 90° angled head, dual action pneumatic sander with reduced vibration.
- Also includes velcro pads: 2", 1.2"; triangular mini and airline connector.
- Kit includes 3 profiles of sandpaper in 6 grades: 120, 180, 320, 600, 1000, 1500.
- Plus 2x wool pads & 2x polishing pads.



Dent Puller Set 9pc 2795

Robust slide hammer puller set, capable of exerting 5lb of force. This will pull out damaged body panels and other metal distortions using 5 special end attachments and a screw extractor with adaptors.

Screw extractor with adaptors.

LASER

Trim & Panel Removal Tools

Non marking plastic construction



Trim Clip Remover

6694

U-profile trim clip removal tool.

- Robust, tapered design with dipped shape handle.
- Length: 172mm; width: 15mm. Jaw width: 5mm.

Trim Removal Wedge Set 5pc

8263

For the removal and installation of interior and exterior trim, door panels, dashboard fascias, upholstery panels or body mouldings and emblems, without causing damage to surrounding area.

Trim and Panel Removal Kit 27pc

6978

A 27 piece trim and panel remover set made from composite material to help to prevent damage.

- Also ideal for assisting radio removal & wheel weights.
- Manufactured from composite material.



Vehicle Trim Tool Kit 107pc

8731

A 7pc set of non-marring plastic trim removal tools supplied together with an assorted box of 100 replacement trim retaining clips, suitable for removing both interior and exterior automotive trim and associated fixings.

Contents include:

- ★ 6 x trim removal tools & 1 x trim clip remover.
- ✓ An assorted box of popular sized plastic trim clips, including; 20 x fir tree fixings, 20 x panel clips, 10 x push rivets & 50 x screw rivets.
- Supplied in zipped wallet.

Assorted Trim Clip Box Sets



Vauxhall/Opel Assorted Set 300pc

36034

A mixed set of 6 types of trim clips including panel clips, locking nuts, drive rivets original manufacturer replacement trim clips - to suit Vauxhall Opel vehicles.



Peugeot/Citroën Assorted Set 345pc

3603

A mixed set of 12 types of trim clips including moulding and panel clips, fir tree fixings, drive rivets - original manufacturer replacement trim clips - to suit Citroën and Peugeot vehicles.



Nissan Assorted Set 408pc

36017

A mixed set of 18 types of trim clips including button and general trim clips, fir tree fixings, locking nuts, push and screw rivets - original manufacturer replacement trim clips - to suit Nissan vehicles.



Renault Assorted Set 300pc

36033

A mixed set of 6 types of trim clips including moulding and panel clips, locking nuts - original manufacturer replacement trim clips - to suit Renault vehicles.



Fiat Assorted Set 308pc

36039

A mixed set of 12 types of trim clips including button, moulding and panel clips, fir tree fixings, locking nuts - original manufacturer replacement trim clips - to suit Fiat vehicles.



Ford Assorted Set 415pc

36024

A mixed set of 18 types of trim clips including button and weatherstrip clips, fir tree fixings, locking nuts, drive, push and screw rivets - original manufacturer replacement trim clips - to suit Ford vehicles.



BMW Assorted Set 290pc

36025

A mixed set of 6 types of trim clips including moulding and panel clips, drive and push rivets - original manufacturer replacement trim clips - to suit BMW vehicles.



Land Rover Assorted Set 280pc

36045

A mixed set of 12 types of trim clips including button and moulding clips, fir tree fixings, drive, push and screw rivets - original manufacturer replacement trim clips - to suit Land Rover vehicles.



Toyota/Lexus Assorted Set 360pc

36000

A mixed set of 18 types of trim clips including button, moulding, panel and general trim clips, locking nuts, push and screw rivets - original manufacturer replacements - to suit Toyota and Lexus vehicles.



Assorted Trim Set - Tesla Model 3 & Y 380pc

3600

A mixed set of 18 types of trim clips including button, moulding, panel and general trim clips, fir tree fixings and screw rivets - original manufacturer replacement trim clips - to suit Tesla.



Assorted Trim Set - VW ID.4 440pc

36002


A mixed set of 18 types of trim clips including button, moulding, panel and general trim clips, fir tree fixings and screw rivets - original manufacturer replacement trim clips - to suit VW ID.4.



Audi Assorted Set 160pc

36032

A mixed set of 12 types of trim clips including general, moulding and panel clips, screw rivets - original manufacturer replacement trim clips - to suit Audi vehicles.



Mini Air Impact Wrench 1/2"D

Super Light

7681

Super light and compact air impact wrench, with more than enough torque for everyday use.

Patented design allows easy greasing with Molybdenum Disulphide, for easy maintenance and longer life.

9000rpm, working torque 244-542Nm, with air consumption of 0.21 m³/min and 1/4" air inlet. 94dB and vibration 2.8m/s². Weight: 1.4kg.

Impact Wrench 3/4"D Twin Hammer 146mm Long

Small & lightweight but powerful impact wrench, with maximum torque 1100lb-ft (1492Nm).

One-piece Aluminium alloy die casting housing with black grip handle and 3/4" Drive.

9000rpm with a working Torque of 271-1220Nm. Vibration 2.8M/S2 and 94Db noise level.

Weight 1.9kg with average air consumption of 0.21 M3/Min. Air inlet 1/4" with suggested hose size of 10mm. Bolt capacity 23mm.



Impact Wrench

1/2"D

5585

A composite bodied, high torque, twin hammer air impact wrench with handle mounted air exhaust to improve user comfort.

- Composite handle exhaust/twin hammer with 10,000rpm (free speed).
- Forward 3 speed, reverse 2 speed. Max torque 1356Nm/1000 ftlbs, Working torque 950Nm-1020Nm.
- Air pressure 90psi, air consumption 5.4cfm.



Air Palm Impact Wrench

1/2"D

8497

A lightweight mini air impact wrench, that fits in the palm of the hand, making it suitable for use in tight spaces such as in engine bays, under wheel arches and around brake calipers.

- Side mounted trigger. Suitable for left & right handers. Features swivel connector with 360° rotation.
- Length: 88mm; maximum torque: 542Nm (400lb-ft). Weight: 1.15kg.





Air Impact Wrench 1"D with 6" Anvil

Air impact wrench, with extended anvil (output shaft) for recessed wheel nut access and user convenience. Also much lighter in weight than other industry models. These features make it much more user friendly, and less tiring to use, ensuring optimum health and safety for the worker. Ideal solution in HGV wheel replacement, vehicle repair, fleet maintenance, heavy plant,





5-in-1 Air Tool Kit

9010

A unique set that uses just one air motor to power 5 different "heads". The innovative but secure quick release system allows the heads to be changed in seconds to do 5 completely different tasks.

Heads include:

- № 1/2" drive ratchet head.
- Angle grinder head.
- Inline die grinder head.
- Angled dies grinder head.
- Air drill head.



Air Tools & Accessories



access is limited.

Length 220mm with 4 profiles: 1/2"D with Hex on shaft for use with impact tools, concave, flat and curved.



corroded bolts etc. in suspension work.

Contents: 6 x Parallel drift. Sizes 5.2, 6.5, 6.9, 7.7, 9.3 & 12.7mm.

Length: 177mm.



variable speed trigger, built in power regulator and quick-change chuck.


 Air hose size 3/8" ID; air inlet size 1/4" BSP; average air consumption 4.0cfm.



Flexible Air Hoses

Ultra-flexible, siliconefree polymer hose that lies flat and resists oil, UV, and weathering.





Air duster blow gun supplied with hose swivel coupler and T-connector. Designed for use in HGV cabs.

5m air coiled hose (6mm diameter) with swivel connector.

T-shaped connector with bronze ball shut-off valve quick connector and two 6mm push fit connectors.

Maximum pressure: 140psi.



Impact Socket

Set 3/4"D 7pc

Socket sizes: 24, 27, 30, 32, 34 & 36mm.



Socket sizes: 30, 32, 33, 34, 35, 36, 38, 41 & 46mm.



Auto-Rewind Air Hose Reel 15m

A retractable 15m workshop airline hose, with 3/8" (10mm) internal diameter and fitted with 1/4" BSP couplings, in a wall mounted housing.

Also features an auto-stop function, allowing for the hose to be extended and stopped at any length.

The high-visibility hose has a PVC/ rubber construction and is silicone free, making it ideal for use in a bodyshop.

Working pressure: 150psi. Burst pressure: 450 psi.



Air Coupling Kit 110pc

Kit Contains -

- № 15 x Standard Female Adaptor 1/4" BSPP.
- № 20 x Standard Male Adaptor 1/4" BSPT.
- № 10 x Airflow Female Coupling 1/4" BSPP.
- 10 x Airflow Male Coupling 1/4" BSPT.
- № 15 x Reducing Bush 1/4" BSPP to 1/2" BSPT Male.
- 10 x Double Union Nut 1/4" BSPP.
- № 10 x Hose Tail Adaptor 1/4" BSPP Male with 1/4" Hose Tail & 3/8" Hose Tail.
- № 10 x Hose Connectors 1/4" to 1/4".



Airtool & Socket **Organiser** Magnetic

A strong magnet allows secure attachment to tool cabinets, while integrated storage for popular wheel nut removers keeps the rattle gun and accessories easily accessible.

Electrical Repair

Terminal Tool Set

A comprehensive set that aids with the almost impossible task of removing the wires from most modern terminal blocks without damage.

Suitable for most modern vehicles including Chrysler, Hyundai, Kia, Mitsubishi, VAG, Ford, BMW, Mercedes-Benz, PSA, Fiat & Renault.





For damage free releasing of plug type connectors with folding handles/sheaths to protect the user and the fine precision tips.

For use on a range of vehicles including Ford, BMW Mercedes-Benz, Opel, Volkswagen, Fiat, Man, Saab, Renault, Chrysler, Porsche, PSA, Skoda, Audi, Mazda, Toyota, Vauxhall & Volvo.



Easy to use connection separation tool, ideal for use on both tight and awkward release buttons or on connectors in hard to reach areas.







For use on MAF sensor, coil pack, headlight, fog light, level sensor and most terminal blocks on VAG vehicles

Designed for use on most push and pull style connectors. Also for releasing terminals junior and micro connectors.



Diamond Terminal Cleaner Set 3pc

Ideal for cleaning of corroded plug housings.

- Cleans male and female connectors with tweezer style shaft.
- Diamond coated ends with smooth, medium



Ultra Thin Flexible Diamond Coated Files 3pc

Ideal for cleaning and removing corrosion from electrical connectors, terminals and contacts.

Blade widths: 6, 9, 15mm; length: 83mm; total length: 193mm.

Micro Round Diamond Coated File Set 12pc

Very fine flexible needle files. suitable for various filing jobs where a small diameter file is required.

⊁ Sizes: 2x 0.7, 2x 0.9, 1.35, 1.55, 1.7, 2.0, 2.3, 2.55, 2.75 & 3.0mm



Electrical Connector Repair





Supaseal Connector Kit 424pc

Supaseal connector wiring assortment for use on applications where a waterproof joint/seal is required for electrical cabling.

Ideal assortment for any sensor or harness repairs.





Ratchet Crimping Tool for Supaseal Connectors

size: 0.75mm² - 1.0mm²

cable size: 0.35-0.5mm² and 1.5mm² ► H3 Die for AWG 17-18 - cable





Assorted Electric Supaseal Connector Rubber Boots

Assorted box of Supaseal electrical connector rubber boots to help prevent water ingress at the back of the connector.

To suit 1, 2, 3, 4, 5 & 6-pin in-line Supaseal style connectors.

onnect Assorted Automotive Electric Delphi

Weatherproof **Kit** 426pc

These weatherproof connectors are used on sensors, light bars, head lights, electric windows and most under the bonnet applications.





Ratchet **Crimping Tool** for Delphi Weatherproof Connectors

A ratchet crimper set for Delphi weatherproof kit terminal release tool.



4 Way Indent Crimping Tool

A 4-way indent crimping tool to be used with the Connect Assorted Deutsch DT Connector Kit.



Assorted box of heavy-duty weatherproof connectors commonly used in motorsport track-day cars.

Male and female connectors, terminals, wedge lock plates which snap into connectors



onnect





Ideal kit for track day or motorsport use and also recovery trucks or roadside/mobile technicians.

Suitable for a variety of trades including motorsport.

F Kit includes: 1 ratchet crimper for non insulated terminals and Anderson Type Plugs, contacts, 1 cable cutter for cable up to 38mm², 6-2 pole 50 amp Anderson housing (2 x red, grey, yellow).

Plus relevant accessories: non-insulated terminals, heat shrink tubing and dual wall heat shrink tubes.





Gives a strong, clamp-ready wire end which prevents fraying of the wire strands and making it easier to clamp.

Sizes: 22AWG/0.5mm², 20AWG/0.75mm². 18AWG/1.0mm². 16AWG/1.5mm², 14AGW/2.5mm², 12AWG/4.0mm², 10AWG/6mm² & 7AWG/10mm².





160

piece kit





EXPANDING FILTER WRENCHES

Oil Filter Wrench

65 - 120mm

2075

A self-adjusting three arm filter wrench for all types of oil filters from 65 to 120mm diameter.



Ideal for old style filters as found on classic vehicles



Reversible Oil Filter Wrench 66 - 94mm

Remove and install oil filters quickly and easily, with a 3/8"D for use with a ratchet.

Range: 66 - 94mm.



Oil Filter Wrench

63 - 101mm

4892

Self-adjusting to remove all types of oil filters from 63.5 to 101mm diameter

€ 1/2" to 3/8" adaptor included.

Use with a 21mm socket or spanner.



Two Way Ratcheting Oil Filter Wrench

60 - 80mm

7726

Spring-loaded tension mechanism that adjusts to fit filters from 60 - 80mm and non-slip steel jaws that grip without slipping.


№ 1/2" square drive for use with a ratchet, power or extension bar.



Oil Filter Wrench Set 8pc

A set of oil filter and oil filter housing cups, including a VAG FSi oil housing drain with 800mm drain pipe.

Applications include: BMW, Citroën, Peugeot, Ford, Mercedes-Benz, Opel, Vauxhall, Volvo & VAG.





Hex sizes include: 36 x 6 flutes, 32 x 6 flutes, 27 x 6 flutes & 37 x 6 flutes.







Assorted Plastic Sump Plug Kit - 13pc

30293

Applications include: BMW (OE 11137605018), Citroen (OE 9801444780), Ford (OE 1830727, 187598), Mercedes-Benz (A0029902017), Peugeot (OE 9801444780), Vauxhall/Opel (OE 55512789) & VW Group / VAG (OE 06L 103 801).



Sump Plug UK Assortment 24 plugs plus washers to suit

32753

Includes: Vauxhall, Mini & Ford type plugs.



Sump Plug Euro Assortment 24 plugs plus washers to suit

32754

Includes: Citroën, Peugeot, Renault & Volkswagen plugs.



Assorted Sump Plug Washers 2000 Onwards Box 240pc

31890

- For vehicles manufactured from 2000 onwards.
- Includes Bonded, Copper and Aluminium washers.

Sump Repair & Oil Service





Oil Drain Plug Repair Kit 39pc

8701

Suitable for repairing damaged threads in oil sump pans, gearboxes and differentials. It's also supplied with a range of replacement drain plugs and washers, and comes in a EVA foam tray for easy storage.

Drain plug thread repair kit featuring the 3 top selling sized repair threads - M11, M13 and M15. Complete with taps, drain plugs & washers.



6928

Designed for use with the plastic sump plug products above.

Contents: 3/8"D T-handle (80mm long, shank length 100mm), 3/8"D slot socket, 3/8"D to 1/4"D Hex adaptor, 10mm Hex bit with 1/4" Hex shank & VAG oil plug bit with 1/4" hex shank.

Oil Drain Plug Repair Kits

For use on sumps where the thread has been stripped or worn.

- Contains: 1 x tap, 6 drain plugs and copper washers.
- Always use one size larger to re-tap thread. Supplied with over size tap.



CODE	SIZE
6671	M11 x 1.5
5225	M13 x 1.5
5226	M13 x 1.25
7661	M14 x 1.25
5227	M15 x 1.5
5228	M17 x 1.5
7662	M18 x 1.5
5229	M20 x 1.5
5230	M22 x 1.5



1 " 3 " 4 8

Diesel



Injector Puller - for VAG TDI PD

Injector puller set for Volkswagen/ Audi TDi PD diesel engines.

- Applications: 1.4 SDI/TDI, 1.9D/SDI/TDI (PD), 2.0TDI (PD) & PD 4-valves 2.5 TDI, 2.5TDI (PD), 2.8TDI (PD) & 2.7/3.0 TDI.
- See also Part No. 5479 (M6 spline bit) for removing the clamping bolt.





Diesel Injector Line Socket Wrench Set 1/2"D

1/2 0

4920

Diesel injector socket wrench set in 1/2"D for dismantling injector lines on most diesel engines.

- $\boldsymbol{\digamma}$ Sizes: 12, 14, 16, 17, 18 and 19mm in bi-hex.
- Length: 98mm.



Compression Tester for Diesel Engines 2596

A comprehensive tool kit for checking the condition of diesel engines on most cars and small boats. It tests for compression loss resulting from worn valves and valve seats, valve guides, piston rings, cylinder head and gasket seals.

Applications include: BMW, Citroën, Dacia, Daihatsu, Fiat, Ford, Isuzu, Land Rover, Leyland DAF, Mazda, Mercedes-Benz, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Seat, Toyota, Vauxhall, Volkswagen and Volvo.



Injector Puller Adaptor

Bosch CR Solenoid

9243

An injector extractor adaptor to allow the Bosch solenoid style injectors to be extracted using any 5/8" UNF threaded slide hammer or pneumatic extractor.

Injector removal & compression testing

- Mounts directly onto the top of the injector, no disassembly of the injector required.
- Simple to assemble using just 3 x 3mm grub screws.
- When angled access is required, please see use with adaptor Laser Part No. 6123.





Diesel Injector Fuel Return Flow Tester

5260

Designed for use on the injector return side of a common rail diesel system. This kit measures the return fuel flow on engines up to ten cylinders - very useful on certain commercial and marine applications.

This kit includes adaptors for Bosch, Siemens, Denso and Delphi common rail injectors.







0000 0000 0000 0000 0000

Glow Plug Thread Repair Kit 33pc

5206

A set of repair taps and coils for repairing the threads and glow plugs on alloy cylinder heads.

Re-threading kit for 8mm, 10mm, 12mm glow plugs.



Petrol

Digital Compression Tester - Petrol

A digital compression tester for testing petrol engines via the spark plug hole. The kit includes an easy to read digital gauge, extension pipes and plug adaptors to allow connection to deep seated plugs

found on modern cars, motorcycles, boats and van petrol engines. Plug thread sizes

> covered: M18, M16, M14, M12, M10.





PROMOTIONS VALID FROM

1st Aug - 30th Sept 2025

Cylinder Leakage Tester 7 bar (100psi)

The 100psi (7 bar) working pressure ensures adequate air pressure and flow to all the sources of the compression loss, plus the percentage loss to be measured.

- M10, M12 and M14.
- 2 x 238mm long adaptors for deep seated plugs: M12 and M14.
- Adaptor hose (300psi) for diesel injection adaptors.



for VW Group Petrol

8274

Used for the removal of the injectors used on Volkswagen Group TFSi & FSi engines. Supplied with the seal calibration tools required when fitting new Teflon seals.

- Equivalent to OEM T10133C, T10133/1, T10133/20 & T10133/21.
- Applications: Audi, Seat, Skoda & Volkswagen petrol engines.



Universal Joint Spark Plug Socket Set 3/8"D 3pc

7891

Longer length barrel and ball joint head designed to access the awkward spark plug recesses commonly found in modern vehicles.

- Three piece Bi-Hex (12pt) set includes; 14mm, 16mm, 21mm sockets
- Fitted with rubber inserts to protect and hold the spark plug.





Fuel Injector Function Tester

5V & 12V Petrol Injectors

Designed to allow the user to electronically switch a petrol fuel injector and perform a full function test, as well as aid injector cleaning by combining it with the use of a suitable carburettor cleaner.

- Powered by a 12V vehicle battery.
- Switchable 12V & 5V output includes 3 pairs terminal accessories.
- Selectable activation modes including: continuous, short, medium & long switching outputs.



Covers a variety of popular VAG and GM vehicles, to enable the quick and easy removal of deep-seated coil packs without causing any damage to the coil or any of the surrounding components.

Includes

- Three pullers for use on VAG vehicles fitted with direct ignition engines
- An extra wide shallow square for coils with final output VAG injection engines.
- One tool for removing pencil-type ignition coil on 4-cyl direct injection generation 3 VAG petrol engines.
- Two pullers for two handed removal of the ignition coil on many Vauxhall and Opel models.



Specialist Timing Tools

Innovative, precision tools from LASER®



Engine Timing Kit - for Fiat 2.2 Diesel

This Laser 9258 timing tool kit has been designed to lock the Fiat 2.2 Multi-jet diesel engines (from 2021 onwards) in their timed position to allow safe removal and fitting of the camshaft drive belt.

- Applications include: Fiat Ducato 120 4x2, 140 4x2, 160 4x2, 180 4x2 (from 2021).
- Engines include: 2.2L, 46349131 & 46348913.







Crankshaft Locking Tool - for JLR AJ200D Diesel

Designed to lock the crankshaft in a more convenient place on the back of the engine

- Applications include: Jaguar E-Pace (from 2017), F-Pace (from 2016), XE (from 2015) & XF (from 2015). Land Rover Discovery (from 2017), Discovery Sport (2015 - 2019), Range Rover Evoque (2015 - 2019), Range Rover Sport (2016 - 2018) & Range Rover Velar (from 2017).
- Engines include: AJ20, AJ-200D, 204DT, 204DTA; AJ200D, AJ200, 204DTA, 204DTH, 204DTY & 204DTD.







- Q8 (2019 2021), RS4 (2017 2021), RS5 (2017 2021), S4 (2017 -2020), S5 (2016 - 2020), SQ5 (2017 - 2020) & RS4 (2017 - 2021).
- Engine Codes include: 3.0L CWGD, CZSA, CZSE, DCBD, DLZA & 2.9L DECA.
- Equivalent to OEM: T40331, T40331/1, T40331/2, T40331/4, T40331/5, T40331/9, T90000, T90001 & T90002.



Timing Tool Kit - for BMW M52, M54

Setting and locking set for BMW Vanos engines. Includes set-up bracket to time camshafts, 2 chain tensioner locking pins, secondary sprocket, Vanos checking and primary chain pre-tension tools.

- **BMW** applications: **3** Series (1998 2007), 5 Series (1998
- 2005), 7 Series (1998 2005), X3 (2003 2007), X5 (1999
- 2007), Z3 (1999 2003) and Z4 (2003 2006).
- Engine codes: M52 and M54.







Engine Timing Master Kit

(inc Pulley Holding Tool) - for PSA Wet Belt 1.0, 1.2 Petrol

8514

- Applications include: Citroën DS, Peugeot, Toyota & Vauxhall/Opel models.
- Fengine include: EB0 1.0L & EB2 1.2L 3 cylinder wet belted engines, please see full applications list in downloads.
- Includes Laser Part No. 8369 crankshaft holding tool & Part No. 8870 camshaft holding tool.





Timing Tool Kit - for Renault 1.6, 2.0, 2.3 DCI, Nissan

Timing tool kit for Renault 1.6 and 2.0L DCI chain drive diesel engines fitted to the Megane, Vel Satis, Espace, Scenic, Trafic, Laguna and Koleos. Engine codes M9R XXX, M9T XXX and R9M XXX.

Equivalent OEM Codes: EN48334, EN48332, EN48331 and EN48330. Renault OEM MOT 1766. MOT 1769. MOT 1770, MOT 1773 and MOT 1970.





Master Clutch Kit - Trolley

Bringing together all the must-have clutch tools from our catalogue in one kit including model specific tooling.

The tools are conveniently sorted by clutch type to ensure the required tooling is easily found. The kit includes our latest transmission support arm to significantly speed up the removal of the gearbox right from the start of the job.

OVER 26 LASER KITS AND INDIVIDUAL PRODUCTS IN ITS OWN TOOL CHEST!



LASER



26 Kits & Individual Tools

✔ Vehicle applications include: Audi, BMW, Fiat, Ford, Hyundai, Kia, Mercedes-Benz, PSA, Renault, Seat, Skoda, Vauxhall/Opel, Volkswagen and Volvo.

Clutch types covered include: DSG wet & dry (VAG), DCT wet & dry (Ford, Hyundai, Kia, Renault, Volvo) SAC compression kit for all makes. SAC special tools for BMW & MINI, Conventional single plate clutch systems - all makes.



7139 DCT Clutch Claw Alignment Tool 7687 Measuring Tool Set DTI 3pc 7096 SAC Adjustment Ring

Setting Tool - for BMW 2646 Clutch Alignment Tool - Universal

4263 Digital Vernier Caliper 150mm Splined Bit Socket -8036 for Ford DCT Actuators

DSG GEN1 and GEN2

Clutch Setting Gauge Kit 7727 Dual Clutch Removal

7914

& Fitting Kit for Ford 6729 Seal Removal Kit 4pc

5121 Lock Ring Pliers - Angled

SAC Clutch Compressor Master Kit 7027 7485 Clutch Alignment Tool - for MINI

Clutch Alignment Tool MINI SAC Clutches 8318 Clutch Alignment Tool - for MINI

7484 Clutch Alignment Tool - for MINI 7812 Clutch Alignment Tool - for MINI 8136 Wet Plate Double Clutch Removal

& Fitting Kit - for VW Group 7821 Dual Clutch Oil Seal Remover/Installer Set - for Ford 8129 DCT Clutch Oil Seal Fitting Kit

for Ford, Volvo 6661 DCT Clutch Tool - for Ford, Volvo 5164 Assembly Lever - DSG Gearbox

7877 Wheel Bearing Circlip Removal & Assembly Lever

5371 Straight Edge 610mm

4 Drawers loaded with all the clutch tools from the Laser Tools range organised by clutch type for ultimate convenience!









Fuel Line Removal & Repair



Compatible with most vehicle makes across British and European markets.

Applications include: Alfa Romeo, Audi, BMW, Chrysler, Citroen, Fiat, Ford, Lancia, Opel, Peugeot, Saab, Skoda, Vauxhall & Volkswagen.


- POEM No's include: VAG 6XO 201 511, PSA 1567.89/88/C4, Ford 310-137, Opel 818.568, Vauxhall 25313359 & CH-50637, MINI 13 0 250.
- Also features: Ford Focus heater hose removal tool & standard hose removal pliers, together with scarab quick connect tool for dual button style connectors.



Provide increased flexibility, for greater access and leverage to deep seated, hard to reach connectors.

- Compresses the quick disconnect lugs without damaging the connector.
- Applications include: Audi, Fiat, Mercedes-Benz, Vauxhall/Opel & VW Group vehicles.





- Jaws range: 3 - 32mm.
- Extended length flexible cable 650mm.








Fuel & Injection Line Clamp & Stopper Kit

A set of tools for use on all fuel supply lines to stop the flow of fuel after disconnection.

- Pipe separator included.



Extended clamp for flexi hoses.

Assorted Fuel Line Leak Off Connectors 85pc





Flexi Fuel Line Socket Set 3/8"D



with two spring-loaded joints and eight interchangeable


Allows easy access to hard to reach fuel line fastenings.

open-ended sockets in sizes 10mm to 17mm.

3/8"D spring loaded socket set for flexible access to hard to reach fuel lines.

8 x socket sizes: 10, 11, 12, 13, 14, 15, 16 & 17mm.

A universal fuel tank sender wrench to remove and refit collars without damage.



Knurled lock to maintain position of arms.



head. Coverage includes HDEV5 and HDEV6.

- **Engine codes:** N13, N14, N18, N20, N26, N43, N53, N54, N55, N63, N74, S55, S63, B38, B48 & B58.
- Equivalent OEM: 2 452 959 (replaces 13 0) 191), 2 44 8 401, 13 0 192, 13 0 193, 13 0 194 13 0 195, 13 0 281, 13 0 282 & 13 0 283.




- Applications include: Mercedes-Benz C class (from 2013), CLA (from 2019), E class (from 2016), GLA (from 2020), GLB (from 2019), GLC (from 2015), GLE (from 2018) and Sprinter (from 2018).
- Engine applications: 1.6, 2.0 and 2.2L diesel engines.



Expander Set 3pc

This set of three exhaust expanders enable the pipe to be extended parallel to allow additional tail-pipes or accessories to be clamped successfully.

The three tools cover mild steel exhausts with diameters: 30 - 44mm, 38 - 62mm & 54 - 87mm.



6 short series thread chasers to restore exhaust sensor port threads including; exhaust gas temperature (EGT), NOx (Nitrogen Oxide), oxygen (O2) and particulate sensors prior to fitting the new sensor.

- **Sizes:** M12 x 1.25, M14 x 1.5, M22 x 1.5, M16 x 1.5, M18 x 1.5, M20 x 1.5 & M22 x 1.5.
- Manufactured from TiN (Titanium Nitride) coated chrome molybdenum for hardness, rust resistance and longevity.

INDIVIDUAL SIZES

CODE	DESCRIPTION
9003	M12 x 1.25
9004	M14 x 1.5
9005	M16 x 1.5
9006	M18 x 1.5
9007	M20 x 1.5
9008	M22 x 1.5



Exhaust Gas Temp Sensor Tool Set 19mm - for VAG

31 - 65mm

Designed for the removal and fitting the 19mm hex EGT sensor fitted to VAG vehicles

- For tightening, use with Laser Torque Wrench.
- For loosening, use 3/8" drive wrench.
- Equivalent to OEM VAG T10395, 8, 9, 10.

Exhaust + Sensor Port Repair



A heavy-duty, one-handed ratchet action pipe cutter

Ratcheting Tube Cutter

for steel or copper. The ratcheting action allows for use where access is limited.

- Cut range from 65mm down to 31mm.
- Cuts up to 1.5mm thick steel. Ideal for exhaust pipe up to 65mm (2.6") in diameter.



A set of 5 short series exhaust sensor sockets used for the removal and installation of Oxygen, NOx and Temperature sensors from exhaust and exhaust manifold systems. They feature a slot in the side, enabling them to be fitted over the wiring harness, and can be driven by either a spanner or 1/2"D ratchet making it ideal for both difficult access situations or for when increased torque is required to undo tight or seized sensors.

Applications include: 14mm (EGT sensor VW Group), 17mm (EGT sensor VW), 19mm (EGT sensor, VW), 22mm (Lambda sensor) & 24mm (Lambda/NOx sensor).

Short series - length: 67-70mm.



CODE SIZE 1/2"D 19mm 1/2"D 17mm 1/2"D 14mm



Exhaust Clamp Spreader/Installer

Specialist tool designed to remove and fit PSA exhaust clamps fitted to Citroën, Peugeot and Renault vehicles.

Spring handle and locking mechanism to easily hold the clamp.



Exhaust Pipe Clamp Removal Pliers

6747

- Exhaust pipe clamp removal pliers eliminate the need to remove the screw off of the clamp.
- For use on: Citroën, Peugeot, Renault, Nissan and Opel.



TECHTALK (**)



With a lengthy career in automotive technical engineering, Mark brings a wealth of knowledge and insight to everything we do. He's picked three stand out products from the Laser Tools range that any mechanic should have on hand - tools that combine clever design with real-world practicality.



9197

Under Bonnet Compact Work Lamp - 10w COB

All mechanics will tell you is that life is much better if you can see what is going on. You can never have enough light! Whether you're working under a car's bonnet, in a wheel arch, or even beneath a truck's cab, everything is easier with a bright, directable light.

In the old days we put up with non-rechargeable battery powered torches which glowed yellow using old incandescent bulbs and you inevitably held it in your mouth! Like everything else, work lights have come a long way.

The **Laser 9197 10W COB** represents the very best of modern work lamp technology. It features adjustable, swivelling, magnetised end mounts, allowing technicians to attach it to any ferrous surface for hands-free operation, further enhanced to by the inclusion of a motion "wave" sensor allowing it to be switched on or off quickly.

Combined with lithium-ion rechargeable battery technology and two brightness settings, you've got a work lamp that leaves old-school torches firmly in the dark ages!





Engine Timing Kit - for VW Group 1.0, 1.2, 1.4, 1.5 TSi Petrol

Sometimes it feels like the big multinational manufacturers aren't too keen on independent garages! OEM tooling tends to be expensive, complex, and often require specialist knowledge that isn't always readily shared.

At Laser Tools we are very proud of our in house designed tooling solutions. We are known for designing and manufacturing some of the most innovative and user-friendly tooling solutions. It was no accident that we decided to spend over 3 years designing an alternative to the OEM computer-based kit. Our customers asked us to do it, so we did.

Our brief was simple enough – design a kit that was as accurate as the OEM but simpler to use and was not computer based.

Designed initially for the late model 1.5 COD petrol engines from VAG Laser 8824 came out first in late 2023 and it was an instant success.

Over the coming months we added more and more adaptors increasing the applications until we arrived at the 9155 kit which covers 1.0, 1.2, 1.4, 1.5 TSi Petrol.

A kit that does the job as accurately as the OEM kit but without the need for a computer and at less than half the price of the OEM full kit. Brief met.

It is now one of our best products.

Many have tried to copy it and 8824 but they are still the original and the best!



8324

Suspension Split Hub Knuckle Spreader

Modern roads are keeping garages busy, thanks to potholes. We all complain, but let's face it: vehicle damage often means more work on the ramps.

Wheels and tyres are easy to sort but when a spring gets broken or a strut gets damaged then the vehicle corner needs stripping.

A common strut-to-hub connection is the simple integrated hub clamp which is either cast in iron or alloy. The strut slides into the hub and a clamp bolt then clamps the strut in place firmly and securely. All good- until it's time to separate the strut from the hub. The clamp needs to be opened slightly and held open while the strut is pulled out.

Wedging a screwdriver into the gap, or even riskier a chisel, usually sees it falling out just when you need it most and can easily damage the strut or hub. I have tried all these methods with little success.

That's where the **8324 Knuckle Joint Spreader** shines. It's double ended to give the best contact possible on curved and flat faced hubs. Simply slide it into place and nip up the 10mm bolt with a spanner to around 10NM and the hub will be opened enough to slide out the strut. It will stay open while the tool is in place until you decide to remove it.

A simple to use devise that allows the mechanic to use both hand to complete the job quicker and easier than the alternatives.



Our fully-fitted technical demonstration vehicles are on the road with our expert and skilled technicians presenting the very latest automotive tools and bodyshop repair equipment.

Visiting customers nationwide, these technicians demonstrate how our tools and equipment work allowing businesses to discover the time-saving benefits of the latest products we have added to our range. The vans carry everything from specialist tools to unique consumables and display products from each of our brands – Laser, Power-TEC, and Connect.

During the visits, our technicians are able to perform live product demonstrations and offer training – please ask for further details.

BOOK A VISIT

To arrange a visit, contact us direct:

- sales.support@toolconnection.co.uk
- www.toolconnection.co.uk/techvan













Oil Service Station Master Kit

A fully equipped mobile oil service station that combines a conventional height-adjustable gravity draining pan, vacuum draining hopper and waste oil tank into a free standing fully mobile station. Includes 3 storage drawers containing a 61pc set of oil filter cup wrenches & drain keys.

- ✔ Oil Storage: Maximum storage tank capacity: 70L with sight glass. Catch pan: 10L. Measuring cup (vacuum): 10L.
- ✓ Oil suction tubes: 1 x 5mm Ø, 2 x 6mm Ø & 2 x 8mm Ø x 700mm long.
- Uses workshop air for vacuum extraction & emptying. Also features: 4 x 4" wheels (2 fixed & 2 swivel with brakes).





Oil Filter Cup Wrench & Drain Key Kit - 58pc

A comprehensive 58-piece oil filter wrench set made up of 32 cup-style wrenches and 20 drain plug sockets. Includes adjustable oil filter grip wrenches. The Laser 9128 offer the perfect oil service tool set covering European, Far-Eastern and American vehicles as listed.

Applications include: Alfa Romeo, Audi, BMW, Buick, Citroën, Chrysler, Daihatsu, Fiat, Ford, Honda, Hyundai, Jeep, Kia, Lancia, Mazda, Mercedes-Benz, Mitsubishi, Nissan, Opel, Peugeot, Porsche, Renault, Suzuki, Toyota, Vauxhall, Volkswagen & Volvo.



to store the funnel kit after use, allowing the components to drain off any excess oil for periodic safe disposal.

- ✗ Mounts vertically on a flat vertical surface using magnets or screw holes provided.
- F Oil funnel kit, Part No. 7980, features 9 different sized caps suitable for oil ports for the majority of vehicles.

CODE DESCRIPTION

Oil Funnel Kit with Drain Storage Station

Oil Funnel Kit only

Full list of cap applications online: www.lasertools.co.uk/product/7980



CV II 3 8

Promotion valid from 1st August - 30th September 2025 while stocks last. All offers available through your local supplier of The Tool Connection Ltd branded products. All prices correct at the time of going to press and exclude VAT. The Tool Connection Ltd reserve the right to change prices or take products off of promotion without prior notice.



The Tool Connection Ltd.

Kineton Road | Southam | Warwickshire CV47 ODR | Tel: 01926 815000

